



Your Swimming Pool & Wellness Partner





A NEW DIMENSION FOR 2019

EDITORIAL

POOLSTAR INNOVATES!

Thinking outside the box, being attentive to future trends and continuously innovating has been part of Poolstar's DNA since its creation. It's also what motivates us every day and has contributed to our success.

This year, we have introduced no less than 12 new products, such as the Jetline Platinum heat pump, as design-oriented as it is technology-savvy — and the Bellagio outdoor shower, with its stand-out curves. Totally new and innovative, products whose success is taking shape.

POOLSTAR IS ON THE MOVE!

Our international development is intensifying with a warehouse dedicated to Spain that will ensure ever-shorter delivery times, and just as importantly, service centres spread throughout the country. Today, our sales force today counts six sales teams who cover the entire country and offer products specifically adapted to the market.

At the same time, our French sales administration team has expanded to support the volume of orders, with a new logistics team at their side, bringing with it new work processes that are more in line with our sales.

Similarly, the Poolstar Group attends a significant portion of the European trade fairs with five big annual events in France, Spain and Germany.

POOLSTAR IS RELOCATING!

Aware of the challenges of the coming years, Poolstar is making sure it is equipped with the facilities that match its ambitions!

Its brand new headquarters, including a warehouse of nearly 20,000 m², 23 loading bays, more than 1,000 m² of offices, plus 1 indoor & 1 outdoor showroom which includes two heated pools.

Likewise, the After-Sales Department has been outfitted with a new pick-up area, a bespoke product workshop incorporating a test bench and new tooling.

Located in Rousset, at the foot of the Sainte Victoire, our geographical location enables us to respond quickly on all occasions thanks to our proximity to the port of Marseille-Fos and the highway networks.

Emmanuel Attar

Sales Director



*French FPP Association
Member*

CONTENTS



Poolex

A large range of swimming pool heat pumps

P.8



Formidra

Solar showers with contemporary designs

P.48



Waterflex

Aquafitness equipment for more exercise


P.60



Holl's

High-end sauna collection

P.86



France sauna

Traditional and infrared saunas at competitive prices


P.106



Netspa

Collection of inflatable jacuzzis suitable for all


P.118



Prosolis

Comfortable and robust Garden furniture

P.132



Zray / Coasto

Wide range of inflatable SUPs & kayaks

P.136



YOUR SWIMMING POOL & WELLNESS PARTNER

SWIMMING POOL AND WELLNESS: A GROWING TREND

For a feeling of cocooning, wellness and comfort, the swimming pool is a major focus of interest that is important for both family and friends. Customers want to have fun, mixing usefulness with pleasure, while keeping control of their budget. This consumer trend is generating a strong demand for which the Poolstar product line can help you provide a suitable and attractive response.

GREATER COMFORT

Whereas the initial experience around the swimming pool was basically functional, we have entered a new phase where consumers expect more comfort from their equipment. This search for comfort is extended and characterised by a strong demand for wellness products.

VISUAL PLEASURE

Why shouldn't an everyday product be attractive? At Poolstar, we have always strongly believed that products should be beautiful enough to produce pleasure just by looking at them.

MATERIALS OF QUALITY

All our equipment is designed using the best materials, showing a great appearance.

GENERATING ADDITIONAL SALES

The European swimming pool market is alive growing. With more than 2 million pools, France is the world's second largest market behind the USA, and just ahead of Spain. In a market that is expanding strongly with new products and new applications, your customers have ever-increasing demands. Use every opportunity to develop your business: with either buys or sensible purchasing behaviour, with Poolstar you can generate a large amount of additional sales.





© Zenith Photo

*Located in Rousset, our head
office is home to our technical,
administrative and sales teams.*

THE POOLSTAR DIFFERENCE

A WIDE RANGE

We offer a wide range for each product category (sizes, powers, colours, etc.) so that we can best meet the broad range of expectations of your customers. With Poolstar, it's easier to achieve customer satisfaction!

STOCKS ALWAYS AVAILABLE

To manage the increase in sales and ensure our flagship products are quickly available, we are continuously increasing our logistics capability. Results: your customers receive rapid service and your storage costs are minimised.

THE BEST FEATURES

In each category, Poolstar designs products with the best features available on the market. Compare our heat pumps, our solar showers, and our saunas with those of our competitors. You will be pleasantly surprised by the extensive features and performance of Poolstar's products.

DROP SHIPPING:

SAVE ON YOUR SHIPPING COSTS

It is difficult to protect your margins, in the face of customer demands and pressure from competitors. This is why Poolstar offers you the benefits of Drop Shipping.

All you need to do is indicate that you would like to take advantage of drop shipping when placing your order, and provide your customer's contact information. We then take care of delivering directly to the customer. You save on shipping and gain a delivery day.

A LEADING PARTNER IN FRANCE

With Poolstar, you benefit from the advantages of a leading partner in your field of activity. A leader in sauna, aquafitness and solar showers, Poolstar is also one of the top three heat pump suppliers for pools smaller than 100 m³, and amongst the leading players in the inflatable jacuzzi and stand up paddle board market.

AN UNBEATABLE VALUE

We continually scour the market for solutions with unparalleled quality-price ratio.

Quality is our first aim because it is essential for ensuring your customers' satisfaction. Keeping prices low is our second aim because we would like to make sauna ownership more accessible. Your customers benefit from this value directly.

Our mission is to create a new product, make it attractive, practical and reliable and produce it in large quantities at low cost. Innovation, design and manufacturing are in Poolstar's DNA.

POOLSTAR DESIGNER AND MANUFACTURER

OUR IDEAS

Our ideas come quite simply from your suggestions, from those of your clients and also from close observation of products in the swimming pool world. At Poolstar, we are always trying to improve our products and invent new ones. We have a natural tendency to challenge old habits and to 're-think' products on the basis of consumers' actual requirements. This natural tendency is in our DNA.

OUR DESIGNERS

At Poolstar, we believe that if a product is both attractive and practical, it has every chance of being selected by the consumer. That is why we have been working with our designers for more than 10 years, so that the launch of any new product is a magical moment. About it, what do you think of the design of our solar showers, our Holl's saunas, our stand-up paddle boards and our spas?

OUR DESIGNERS

A product may be attractive but above all it must be practical, robust and useful. For this reason our engineers work in close collaboration with our designers in these two areas. They bring their technical know-how and experience of materials and their constraints as well as an indisputable ability to invent something 'extra' that appeals to the consumer.

OUR INNOVATIONS

Our innovations are widely recognised on the market. Our policy of filing patents ensures the protection of our innovations and the unique character of our products.

OUR BRANDS

Our brands reflect our design and manufacturing capabilities. They are recognised in each of our areas of activity. For your clients they guarantee the purchase of a high quality product at an attractive price.

OUR MANUFACTURING

We ourselves manufacture the results of our innovative designs. For us, this manufacturing role is essential since it allows us to simultaneously control quality, delivery lead times and costs. We manufacture in Italy, Finland, Canada, Belgium, Israel and China.

OUR QUALITY

Quality is the cornerstone of everything we do. The best possible materials are carefully selected for use in the early stages of production. Furthermore, rigorous quality control ensures specification compliance throughout the manufacturing.

OUR PRODUCTION VOLUME

You benefit from the lower manufacturing costs arising from our high production volumes. As well as the resulting economies of scale, this high-volume manufacturing also guarantees optimum supply capacity.

SOURCE OF OPPORTUNITIES FOR YOUR BUSINESS

Our ability to both design and manufacture at reasonable cost allow us to extend our existing markets to reach clients who theoretically did not think they could afford these products. In this respect, we are continually creating new markets and approaching new clients, and thereby generating additional sales.



POOLSTAR THROUGHOUT EUROPE

IN EUROPE AND OVERSEAS

Present in more than 50 countries, we are continuing to increase sales throughout Europe. To do this, we encourage agreements with trans-European companies and especially with our local partners. You, too, can be part of this winning network! Particularly interested in selling our products, some of our partners also work with us across the entire sales chain (logistics, after-sales service, etc.).

CONTACTS THAT SPEAK YOUR LANGUAGE

At Poolstar, your contact persons speaks French but also English, Spanish, Italian, German, Chinese, Arabic, and Dutch. You will be heard and understood in your own language. This makes doing business easier and ensures that your requirements and the specificities of your location are taken into full consideration.

RECOGNISED STANDARDS AND CERTIFICATION

Safety, quality, ease of use: European consumers want products whose quality is verified and confirmed by an independent body. At Poolstar, we rely on the experts at TÜV for carrying out inspections of our products and their certification. Moreover, the "GS" logo, which is visible on a large number of our products, is a recognizable sign that allows your customers to quickly identify products that comply with technical requirements for safety.

FAST SHIPMENT

With products available in large quantities via our logistics platforms, we can provide quick delivery anywhere in the European market irrespective of the order quantity. You benefit from a lead time that meets your requirements perfectly, allowing a preparation time of 24 to 48 hours, and being delivered within 2 to 7 days at most for courier shipments.

LOCAL SUPPORT

Your Poolstar contact will cultivate a close working relationship with you. With assistance determining the sales potential of your local market, training for your technical and sales teams, and marketing campaigns - you benefit from support that is perfectly tailored to your needs so that you can develop your business in the best conditions.

SOLID EXPANSION INTO SPAIN

Our Spanish network now extends throughout Spain, with six sales teams trained on our products as well as a complete network of service centres. This network relies on a storage facility set up in Spain to deliveries with the shortest lead times, and also products that are dedicated specifically to this market.

SWIMMING POOL HEATING

POOLEX

SUIVEZ L'EXPERT

COMPLETE PRODUCT RANGE
FOR EVERY SWIMMING POOL

Jetline
PLATINIUM

NEW
2019



Technology



INVERTER

SWIMMING POOL HEATING

Heat pumps have become essential equipment for anyone that owns a pool. Significantly more economical than a conventional heater, it extends the swimming season by several months.

Leading-edge technology:

The Full Inverter technology of our heat pumps is amongst the best on the market. The compressor, as well as the variable speed fan, ensure that our heat pumps are as quiet as they are well-designed.

Attractive product lines:

We have designed our heat pumps taking into consideration each of our customers. Whether you are a business or an individual, equipped with either an above ground pool or an Olympic-size pool, Poollex will undoubtedly be able to supply the heat pump that matches your needs.

CONTENTS



NEW
2019

P.10

JETLINE PLATINIUM

FROM 9 TO 12KW

DEDICATED TO
STORES



NEW
2019

P.12

JETLINE PREMIUM LED
FROM 7 TO 11KW



P.14

JETLINE PREMIUM INVERTER
FROM 9 TO 20KW



P.16

JETLINE PREMIUM
15 KW



NEW
2019

P.18

ARTIC LINE PREMIUM
15 KW



NEW
2019

P.20

ONE
FROM 7 TO 11KW

DEDICATED TO
STORES



P.22

TRILINE PREMIUM
FROM 15 TO 32KW



P.24

TRILINE PREMIUM HYBRID
FROM 15 TO 18KW



NEW
2019

P.26

MEGALINE
FROM 45 TO 95KW



NEW
2019

P.28

NANO TURBO PREMIUM
UP TO 25m³

DEDICATED TO
STORES



P.30

NANO
UP TO 20M³



P.32

JETLINE SELECTION INVERTER
FROM 12 TO 28KW



P.34

JETLINE SELECTION
FROM 5.5 TO 31KW



NEW
2019

P.36

TRILINE SELECTION
FROM 21 TO 30KW



NEW
2019

P.38

ARTIC LINE SELECTION
15KW



P.40

SILVERLINE
FROM 5 TO 22KW



P.42

SILVERLINE INVERTER
FROM 8.5 TO 12.5KW



P.44

WIFI CONNECT



P.45

MAXI POOLSUN



P.46

U CONNECT

SWIMMING POOL HEATING Jetline Platinum

DEDICATED TO
STORES

**NEW
2019**

Jetline PLATINUM



JETLINE PLATINUM

DESIGN, CONCEPT AND PERFORMANCE

COP* ≥ 7.3
AIR 15°C WATER 26°C

<21 AT 10 M ** dB

**OPERATES
DOWN TO -10°C**

**INVERTER MODE
+35% COST SAVINGS**

At Poolex, we believe that the performance can be surrounded by breathtaking designs, which is why we have designed the Jetline Platinum for you.

Poolex finally answers one of the questions often raised by users: how do I effectively hide my heat pump? What if, instead of trying to hide it, you flaunted it?

Its contemporary design includes the latest Inverter technology, providing a COP greater than 7 and silence that you would normally only find in a library, with less than 21db at 10m**. Also included, of course, like the entire Poolex range, is the new R32 Refrigerant, which is more ecological and provides better performance than its predecessors.

With its three operating modes (INVERTER / ECO SILENCE / CRUISE) you can decide instantly just how you'd like your heat pump to operate.

Worldwide innovation: The integrated ambiance LEDs tell you straight away about the operating state of your heat pump: blue: your pool is heating. Green: your heat pump has reached its target temperature. Red: action required.

The guarantee:

In 2019, Poolex is extending the warranty on all its compressors to 7 years for the entire premium range.

ADVANTAGES

TOP-OF-THE-RANGE DESIGN

ALUMINIUM CASING

VERTICAL INVERTER TECHNOLOGY

LED LIGHTING

LCD CONTROL BOX
WITH PERFORMANCE INDICATOR

ULTRA-QUIET & ECONOMICAL

TWISTED TECH® TITANIUM HEAT EXCHANGER

COMPATIBLE WITH SALT TREATMENT

WARRANTIES

HEAT PUMP GUARANTEED 3 YEARS

COMPRESSOR GUARANTEED 7 YEARS

TITANIUM COIL GUARANTEED 15 YEARS
AGAINST CORROSION

* Average coefficient of performance greater than 7.3 according to European standards (Air 15°C, Water 26°C, Hygro 70%), certified by TÜV.

** Average noise at 10 m from the heat pump in full inverter mode.

TECHNICAL DATAIntegrated
Wi-FiJETLINE PLATINUM⁹⁰JETLINE PLATINUM¹²⁰

Poollex

E.U. STANDARD
T.U.V. CERTIFIED

Data provided for informational purposes only and may change without notice.

Pool volume		from 45 to 65m ³	from 65 to 85m ³
Reference: PC-PTM		090	120
Air 26°C Water 26°C Hygro 80%	Max. output power (kW)	12.2	15.1
	Min. output power (kW)	2.78	4.7
	Power consumption (kW)	1.79 ~ 0.2	2.22 ~ 0.26
	COP	13.3 ~ 6.8	13.3 ~ 6.8
Air 15°C Water 26°C Hygro 70%	Max. output power (kW)	9.03	12.1
	Min. output power (kW)	2.09	2.8
	Power consumption (kW)	1.86 ~ 0.28	2.5 ~ 0.4
	COP	7.3 ~ 4.83	7.3 ~ 4.8
Power supply		Mono 230V / 50Hz	
Heating temperature range		15°C / 40°C	
Operating range		-10°C / 43°C	
Max. current (A)		16	20
Flow (m ³ /h)		3.3	4.4
Refrigerant		R32	
Packaging dimensions (mm)		Ø1040x1010	
Dimensions (mm)		Ø935x845	
Net/gross weight (kg)		59 / 67	65 / 73
Inverter Noise at 1 m (db(A))		<48 ~ <40	<50 ~ <41
Inverter Noise at 10 m (db(A))		<29 ~ <21	<31 ~ <23
Compressor type		Rotary	
Compressor brand		Mitsubishi	
Heat exchanger		Twisted Tech®Titanium	
Function		EcoBooster & EcoSilence (inverter) / Heating / Cooling	
Load loss (mCE)		1.1	1.1

**ACCESSORIES INCLUDED**Delivered on
wooden palletWinter storage
coverMaintenance kit
Including multi-language
usermanualPVC CONNECTORS
Ø 50mm 1" ½

Condensation drainage pipe

Anti-vibration
support kit

SWIMMING POOL HEATING Jetline Premium LED

3 VERSIONS AVAILABLE

DEDICATED TO
STORES

NEW
2019

POOLEX
Jetline®
PREMIUM



WARRANTY
PREMIUM
3 YEARS



JETLINE PREMIUM LED

THE GOLD STANDARD FOR HEAT PUMPS

COP* ≥ 5.09
AIR 15°C WATER 26°C

<29 AT 10 M ** **dB**

**EFFICIENT
& ECONOMICAL**

**INTEGRATED LED
TECHNOLOGY**

After its successful introduction, the Jetline Premium was duty-bound to continue developing, and these are the results. An even better design, more ecological and even more intelligent, nothing less!

Now its new steel design incorporates a complete silhouette of intelligent LEDs. Each colour represents an operating mode. In just a glance, you know what your heat pump is doing.

Thanks to an ultra-high performance compressor, the Jetline Premium uses a new coolant, R32, which is much more ecological and allows operation down to -5°C.

With its new Twisted Tech® technology, pool temperature rise is even faster.

In 2019, Poolex is extending the warranty on all its compressors to seven years across the entire Jetline Premium LED range.

ADVANTAGES

REVERSIBLE

**AUTOMATIC DEFROSTING
VIA CYCLE INVERSION**

TWISTED TECH® TITANIUM HEAT EXCHANGER

AUTOMATIC THERMOSTATIC CONTROL

COMPATIBLE WITH SALT TREATMENT

WARRANTIES

HEAT PUMP GUARANTEED 3 YEARS

COMPRESSOR GUARANTEED 7 YEARS

**TITANIUM COIL GUARANTEED 15 YEARS
AGAINST CORROSION**



* Average coefficient of performance greater than 5.1 according to European standards (Air 15°C, Water 26°C, Hygro 70%), certified by TÜV.

** Average noise at 10 m from the heat pump.

TECHNICAL DATAIntegrated
Wi-FiJETLINE
PREMIUM 70JETLINE
PREMIUM 90JETLINE
PREMIUM 110

Poollex

E.U. STANDARD
T.U.V. CERTIFIED

Data provided for informational purposes only and may change without notice.

Pool volume		from 40 to 50m ³	from 45 to 65m ³	from 65 to 80m ³
Reference: PC-JLP		070L	090L	110L
Air 26°C	Capacity (W)	9,810	12,650	15,050
Water 26°C	Power consumption (W)	1,560	1,980	2,370
Hygro 80%	COP	6.27	6.39	6.35
Air 15°C	Capacity (W)	7,000	9,000	11,000
Water 26°C	Power consumption (W)	1,400	1,770	2,180
Hygro 70%	COP	5.01	5.09	5.05
Power supply		MONO 230V / 50HZ		
Max. power (W)		2,360	2,760	3,520
Max. current (A)		10.60	12.50	15.40
Heating temperature range		15°C / 40°C		
Operating range		-5°C / 43°C		
Flow (m ³ /h)		3.4	4.2	5
Refrigerant		R32		
Packaging dimensions (mm)		1006x426x864		
Dimensions (mm)		956x372x724		
Net/gross weight (kg)		51 / 66	58 / 73	63 / 78
Noise at 1 m (db(A))		<48	<49	<49
Noise at 4 m (db(A))		<38	<39	<39
Noise at 10 m (db(A))		<29	<30	<30
Compressor type		ROTARY		
Compressor brand		TOSHIBA		
HEAT exchanger		Twisted Tech®Titanium		
Function		Auto / Heating / Cooling		
Load loss (mCE)		1	1.1	1.2

LED
Indicative Technology

SILENT EFFICIENCY



TOUCH & GO

**ACCESSORIES INCLUDED**Delivered on
wooden palletWinter storage
coverMaintenance kit
Including multi-language
usermanualPVC CONNECTORS
Ø 50mm 1" ½Wired control extension
(10m)

Condensation drainage pipe

Anti-vibration
support kit

SWIMMING POOL HEATING Jetline Premium Inverter

4 VERSIONS AVAILABLE

DEDICATED TO
STORES

POOLEX
Jetline®
PREMIUM
INVERTER

Technologie



WARRANTY
PREMIUM
3
YEARS



JETLINE PREMIUM INVERTER

HIGH PERFORMANCE GOLD STANDARD

COP* ≥ 7.44
AIR 15°C Water 26°C

<21 AT 10 M**
dB

**OPERATES
UNTIL -10°C**

**INVERTER MODE
+35% SAVINGS**

Seeking to provide its customers with superior performance, Poolex has designed a Jetline Premium heat pump equipped with Inverter technology.

A high-performance variable cycle compressor and a new titanium double-spiral heat-exchanger give it a COP above 7.44, based on European standards.*

The Jetline Premium Inverter has three modes of operation:

An Eco Booster (Inverter) mode that adapts its power output and consumption according to requirements; maximum power at the start of the season to heat the pool quickly then low consumption to maintain its temperature.

An Eco Silence mode for economical and ultra-silent operations with the fan revolving slowly.

And Cruise mode (ON/OFF) for consistent performance.

Its LCD control panel can be remotely positioned via its 10m extension.

Confident of the Premium range's reliability, Poolstar is extending its warranty to 3 years and offering a home breakdown service under certain conditions.

ADVANTAGES

ALL SEASON

INVERTER MODE WITH PROGRESSIVE START-UP

AUTOMATIC DEFROSTING BY CYCLE INVERSION

**LCD CONTROL BOX
WITH PERFORMANCE INDICATOR**

ULTRA-SILENT AND ECONOMICAL

AUTOMATIC THERMOSTAT CONTROL

TWISTED TECH® TITANIUM HEAT EXCHANGER

COMPATIBLE WITH SALT TREATMENT

WARRANTIES

HEAT PUMP WARRANTY 3 YEARS

COMPRESSOR GUARANTEED FOR 5 YEARS

**TITANIUM HEATING COIL WITH 15 YEARS
GUARANTEE AGAINST CORROSION**

* Average COP above 7.44 based on European standards
(Air 15°C, Water 26°C, Hygro 70%) certified by TÜV.

**Average noise at 10m distance from the heat pump.


TECHNICAL DATAOptional WiFi
For remote controlJETLINE PREMIUM
INVERTER 90JETLINE PREMIUM
INVERTER 120JETLINE PREMIUM
INVERTER 150JETLINE PREMIUM
INVERTER 200

Poollex

E.U. STANDARD
T.U.V. CERTIFIED

This information is provided for guidance purposes only and is liable to be modified without notice

Swimming pool volume		From 45 to 75m ³	From 65 to 90m ³	From 80 to 110m ³	From 110 to 145m ³
Ref: PC-JETLINE-PV		90W	120W	150W	200W
Air 26°C Water 26°C Hygro 80%	Max. power output (kW)	13,42	15,7	21,1	29,1
	Min. power output (kW)	3,05	3,61	4,86	6,71
	Power consumption (kW)	2,07 ~ 0,24	2,26 ~ 0,26	3,07 ~ 0,36	4,2 ~ 0,49
	COP	12,64 ~ 6,5	13,57 ~ 6,95	13,46 ~ 6,87	13,56 ~ 6,95
Air 15°C Water 26°C Hygro 70%	Max. power output (kW)	9,93	12,6	15,7	20,9
	Min. power output (kW)	2,29	2,88	3,59	4,8
	Power consumption (kW)	2,16 ~ 0,33	2,54 ~ 0,39	3,19 ~ 0,49	4,24 ~ 0,65
	COP	6,95 ~ 4,59	7,44 ~ 4,96	7,34 ~ 4,92	7,43 ~ 4,93
Electricity supply		Mono 230V / 50Hz			
Heating temperature range		15°C / 40°C			
Operating range		-10°C / 43°C			
Max current (A)		16,00	20,00	25,00	30,00
Flow (m ³ /h)		3,3	4,4	5,2	7,1
Refrigerant		R410A			
Packaging dimensions (mm)		1 000x400x785			1 085x455x840
Dimensions (mm)		950x355x650			1 055x395x703
Net/gross weight (kg)		56 / 66	60 / 70	65 / 75	73 / 84
Inverter noise à 1 metre (dB(A))		<48 ~ <40	<50 ~ <41	<51 ~ <42	<52 ~ <43
Inverter noise à 10 metre (dB(A))		<29 ~ <21	<31 ~ <23	<32 ~ <24	<33 ~ <24
Compressor type		Double rotation			
Brand of compressor		Mitsubishi			
Heat exchanger		Twisted Tech® Titane			
Function		EcoBooster & EcoSilence (inverter) / Heating / Cooling			
Load losses (mCE)		1.1	1.1	1.1	1.2

**ACCESSORIES INCLUDED**Delivered on
wooden palletWinter storage
coverMaintenance kit
Including multi-language
usermanualPVC CONNECTORS
Ø 50mm 1" ½Wired control extension
(10m)

Condensation drainage pipe

Anti-vibration
support kit

SWIMMING POOL HEATING Jetline Premium

10 VERSIONS AVAILABLE

DEDICATED TO
STORES

POOLEX
Jetline®
PREMIUM

WARRANTY
PREMIUM
3
YEARS



JETLINE PREMIUM

THE YARDSTICK FOR HEAT PUMPS

COP* ≥ 5.1
AIR 15°C Water 26°C

<29 AT 10 M** **dB**

**EFFICIENT
& ECONOMICAL**

**SINGLE PHASE
& 3-PHASE**

For 3 years the Jetline Premium has now been the most efficient and reliable model in its class.

A high-performance compressor and a double-spiral titanium heat exchanger with life-time guarantee against corrosion give it a COP above 5, based on European standards*.

Fitted with the Poolstar patented antifreeze system, the Jetline Premium operates Until -5°C.

The 10m extension to its LCD control panel with Touch & Go technology means it can be remotely offset.

Available in 10 output ratings from 4 to 22kW, it is suitable for pools up to 160 m³.

With the new Twisted Tech® heat exchanger technology with titanium heating coil, the swimming pool's temperature is raised even more quickly.

Confident of the Premium range's reliability, Poolstar is extending its warranty to 3 years and offering a home breakdown service under certain conditions.

ADVANTAGES

REVERSIBLE

**AUTOMATIC DEFROSTING
BY CYCLE INVERSION**

TWISTED TECH® TITANIUM HEAT EXCHANGER

AUTOMATIC THERMOSTAT CONTROL

COMPATIBLE WITH SALT TREATMENT

WARRANTIES

HEAT PUMP WARRANTY 3 YEARS

COMPRESSOR GUARANTEED FOR 5 YEARS

**TITANIUM HEATING COIL WITH 15 YEARS
GUARANTEE AGAINST CORROSION**

* Average COP above 5.1 based on European standards
(Air 15°C, Water 26°C, Hygro 70%) certified by TÜV.

**Average noise at 10m distance from the heat pump.

TECHNICAL DATA

Built-in wifi

E.U. STANDARD
T.U.V. CERTIFIED

This information is provided for guidance purposes only and is liable to be modified without notice

		JETLINE PREMIUM 40	JETLINE PREMIUM 50	JETLINE PREMIUM 70	JETLINE PREMIUM 90	JETLINE PREMIUM 110	JETLINE PREMIUM 120	JETLINE PREMIUM 130	JETLINE PREMIUM 150	JETLINE PREMIUM 160	JETLINE PREMIUM 160 Tri	JETLINE PREMIUM 180 Tri	JETLINE PREMIUM 220 Tri
Built-in wifi													
Swimming pool volume		20-30m³	30-40m³	40-50m³	45-65m³	65-80m³	65-85m³	75-95m³	80-100m³	80-120m³	80-120m³	100-135m³	120-160m³
Ref :PC-JETLINE-PC-JLP		40 -	- 50	- 70	- 90	110 -	- 120	110 -	- 150	160 -	T160 -	T180 -	T220 -
Air 26°C Water 26°C Hygro 80%	Capacity (W)	5 530	7 070	9 860	12 750	15 050	17 030	18 050	19 510	22 000	22 020	26 010	31 010
	Power consumed (W)	910	1 150	1 570	2 020	2 370	2 670	2 830	3 070	3 600	3 600	4 240	5 050
	COP	6,1	6,15	6,28	6,31	6,35	6,38	6,35	6,36	6,11	6,11	6,12	6,13
Air 15°C Water 26°C Hygro 70%	Capacity (W)	4 010	5 070	7 140	9 210	11 040	12 290	13 010	14 110	16 060	16 000	18 010	22 010
	Power consumed (W)	800	1 040	1 420	1 810	2 190	2 380	2 600	2 730	3 260	3 250	3 590	4 380
	COP	4,99	4,88	5,03	5,09	5,05	5,16	5,01	5,17	4,92	4,90	5,01	5,02
Electricity supply		MONO 230V / 50HZ									TRI 380-415V 3N ~50 HZ		
Max. power (W)		1 340	1 870	2 120	2 760	3 520	3 620	3 850	5 040	5 980	5 980	6 820	8 220
Max. current (A)		6,28	8,56	9,11	12,5	15,4	16,39	18,1	23,08	27,4	9,1	10,4	12,8
Heating temperature range		15°C / 40°C											
Operating range		-5°C / 43°C											
Flow (m³/h)		1,9	2,5	3,4	4,2	5,0	5,5	6,0	7	7,3	7,3	8,3	10,5
Refrigerant		R410A	R32			R410A	R32	R410A	R32	R410A			
Packaging dimensions (mm)		922x380x740		950x410x786				1242x485x844				1242x505x997	
Dimensions (mm)		895x370.5x610		923x410x661				1215x485x713				1215x505x866	
Net/gross weight (kg)		40 / 50	45 / 55	54 / 69	60 / 75	63 / 78	67/78	72 / 90	80 / 98	95 / 113	95 / 113	107 / 122	112 / 127
Noise at 1 metre (dB(A))		<47	<48	<48	<49	<49	<49	<50	<50	<50	<50	<51	<51
Noise at 4 metres (dB(A))		<37	<38	<38	<39	<39	<39	<40	<40	<40	<40	<41	<41
Noise at 10 metres (dB(A))		<28	<29	<29	<30	<30	<30	<31	<31	<31	<31	<32	<32
Compressor type		ROTATIF								SCROLL			
Brand of compressor		TOSHIBA								DAIKIN			
Heat exchanger		Titanium double heating coil								Twisted Tech® Titane			
Function		Auto/Heating/Cooling											
Load losses (mCE)		0,8	0,9	1	1,1	1,2	1,2	1,3	1,3	1,4	1,3	1,3	1,3

**ACCESSORIES INCLUDED**Delivered on
wooden palletWinter storage
coverMaintenance kit
Including multi-language
usermanualPVC CONNECTORS
Ø 50mm 1" ½Wired control extension
(10m)

Condensation drainage pipe

Anti-vibration
support kit

SWIMMING POOL HEATING

Articline Premium

DEDICATED TO
STORES

NEW
2019

POOLEX
ARTIC LINE
Premium

WARRANTY
Premium
3
YEARS



ARTIC LINE PREMIUM

OPERATES DOWN TO -25°C

$\text{COP}^* \geq 5.01$
AIR 15°C WATER 26°C

< 31 AT 10 M dB

OPERATES
12 MONTHS
/ YEAR

ALL
SEASONS

POOLEX believes that regions with cold climates have the right to their own heat pump, which is why POOLEX developed the ARTIC LINE.

The ARTIC LINE Premium underlying philosophy is to tackle the challenge of heating pools 12 months out of the year, across all of France and 80% of Europe.

Its Heavy Tech compressor means that it can overcome the problem of a lack of refrigerant flow when the temperature is too low, thanks to its high capacity.

This translates into remarkable performance even over very low temperature ranges with a COP of 2.97 at -7°C or 2.05 at -25°C . This remarkable performance make the Artic Line ideal for mountainous regions and extreme climates. Likewise, it allows you to use your heat pump all year round, whatever the outside temperature. Even at -25°C you will halve your energy consumption with the Artic Line.

Poolstar, confident of the reliability of the Premium range, is increasing its warranty to three years and offers a sophisticated after-sales services.

ADVANTAGES

4-SEASON TECHNOLOGY

EXCLUSIVE HEAVY TECHNOLOGY COMPRESSOR

OPERATES DOWN TO -25°C

LCD CONTROL BOX
WITH PERFORMANCE INDICATOR

ULTRA-QUIET & ECONOMICAL

TWISTED TECH® TITANIUM HEAT EXCHANGER

COMPATIBLE WITH SALT TREATMENT

WARRANTIES

HEAT PUMP GUARANTEED 3 YEARS

COMPRESSOR GUARANTEED 7 YEARS

TITANIUM COIL GUARANTEED 15 YEARS
AGAINST CORROSION

* Average coefficient of performance greater than 7.3 according to European standards (Air 15°C , Water 26°C , Hygro 70%), certified by TÜV.

** Average noise at 10 m from the heat pump.

TECHNICAL DATA

ARTIC LINE 160

Poollex

E.U. STANDARD
T.U.V. CERTIFIED

Data provided for informational purposes only and may change without notice.

Pool volume (use all year round)		FROM 50 TO 85m ³
Reference : PC-ALP		160
Air 26°C	Capacity (W)	19,860
Water 26°C	Power Consumption (W)	3,530
Hygro 80%	COP	5.62
Air 15°C	Capacity (W)	15,200
Water 26°C	Power Consumption (W)	3,030
Hygro 70%	COP	5.01
Air -25°C	Capacity (W)	4,470
Water 26°C	Power Consumption (W)	2,180
Hygro 70%	COP	2.05
Power supply		MONO 230V / 50HZ
Max. power (W)		5,520
Max. current (A)		24.3
Heating temperature range		9°C / 40°C
Operating range		-25°C / 43°C
Flow (m ³ /h)		6.8
Refrigerant		R410A
Packaging dimensions (mm)		1242x485x844
Dimensions (mm)		1215x485x713
Net/gross weight (kg)		115 / 127
Noise at 1 m (db(A))		<51
Noise at 4 m (db(A))		<41
Noise at 10 m (db(A))		<32
Compressor type		SCROLL
Compressor brand		COPELAND
HEAT exchanger		Double titanium coil
Function		Auto / Heating / Cooling
Load loss (mCE)		1.3

**ACCESSOIRES INCLUS**

Delivered on wooden pallet



Winter storage cover

Maintenance kit
Including multi-language
usermanualPVC CONNECTORS
Ø 50mm 1" ½Wired control extension
(10m)

Condensation drainage pipe

Anti-vibration
support kit

SWIMMING POOL HEATING One

3 VERSIONS AVAILABLE

DEDICATED TO
STORES

NEW
2019

POOLEX
ONE 1



WARRANTY
2
YEARS



ONE

POOLEX PERFORMANCE AT THE LOWEST PRICE

COP* $\geq 5,15$
AIR 15°C WATER 26°C

<29 AT 10 M **
dB

TOSHIBA
COMPRESSOR

**EFFICIENT
& ECONOMIC**

POOLEX ONE, a range of high-performance heat pumps accessible to everyone.

For added reliability and quietness, Poolex ONE heat pumps are exclusively fitted with TOSHIBA high performance rotary compressors.

Easy to use, the Poolex ONE is equipped with an LCD control panel that can be remotely installed up to 10m away, with Touch & Go technology.

With the new Twisted Tech® heat exchanger technology with titanium heating coil, the swimming pool's temperature is raised even more quickly.

Poolex performance at the lowest price.

ADVANTAGES

**NEW COMPRESSOR R32
HIGH PERFORMANCE**

ANTI-UV ABS CASING

**AUTOMATIC DEFROSTING
BY CYCLE INVERSION**

**TWISTED TECH® TITANIUM HEAT EXCHANGER
COMPATIBLE WITH SALT TREATMENT**

WARRANTIES

HEAT PUMP GUARANTEED FOR 2 YEARS

**COMPRESSOR GUARANTEED
FOR 5 YEARS**

**TITANIUM HEATING COIL WITH 15 YEARS
GUARANTEE AGAINST CORROSION**

*Average COP above 5,15 based on European standards
(Air 15°C, Water 26°C, Hygro 70%) certified by TÜV.

**Average noise at 10m distance from the heat pump.

TECHNICAL DATA

Built-in wifi

POOLEX ONE 70

POOLEX ONE 90

POOLEX ONE 110

STANDARD E.U.
CERTIFIE T.U.V.

Swimming pool volume		From 40 to 50m ³	From 45 to 65m ³	From 65 to 80m ³
Ref : PC-ONE		70	90	110
Air 26°C Water 26°C Hygro 80%	Capacity (W)	9 250	11 880	13 810
	Power consumed (W)	1 510	1 950	2 280
	COP	6,12	6,09	6,06
Air 15°C Water 26°C Hygro 70%	Capacity (W)	7 010	9 060	10 950
	Power consumed (W)	1 360	1 810	2 240
	COP	5,15	5,01	4,88
Electricity supply		Mono 230V / 50Hz		
Max power (W)		2 310	2 820	3 290
Heating temperature range		15°C / 40°C		
Operating range		-5°C / 43°C		
Max current (A)		10,71	13,08	15,26
Flow (m ³ /h)		2,7	3,5	4,5
Refrigerant		R32		
Packaging dimensions (mm)		578x670x867		
Dimensions (mm)		540x610x754		
Net/gross weight (kg)		42 / 50	45 / 54	50 / 59
Noise at 1 metre (dB(A))		<48	<49	<49
Noise at 4 metres (dB(A))		<38	<39	<39
Noise at 10 metres (dB(A))		<29	<30	<30
Compressor type		Rotary		
Brand of compressor		Toshiba		
Heat exchanger		Twisted Tech® Titane		
Function		Heating		
Load losses (mCE)		1	1,1	1,2

Informations données à titre indicatif et susceptibles d'être modifiées sans préavis

ACCESSORIES INCLUDED

Delivered on wooden pallet

Maintenance kit
user manual including
multi-languagePVC CONNECTORS
Ø 50mm 1" 1/2Wired controls extension
(10m)

Condensation drainage pipe

Anti-vibration
support kit

TOUCH & GO



MATERIAL DURABLE



SILENT EFFICIENCY



SWIMMING POOL HEATING TRILINE PREMIUM

4 VERSIONS AVAILABLE

DEDICATED TO
STORES

POOLEX
Triline®
PREMIUM

WARRANTY
PREMIUM
3
YEARS



TRILINE PREMIUM DESIGNED FOR THE TRADE

COP* ≥ 5.11
AIR 15°C Water 26°C

<32 AT 10 M** **dB**

**PROGRESSIVE
START-UP**

**RECHAUFFEUR
ÉLECTRIQUE INTÉGRÉ
BREVETÉ POOLEX**

The first vertical heat pump from Poolex, the Triline Premium is the model for anyone who is looking for professional performance and effectiveness.

With its high performance compressor and new titanium double spiral heat exchanger, the Triline Premium has a COP above 5.11 based on European standards*.

With the new Twisted Tech© heat exchanger technology with titanium heating coil, the swimming pool's temperature is raised even more quickly.

Its LCD control panel can be remotely positioned via its 10m extension.

Confident of the Premium range's reliability, Poolstar is extending its warranty to 3 years and offering a home breakdown service under certain conditions.

ADVANTAGES

- ALL SEASON & REVERSIBLE
- SPACE-SAVING VERTICAL DESIGN
- AUTOMATIC DEFROSTING BY CYCLE INVERSION
- AUTOMATIC THERMOSTAT CONTROL
- COMPATIBLE WITH SALT TREATMENT
- TWISTED TECH® TITANIUM HEAT EXCHANGER
- EASY TO INSTALL AND MAINTAIN

WARRANTIES

- HEAT PUMP WARRANTY 3 YEARS
- COMPRESSOR GUARANTEED FOR 5 YEARS
- TITANIUM HEATING COIL WITH 15 YEARS
GUARANTEE AGAINST CORROSION

* Average COP above 5.11 based on European standards
(Air 15°C, Water 26°C, Hygro 70%) certified by TÜV.

**Average noise at 10m distance from the heat pump.

TECHNICAL DATA

Built-in wifi

**TRILINE
PREMIUM 150****TRILINE
PREMIUM 180****TRILINE
PREMIUM 220****TRILINE
PREMIUM 320**

Poollex

STANDARD E.U.
CERTIFIE T.U.V.

Informations données à titre indicatif et susceptibles d'être modifiées sans préavis

Swimming pool volume		From 80 to 110m³	From 100 to 135m³	From 120 to 160m³	From 160 to 220m³
Ref: PC-TRILINE-		P150W	P180W	P220W	P320W
Air 26°C Water 26°C Hygro 80%	Capacity (W)	21 010	25 620	30 660	44 630
	Power consumed (W)	3 410	4 160	4 970	7 270
	COP	6,16	6,16	6,17	6,14
Air 15°C Water 26°C Hygro 70%	Capacity (W)	15 120	18 060	22 050	32 060
	Power consumed (W)	2 950	3 550	4 320	6 380
	COP	5,11	5,08	5,10	5,02
Electricity supply		Tri 380-415V/50Hz			
Max. power (W)		5 530	6 710	8 190	11 860
Max. current (A)		8,43	10,23	12,5	18,1
Heating temperature range		12°C / 40°C			
Operating range		-5°C/43°C			
Flow (m³/h)		4,2 - 8,5	5,1 - 10,3	6,3 - 12,5	9,8 - 16,1
Refrigerant		R410A			
Packaging dimensions (mm)		745x745x1035			860x860x1190
Dimensions (mm)		740x700x900			800x800x1055
Net/gross weight (kg)		102/115	109/122	114/127	150/165
Noise at 1 metre (dB(A))		<51	<52	<53	<54
Noise at 4 metres (dB(A))		<41	<42	<43	<44
Noise at 10 metres (dB(A))		<32	<33	<34	<35
Compressor type		Rotatif	Scroll	Scroll	Scroll
Brand of compressor		Mitsubishi	Panasonic		
Heat exchanger		Twisted Tech® Titane			
Function		Auto/Heating/Cooling			
Load losses (mCE)		1,3	1,31	1,31	1,32

* Hybrid mode only
** Nominal current of electric heating unit**ACCESSORIES INCLUDED**Delivered on
wooden palletWinter storage
coverMaintenance kit
Including multi-language
usermanualPVC CONNECTORS
Ø 50mm 1" ½Wired control extension
(10m)

Condensation drainage pipe

Anti-vibration
support kit

SWIMMING POOL HEATING

Triline Premium Hybrid

3 VERSIONS AVAILABLE

DEDICATED TO
STORES

POOLEX
Triline®
PREMIUM
HYBRID

WARRANTY
PREMIUM

3
YEARS



TRILINE PREMIUM HYBRID

BOOSTS TEMPERATURE INCREASES

COP* ≥ 5.11
AIR 15°C WATER 26°C

<32 AT 10 M ** **dB**

**PROGRESSIVE
START-UP**

**INTEGRATED ELECTRIC
HEATER**
POOLEX PATENTED

Derived from the Triline Premium, the Triline Premium Hybrid is even more multipurpose thanks to its integrated electric heater.

Available in three powers, the Poolex Triline Premium Hybrid continues to operate even when the temperature is -5°C or -10°C, thanks to its integrated electric heater. Likewise, the heater makes it possible to boost the performance of your heat pump, in particular at the start of the season and in **half the time required for the desired increase in temperature.**

Discover all the comfort and performance of two energy sources combined in one compact and intelligent unit.

Thanks to its new heat exchanger technology, Twisted Tech®, the pool temperature rise time is even faster.

Its LCD control panel can be detached thanks to a 10 m extension cable.

Poolstar, confident of the reliability of the Premium range, is increasing its warranty to three years and offers a sophisticated after-sales services

ADVANTAGES

- ALL-SEASON & REVERSIBLE
- INTEGRATED ELECTRIC HEATER
- VERTICAL DESIGN FOR A SMALL FOOTPRINT
- AUTOMATIC DEFROSTING VIA CYCLE INVERSION
- AUTOMATIC THERMOSTATIC CONTROL
- TWISTED TECH® TITANIUM HEAT EXCHANGER
- EASY INSTALLATION AND MAINTENANCE

WARRANTIES

- HEAT PUMP GUARANTEED 3 YEARS
- COMPRESSOR GUARANTEED 7 YEARS
- TITANIUM COIL GUARANTEED 15 YEARS
AGAINST CORROSION

* Average coefficient of performance greater than 5.1 according to European standards (Air 15°C, Water 26°C, Hygro 70%), certified by TÜV.

** Average noise at 10 m from the heat pump.

TECHNICAL DATAE.U. STANDARD
TUV CERTIFIED

Data provided for informational purposes only and may change without notice.

Pool volume		TRILINE PREMIUM HYBRID 150-9	TRILINE PREMIUM HYBRID 150-12	TRILINE PREMIUM HYBRID 180-12
		from 80 to 110m ³	from 80 to 110m ³	from 100 to 135m ³
REFERENCE: PC-TRILINE-		P150H9	P180H12	P18H12
Air 26°C Water 26°C Hygro 80%	Capacity (W)	21,010	21,010	25,620
	Power Consumption (W)	3,410	3,410	4,160
	COP	6.16	6.16	6.16
Air 15°C Water 26°C Hygro 70%	Capacity (W)	15,120	15,120	18,060
	Power Consumption (W)	2,950	2,950	3,550
	COP	5.11	5.11	5.08
Power supply		Tri 380-415V/50Hz		
Max. power (W)		5,530 + 9,000	5,530 + 12,000	6,710 + 12,000
Max. current (A)		8.43 + 14"	8.43 + 19"	10.23 + 19"
Heating temperature range		12°C / 40°C		
Operating range		-10°C/43°C*		
Flow (m ³ /h)		4.2 - 8.5	4.2 - 8.5	5.1 - 10.3
Refrigerant		R410A		
Packaging dimensions (mm)		760x760x1040		
Dimensions (mm)		740x700x900		
Net/gross weight (kg)		102/115	102/115	109/122
Noise at 1 m (db(A))		<51	<51	<52
Noise at 4 m (db(A))		<41	<41	<42
Noise at 10 m (db(A))		<32	<32	<33
Compressor type		Rotary		Scroll
Compressor brand		Mitsubishi		Panasonic
HEAT exchanger		Twisted Tech®Titanium + Anti-frost		
Function		Auto / Heating / Hybrid / Cooling		
Load loss (mCE)		1.31	1.31	1.31

* Hybrid mode only
** Rated current of the electrical heating unit**ACCESSORIES INCLUDED**Delivered on
wooden palletsCover for
winterizing
InsulatingMaintenance kit
including multi-language
user manualPVC connectors
50mm Ø 1" 1/2Extension cord for wired
control (10m)

Condensate discharge pipe

Anti-vibration
mount kit

SWIMMING POOL HEATING Megaline

3 VERSIONS AVAILABLE

DEDICATED TO
STORES

NEW
2019

POOLEX
MEGALINE

WARRANTY
PREMIUM
3
YEARS



MEGALINE

SPECIALLY FOR COMMUNITIES

COP* ≥ 4.4
AIR 15°C WATER 26°C

<50 AT 10 M **
dB

**PROGRESSIVE
START-UP**

**SMALL
FOOTPRINT**

The Megaline is one of the heat pumps intended for large (public) swimming pools.

And it can't fail to win over communities with its compact dimensions and first-rate performance.

Its ultra-high performance Panasonic rotary scroll compressor is combined with a double evaporator with vertical air blowing, achieving a COP of 4.4 in normal use conditions. Moreover, its high performance allows it can operate down to -7°C.

Its titanium heat exchanger is sized for flows from 19.3 to 40.8 m³/h, making it ideal for public and semi-private pools.

Its enclosure has an anti-corrosion treatment to ensure minimum maintenance and a long service life.

For your peace of mind, Poolex provides a 3-year warranty, as for the entire Premium range.

ADVANTAGES

ALL-SEASON & REVERSIBLE

VERTICAL DESIGN FOR A SMALL FOOTPRINT

AUTOMATIC DEFROSTING VIA CYCLE INVERSION

AUTOMATIC THERMOSTATIC CONTROL

COMPATIBLE WITH SALT TREATMENT

TWISTED TECH® TITANIUM HEAT EXCHANGER

EASY INSTALLATION AND MAINTENANCE

WARRANTIES

HEAT PUMP GUARANTEED 3 YEARS

COMPRESSOR GUARANTEED 7 YEARS

**TITANIUM COIL GUARANTEED 15 YEARS
AGAINST CORROSION**

* Average coefficient of performance greater than 4.4 according to European standards (Air 15°C, Water 26°C, Hygro 70%), certified by TÜV.

** Average noise at 10 m from the heat pump.

		MEGALINE 450	MEGALINE 650	MEGALINE 950	
Pool volume		CONTACT US			
Reference : PC-MLP		450	650	950	
E.U. STANDARD T.U.V. CERTIFIED	Air 26°C Water 26°C Hygro 80%	Capacity (kW)	56	80	118
		Power consumption (kW)	10.2	14.5	21.4
		COP	5.49	5.52	5.51
	Air 15°C Water 26°C Hygro 70%	Capacity (kW)	45	65	95
		Power consumption (kW)	10.8	15.6	21.6
		COP	4.17	4.17	4.40
Power supply		TRI 380-415V /3N~/50Hz			
Max. power (kW)		16	22	32	
Max. current (A)		28.6	39.3	57.2	
Heating temperature range		15°C / 40°C			
Operating range		-7°C / 43°C			
Flow (m³/h)		19.3	27.9	40.8	
Refrigerant		R410A			
Packaging dimensions (mm)		1060x1060x1950		2100x1060x1950	
Dimensions (mm)		1000x1000x1770		2000x1000x1770	
Net/gross weight (kg)		260 / 280	280 / 300	520 / 560	
Noise at 1 m (db(A))		70	72	74	
Noise at 4 m (db(A))		58	60	62	
Noise at 10 m (db(A))		50	52	54	
Number of compressors		1	1	2	
Compressor type		Scroll			
Compressor brand		PANASONIC			
Function		Heating / cooling			
Load loss (mCE)		4	4.2	4.8	

Data provided for informational purposes only and may change without notice.



SWIMMING POOL HEATING Nano Turbo Premium

EFFECTIVE UP TO -7 ° C

DEDICATED TO
STORES

NEW
2019

POOLEX
NANO
TURBO

WARRANTY
PREMIUM
3
YEARS



NANO TURBO PREMIUM HIGH TECH HEAT PUMP

COP* $\geq 4,37$
AIR 15°C WATER 26°C

<29 À 10 M **
dB

POUR BASSIN
25 m³
JUSQU'À

**ECONOMIQUE
PERFORMANTE**

Poolex NANO TURBO :

The heat pump developed especially for pools of less than 25m³.

With its TOSHIBA compressor, the Nano Turbo ensures a suitable temperature in pool throughout the summer.

Plug it into a conventional electrical outlet, and heat your pool above ground in a few hours.

Its unique design allows to integrate it new to any pool of spa.

ADVANTAGES

ECONOMICAL

PERFORMANT HEATING MODE

TRANSPORTABLE

EASY TO INSTALL

POLYPROPYLENE SHELL

100% RECYCLABLE, ANTI-UV, ANTI CORROSION

WARRANTIES

HEAT PUMP GUARANTEED 3 YEARS

COMPRESSOR GUARANTEED 5 YEARS

TITANIUM COIL GUARANTEED 10 YEARS
AGAINST CORROSION

*Average COP above 4.37 based on European standards
(Air 15°C, Water 26°C, Hygro 80%) certified by TÜV.

**Average noise at 10m distance from the heat pump.



SILENT EFFICIENCY



TECHNICAL DATA

Swimming pool volume		≤ 25m ³
Référence : PC-NANO-TBO		
Air 26°C Water 26°C Hygro 80%	Capacity (W)	2 950
	Power consumption (W)	560
	COP	5,32
Air 15°C Water 26°C Hygro 70%	Capacity (W)	2 270
	Power consumption (W)	520
	COP	4,37
Electricity supply		Mono 230V / 50Hz
Max. power (W)		900
Max. current (A)		4,02
Heating temperature range		15°C / 40°C
Operating range		-7°C / 43°C
Flow (m ³ /h)		1,3
Refrigerant		R32
Packaging dimensions (mm)		415 x 460 x 380
Dimensions (mm)		385 x 400 x 280
Net/gross weight (kg)		20 / 22
Noise at 1 metre (dB(A))		<45
Noise at 4 metres (dB(A))		<36
Noise at 10 metres (dB(A))		<29
Compressor type		Rotatif
Brand of compressor		TOSHIBA / GREE
Heat exchanger		Twisted Tech® Titane
Function		Heating / Cooling
Load losses (mCE)		0,8

 STANDARD E.U.
 CERTIFIÉ T.U.V.

Informations données à titre indicatif et susceptibles d'être modifiées sans préavis

INCLUDED ACCESSORIES



compact Packaging



Multi-language installation and user manual

PVC CONNECTORS
Ø 32-38mm

5m electric extension and socket with 10mA earth leakage protection



SWIMMING POOL HEATING

Poolex Nano

UNTIL 8°C

POOLEX
NANO



NANO **2** YEARS WARRANTY

DEDICATED TO SMALL SWIMMING POOLS

COP* ≥ 5.32

AIR 26°C Water 26°C

<29 AT 10 M**
dB

UP TO

FOR POOLS
20 m³

ULTRA
COMPACT

The Poolex Nano: the heat pump system developed especially for small swimming pools.

With its components comparable to those of a large-size heat pump, the Poolex Nano has a COP similar to that of top-of-the-range heat pumps.

Connect it to a standard electrical socket and heat your pool in just a few hours.

Its unique design and various colours enable the Poolex Nano to blend in beside any swimming pool

Poolex performance at the lowest price.

ADVANTAGES

COMPACT DIMENSIONS

STANDARD FILTRATION CONNECTIONS

PORTABLE (18KG)

ECONOMICAL AND SILENT

SAFE ELECTRICAL SYSTEM

POLYPROPYLENE SHELL

100% RECYCLABLE, ANTI-UV, ANTI-CORROSION

WARRANTIES

HEAT PUMP GUARANTEED FOR 2 YEARS

COMPRESSOR GUARANTEED FOR 5 YEARS

TITANIUM HEATING COIL WARRANTED

FOR 10 YEARS AGAINST CORROSION

*Average COP above 5.32 based on European standards (Air 26°C, Water 26°C, Hygro 80%) certified by TÜV.

**Average noise at 10m distance from the heat pump.



SILENT EFFICIENCY



**Heating
2,8kW****Energy
0,5kW****TECHNICAL DATA**

Swimming pool volume		≤ 20m ³
Ref: PC-NANO-10SL		
Air 26°C Water 26°C Hygro 80%	Capacity (W)	2800
	Power consumption (W)	530
	COP	5.32
Air 15°C Water 26°C Hygro 70%	Capacity (W)	2220
	Power consumption (W)	510
	COP	4,35
Electricity supply		Mono 230V / 50Hz
Max. power (W)		930
Max. current (A)		4,15
Heating temperature range		15°C / 40°C
Operating range		8°C / 43°C
Flow (m ³ /h)		1,3
Refrigerant		R32
Packaging dimensions (mm)		415 x 460 x 380
Dimensions (mm)		385 x 400 x 280
Net/gross weight (kg)		19 / 21
Noise at 1 metre (dB(A))		<45
Noise at 4 metres (dB(A))		<36
Noise at 10 metres (dB(A))		<29
Compressor type		Rotatif
Brand of compressor		TOSHIBA / GREE
Heat exchanger		Twisted Tech® Titane
Function		Heating
Load losses (mCE)		0,8

E.U. STANDARD
T.U.V. CERTIFIED

This information is provided for guidance purposes only and is liable to be modified without notice

ACCESSORIES INCLUDEDMulti-language installation
and user manualPVC CONNECTORS
Ø 32-38mm5m electric extension
and socket with 10mA earth leakage
protection**EASY CONNECTION – 5 MINUTES**

POOLEX
Jetline®
SELECTION
INVERTER



WARRANTY
2
YEARS



JETLINE SELECTION INVERTER

INVERTER TECHNOLOGY FOR ALL

COP* $\geq 13,38$
AIR 26°C Water 26°C

<21 AT 10 M** **dB**

INVERTER
TECHNOLOGY

ULTRA
SILENT

Seeking to provide its customers with superior performance, Poollex has designed a Jetline Selection heat pump equipped with Inverter technology.

A high-performance variable cycle compressor and a new titanium double-spiral heat-exchanger give it a COP above 13,38 based on 26/26 conditions*.

The Jetline Selection Inverter has three modes of operation:

An Eco Booster (Inverter) mode that adapts its power output and consumption according to requirements; maximum power at the start of the season to heat the pool quickly then low consumption to maintain its temperature.

An Eco Silence mode for economical and ultra-silent operations with the fan revolving slowly.

And Cruise mode (ON/OFF) for consistent performance.

Its LCD control panel can be remotely positioned with its 10m extension. The Jetline Selection Inverter's high quality components mean it can work in temperatures until -10°C.

ADVANTAGES

PROGRESSIVE START-UP IN INVERTER MODE

REAL-TIME PERFORMANCE INDICATOR

AUTOMATIC DEFROSTING
BY CYCLE INVERSION

VARIABLE SPEED COMPRESSOR

COMPATIBLE WITH SALT TREATMENT

TWISTED TECH® TITANIUM HEAT EXCHANGER

WARRANTIES

HEAT PUMP GUARANTEED FOR 2 YEARS

COMPRESSOR GUARANTEED FOR 5 YEARS

TITANIUM HEATING COIL WITH 15 YEARS
GUARANTEE AGAINST CORROSION


* Average COP above 13.38 based on European standards
(Air 26°C, Water 26°C, Hygro 80%) certified by TÜV.

**Average noise at 10m distance from the heat pump.

TECHNICAL DATAOptional WiFi
For remote controlJETLINE SELECTION
INVERTER 120JETLINE SELECTION
INVERTER 150JETLINE SELECTION
INVERTER 200JETLINE SELECTION
INVERTER 280

Poollex

Swimming pool volume		From 45 to 70m ³	From 65 to 90m ³	From 80 to 110m ³	From 110 to 145m ³
Ref: PC-JETLINE-SV		120W	150W	200W	280W
Air 26°C Water 26°C Hygro 80%	Max. power output (kW)	12,5	15,6	20,8	29,1
	Min. power output (kW)	2,89	3,61	4,86	6,71
	Power consumption (kW)	1,82 ~ 0,216	2,25 ~ 0,27	3,04 ~ 0,366	4,19 ~ 0,502
	COP	13,38 ~ 6,87	13,37 ~ 6,93	13,28 ~ 6,84	13,37 ~ 6,95
Air 15°C Water 26°C Hygro 70%	Max. power output (kW)	9,37	12,48	15,6	20,8
	Min. power output (kW)	2,17	2,88	3,59	4,8
	Power consumption (kW)	1,9 ~ 0,3	2,53 ~ 0,4	3,17 ~ 0,503	4,22 ~ 0,664
	COP	7,23 ~ 4,93	7,24 ~ 4,93	7,14 ~ 4,92	7,23 ~ 4,93
Electricity supply		Mono 230V / 50Hz			
Heating temperature range		15°C / 40°C			
Operating range		-10°C / 43°C			
Max. current (A)		16	20	25	30
Flow (m ³ /h)		3,2	4,3	5,1	7
Refrigerant		R32			
Packaging dimensions (mm)		980x400x785			1170x485x840
Dimensions (mm)		945x380x652			1130x410x710
Net/gross weight (kg)		52 / 62	56 / 66	61 / 71	69 / 80
Inverter noise à 1 metre (dB(A))		<48 ~ <40	<50 ~ <41	<51 ~ <42	<52 ~ <43
Noise at 1 metre (dB(A)) ON/OFF		<29 ~ <21	<31 ~ <23	<32 ~ <24	<33 ~ <24
Inverter noise à 10 metre (dB(A))		<29 ~ <21	<31 ~ <23	<32 ~ <24	<33 ~ <24
Compressor type		Double rotation			
Brand of compressor		Mitsubishi			
Heat exchanger		Twisted Tech® Titane			
Function		EcoBooster & EcoSilence (inverter) / Heating / Cooling			
Load losses (mCE)		1.1	1.1	1.1	1.2

**ACCESSORIES INCLUDED**Delivered on
wooden palletWinter storage
coverMaintenance kit
Including multi-language
usermanualPVC CONNECTORS
Ø 50mm 1" ½Wired control extension
(10m)

Condensation drainage pipe

Anti-vibration
support kit

POOLEX
Jetline®
SELECTION

WARRANTY
2
YEARS



JETLINE SELECTION

THE NEW GENERATION JETLINE

COP* ≥ 6.38
AIR 26°C Water 26°C

<21 AT 10 M ** **dB**

NEW DESIGN
**COMPACT
& ELEGANT**

**SINGLE PHASE
& 3-PHASE**

Just as efficient, the Poolex Jetline Selection with its unmatched value for money in terms of quality and performance is the gold standard for swimming pool heat pumps.

A high-performance compressor and a new titanium double-spiral heat-exchanger give it a COP above 6, based on 26/26 conditions*.

By virtue of its design and wide hydrophilic aluminium evaporation surface area, the Poolex Jetline 2 operates until -5°C.

With the new Twisted Tech© heat exchanger technology with titanium heating coil, the swimming pool's temperature is raised even more quickly.

Simple to use, the Poolex Jetline Selection is equipped with an LCD control panel with Touch & Go technology.

Available in 10 output ratings from 5.35 to 31,16 kW it is suitable for pools up to 160 m3.

ADVANTAGES


- POOLEX ANTI-FREEZE TECHNOLOGY
- COMPACT DESIGN
- HIGH-PERFORMANCE COMPRESSOR
- AUTOMATIC DEFROSTING
BY CYCLE INVERSION
- AUTOMATIC THERMOSTAT CONTROL
- COMPATIBLE WITH SALT TREATMENT
- TWISTED TECH © TITANIUM HEAT EXCHANGER

WARRANTIES

- HEAT PUMP GUARANTEED FOR 2 YEARS
- COMPRESSOR GUARANTEED FOR 5 YEARS
- TITANIUM HEATING COIL WITH 15 YEARS
GUARANTEE AGAINST CORROSION

* Average COP above 6.38 based on European standards
(Air 26°C, Water 26°C, Hygro 80%) certified by TÜV.

**Average noise at 10m distance from the heat pump.

TECHNICAL DATAJETLINE
SELECTION 55JETLINE
SELECTION 70JETLINE
SELECTION 95JETLINE
SELECTION 125JETLINE
SELECTION 150JETLINE
SELECTION 180JETLINE
SELECTION 180 TriJETLINE
SELECTION 225 TriJETLINE
SELECTION 260 TriJETLINE
SELECTION 310 Tri

Poollex

E.U. STANDARD
T.U.V. CERTIFIED

This information is provided for guidance purposes only and is liable to be modified without notice

Swimming pool volume		20-30m³	30-40m³	40-50m³	45-65m³	65-80m³	75-95m³	75-95m³	80-120m³	100-135m³	120-160m³
Référence :		PC-JLS055	PC-JLS070	PC-JLS095	PC-JLS125	PC-JLS150	PC-JETLINE-S180	PC-JETLINE-S180T	PC-JETLINE-S225T	PC-JETLINE-S260T	PC-JETLINE-S310T
Air 26°C Water 26°C Hygro 80%	Capacity (W)	5 350	7 040	9 860	12 750	15 440	18 060	18 100	22 640	26 240	31 160
	Power consumed (W)	904	1 153	1 560	2 010	2 420	2 830	2 830	3 710	4 280	5 090
	COP	5,92	6,12	6,32	6,34	6,38	6,36	6,4	6,11	6,13	6,12
Air 15°C Water 26°C Hygro 70%	Capacity (W)	4 050	5 040	7 140	9 210	11 330	13 020	13 150	16 010	18 050	22 030
	Power consumed (W)	810	1 030	1 410	1 810	2 220	2 590	2 600	3 160	3 540	4 310
	COP	4,97	4,89	5,06	5,09	5,13	5,02	5,05	5,06	5,09	5,11
Electricity supply		Mono 230V / 50Hz						Tri 380-415V 3N ~50 Hz			
Max. power (W)		1 350	1 820	2 120	2 780	3 530	3 860	4 530	5 980	6 820	8 220
Max. current (A)		6,29	8,26	9,11	12,56	15,43	18,10	7,01	9,64	10,34	12,70
Heating temperature range		15°C / 40°C									
Operating range		-5°C / 43°C									
Flow (m³/h)		1,91	2,52	3,4	4,22	5,1	5,9	5,9	7	8,1	10,2
Refrigerant		R32						R410A			
Packaging dimensions (mm)		930x380x740			980x400x785				1170x485x840	1270x500x985	
Dimensions (mm)		880x320x605			930x340x650				1130x410x710	1220x440x850	
Net/gross weight (kg)		39 / 48,5	43 / 52,5	54 / 64	55 / 65	60 / 70	65 / 75	68 / 78	95 / 110	107 / 122	112 / 127
Noise at 1 metre (dB(A))		<47	<48	<50	<49	<49	<50	<50	<50	<51	<51
Noise at 4 metres (dB(A))		<37	<38	<38	<39	<39	<40	<40	<40	<41	<41
Noise at 10 metres (dB(A))		<28	<29	<29	<30	<30	<31	<31	<31	<32	<32
Compressor type		Rotary						Scroll			
Brand of compressor		Toshiba						Mitsubishi	Daikin		
Heat exchanger		Titanium double heating coil						Twisted Tech® Titane			
Function		Auto/Heating/Cooling									
Load losses (mCE)		0,8	0,9	1	1.1	1.2	1.22	1.22	1.22	1.22	1.22

**ACCESSORIES INCLUDED**Delivered on
wooden pallet

Protective cover

Maintenance kit
Including multi-language
usermanualPVC CONNECTORS
Ø 50mm 1" ½Wired control extension
(10m)

Condensation drainage pipe

Anti-vibration
support kit

SWIMMING POOL HEATING

Triline Selection

3 VERSIONS AVAILABLE

POOLEX
Triline®
SELECTION

WARRANTY
2
YEARS



TRILINE SELECTION **WARRANTY 2 YEARS**

THE HEAT PUMP DESIGNED FOR HIGH VOLUMES

COP ≥ 6.17
AIR 26°C Water 26°C

HIGH VOLUMES
160m³ UP TO

3-PHASE
ELECTRICITY SUPPLY

OPERATES
UNTIL -5°C

The Triline Selection is the model for you if you are looking for performance and professional efficiency.

With its high-performance compressor and titanium double-spiral heat-exchanger, the Triline Selection has a COP above 6.17, based on 26/26 conditions*.

Equipped with the Poolex patented antifreeze system, the Triline Selection functions in temperatures until -5°C.

Available in 3 output ratings from 21 to 30kW it is suitable for pools up to 160m³.

ADVANTAGES

POOLEX ANTI-FREEZE TECHNOLOGY

SPACE-SAVING VERTICAL DESIGN

AUTOMATIC DEFROSTING
BY CYCLE INVERSION

OFFSET CONTROL PANEL

HIGH PERFORMANCE COMPRESSOR

COMPATIBLE WITH SALT TREATMENT

WARRANTIES

HEAT PUMP GUARANTEED FOR 2 YEARS

COMPRESSOR GUARANTEED FOR 5 YEARS

TITANIUM HEATING COIL WITH 15 YEARS
GUARANTEE AGAINST CORROSION

* Average COP above 6.17 based on European standards
(Air 26°C, Water 26°C, Hygro 80%) certified by TÜV.

**Average noise at 10m distance from the heat pump.

TECHNICAL DATAE.U. STANDARD
T.U.V. CERTIFIED

This information is provided for guidance purposes only and is liable to be modified without notice

Swimming pool volume		TRILINE SELECTION 210	TRILINE SELECTION 250	TRILINE SELECTION 300
Ref : PC-TLS		From 80 to 110m ³	From 100 to 135m ³	From 120 to 160m ³
Air 26°C Water 26°C Hygro 80%	Capacity (kW)	21,01	25,62	30,66
	Power consumption (kW)	3,41	4,16	4,97
	COP	6,16	6,16	6,17
Air 15°C Water 26°C Hygro 70%	Capacity (kW)	15,12	18,06	22,05
	Power consumption (kW)	2,95	3,55	4,32
	COP	5,11	5,08	5,10
Electricity supply		Tri 380-415V/50Hz		
Max power (kW)		5,53	6,71	8,19
Heating temperature range		12°C / 40°C		
Operating range		-5°C / 43°C		
Max current (A)		8,43	10,23	12,5
Flow (m ³ /h)		4,2 ~ 8,5	5,1 ~ 10,3	6,3 ~ 12,5
Refrigerant		R410A		
Packaging dimensions (mm)		745x745x1035		
Dimensions (mm)		740x700x900		
Net/gross weight (kg)		102 / 115	109 / 122	114 / 127
Noise at 1 metre (dB(A))		<51	<52	<53
Noise at 4 metres (dB(A))		<41	<42	<43
Noise at 10 metres (dB(A))		<32	<33	<34
Compressor type		Rotatif	Scroll	Scroll
Brand of compressor		Mitsubishi	Panasonic	Panasonic
Function		Auto/Heating/Cooling		
Load losses (mCE)		1,5	1,5	1,8

**ACCESSORIES INCLUDED**Delivered on
wooden palletProtective storage
coverMaintenance kit
Including multi-language
usermanualPVC CONNECTORS
Ø 50mm 1" ½Wired control extension
(10m)

Condensation drainage pipe

Anti-vibration
support kit

SWIMMING POOL HEATING

Artic Line Selection

NEW
2019

POOLEX
ARTIC LINE
SELECTION

WARRANTY
2
YEARS



ARTIC LINE SELECTION

THE GOLD STANDARD FOR EXTREME CLIMATES

COP* ≥ 5.7
AIR 26°C WATER 26°C

<31 AT 10 M
dB

OPERATES
DOWN TO -25°C

ALL
SEASONS

POOLEX believes that regions with cold climates have the right to their own heat pump, which is why POOLEX developed the ARTIC LINE.

The ARTIC LINE Heat Pump solves the problem of heating pools all year round, even in the middle of winter.

Thanks to the high capacity of its Heavy Tech compressor it's possible to increase the flow of Refrigerant even when the temperature is too low.

This translates into remarkable performance even over very low temperature ranges with a COP of 3.02 at -7°C or 2.12 at -25°C. This remarkable performance make the Artic Line ideal for mountainous regions and extreme climates. Likewise, it allows you to use your heat pump all year round, whatever the outside temperature. Even at -25°C you will halve your energy consumption with the Artic Line.

ADVANTAGES

4-SEASON TECHNOLOGY

EXCLUSIVE HEAVY TECHNOLOGY COMPRESSOR

OPERATES DOWN TO -25°C

LCD CONTROL BOX
WITH PERFORMANCE INDICATOR

ULTRA-QUIET & ECONOMICAL

TWISTED TECH® TITANIUM HEAT EXCHANGER

COMPATIBLE WITH SALT TREATMENT

WARRANTIES

HEAT PUMP GUARANTEED FOR 2 YEARS

COMPRESSOR GUARANTEED FOR 5 YEARS

TITANIUM COIL GUARANTEED 15 YEARS
AGAINST CORROSION

* Average coefficient of performance greater than 5.7 according to European standards (Air 26°C, Water 26°C, Hygro 80%) certified by TÜV.

** Average noise at 10 m from the heat pump.

TECHNICAL DATA

ARTIC LINE 150

Poollex

E.U. STANDARD
T.U.V. CERTIFIED

Data provided for informational purposes only and may change without notice.

Pool volume (use all year round)		from 45 to 65m ³
Reference : PC-ALS		150
Air 26°C	Capacity (W)	15,000
Water 26°C	Power Consumption (W)	2,630
Hygro 80%	COP	5.7
Air 15°C	Capacity (W)	11,400
Water 26°C	Power Consumption (W)	2,260
Hygro 70%	COP	5.04
Air -25°C	Capacity (W)	3,450
Water 26°C	Power Consumption (W)	1,630
Hygro 70%	COP	2.12
Power supply		MONO 230V / 50HZ
Max. power (W)		4,180
Max. current (A)		18
Heating temperature range		9°C / 40°C
Operating range		-25°C / 43°C
Flow (m ³ /h)		5
Refrigerant		R410A
Packaging dimensions (mm)		1242x485x844
Dimensions (mm)		1215x485x713
Net/gross weight (kg)		100 / 112
Noise at 1 m (db(A))		<50
Noise at 4 m (db(A))		<40
Noise at 10 m (db(A))		<31
Compressor type		ROTARY
Compressor brand		HITACHI
HEAT exchanger		Double titanium coil
Function		Auto / Heating / Cooling
Load loss (mCE)		1.3

**ACCESSORIES INCLUDED**Delivered on
wooden palletsProtective
coverMaintenance kit
including multi-language
user manualPVC connectors
50mm Ø 1" ½Extension cord for wired
control (10m)

Condensate discharge pipe

Anti-vibration
mount kit

SWIMMING POOL HEATING Silverline Inverter

3 VERSIONS AVAILABLE

POOLEX
Silverline
INVERTER



WARRANTY
2
YEARS



SILVERLINE INVERTER

THE UNBEATABLE INVERTER!

COP* ≥ 13.1
AIR 26°C WATER 26°C

<21 AT 10 M ** **dB**

FULL INVERTER
**TECHNOLOGY
INVERTER**

METAL CASING
ANTI-CORROSION

The Poolex Silverline Inverter: Inverter technology at the best price.

After its successful introduction, the Poolex Silverline is now available with Full Inverter technology.

Its multifrequency compressor and variable-speed fan make this one of the best performing heat pumps on the market and also one of the quietest.

Still as easy to use as ever, with its LED control panel that can be placed up to 10 m away, it includes Touch & Go technology for easy operation.

With its Twisted Tech© heat exchanger, the pool temperature increase is even faster.

Poolex Full Inverter technology at the best possible price.

ADVANTAGES

- NEW R32 INVERTER COMPRESSOR**
- CORROSION-PROTECTED/UV-RESISTANT METAL CASING**
- ECONOMICAL FULL INVERTER MODE**
- TWISTED TECH© TITANIUM HEAT EXCHANGER**
- AUTOMATIC THERMOSTATIC CONTROL**
- COMPATIBLE WITH SALT TREATMENT**

WARRANTIES

- HEAT PUMP GUARANTEED FOR 2 YEARS**
- COMPRESSOR GUARANTEED FOR 5 YEARS**
- TITANIUM COIL GUARANTEED 15 YEARS AGAINST CORROSION**

* Average coefficient of performance greater than 13.1 according to European standards (Air 26°C, Water 26°C, Hygro 80%) certified by TÜV.

** Average noise in inverter mode at 10 m from the heat pump.


TECHNICAL DATAWi-Fi option
For remote control**POOLEX SILVERLINE
INVERTER 85****POOLEX SILVERLINE
INVERTER 105****POOLEX SILVERLINE
INVERTER 125**

Poollex

E.U. STANDARD
T.U.V. CERTIFIED

Data provided for informational purposes only and may change without notice.

Pool volume		from 35 to 50m ³	from 40 to 60m ³	from 45 to 70m ³
Reference: PC-SLP		085N	105N	125N
Air 26°C Water 26°C Hygro 80%	Max. output power (kW)	8.6	10,6	12.6
	Min. output power (kW)	2.01	2,35	2.81
	Power consumption (kW)	1.24 ~ 0.153	1,53 ~ 0,183	1.83 ~ 0.215
	COP	13.1 ~ 6.9	13,1 ~ 6,9	13.1 ~ 6.9
Air 15°C Water 26°C Hygro 70%	Max. output power (kW)	6.61	7.98	9.21
	Min. output power (kW)	1.53	1.83	2.13
	Power consumption (kW)	1.36 ~ 0.21	1,63 ~ 0,25	1.90 ~ 0.30
	COP	7.1 ~ 4.86	7,1 ~ 4,86	7.1 ~ 4.85
Power supply		Mono 230V / 50Hz		
Max. power (W)		2,480	3.01	3,520
Max. current (A)		12.31	14.32	16.32
Heating temperature range		15°C / 40°C		
Operating range		-10°C / 43°C		
Flow (m ³ /h)		2.8	3.5	3.9
Refrigerant		R32		
Packaging dimensions (mm)		1005x350x750		
Dimensions (mm)		927x340x636		
Net/gross weight (kg)		45 / 50	45 / 50	48 / 53
Noise at 1 m (db(A))		<40 ~ <48	<40 ~ <48	<40 ~ <48
Noise at 10 m (db(A))		<21 ~ <29	<21 ~ <29	<21 ~ <29
Compressor type		Twin rotary		
Compressor brand		Toshiba		
HEAT exchanger		Twisted Tech®Titanium		
Function		EcoBooster & EcoSilence (inverter) / Heating / Cooling		
Load loss (mCE)		1	1	1.1

**ACCESSORIES INCLUDED**Delivered on
wooden palletsMaintenance kit
including multi-language
user manualPVC connectors
50mm Ø 1" 1/2Extension cord for wired
control (10m)
except silverline miniCondensate
discharge pipeAnti-vibration
mount kit

POOLEX Silverline



SILVERLINE

WARRANTY
2
YEARS

EFFICIENCY AT AN AMAZING PRICE!

COP* $\geq 6,38$
AIR 26°C Water 26°C

<29 AT 10 M** **dB**

**ANTI-CORROSION
METAL CASING**

**EFFICIENT
& INEXPENSIVE**

Poolex Silverline: The best compromise between performance and price.

A high-performance Mitsubishi compressor and a new titanium double-spiral heat-exchanger give it a COP above 6.38, based on 26/26 conditions*.

Simple to use, the Poolex Silverline has an LCD control panel that can be remotely positioned at up to 10m and includes Touch & Go technology.

With the new Twisted Tech© heat exchanger technology with titanium heating coil, the swimming pool's temperature is raised even more quickly.

Available in 8 output ratings from 5.5 to 22 kW, it is suitable for pools up to 110 m3.

Poolex performance at the lowest price.

ADVANTAGES

HIGH PERFORMANCE COMPRESSOR

ANTI-CORROSION/ANTI-UV METAL CASING

ULTRA-SILENT AND ECONOMICAL

TWISTED TECH© TITANIUM HEAT EXCHANGER

AUTOMATIC THERMOSTAT CONTROL

COMPATIBLE WITH SALT TREATMENT

WARRANTIES

HEAT PUMP GUARANTEED FOR 2 YEARS

COMPRESSOR GUARANTEED FOR 5 YEARS

**TITANIUM HEATING COIL WITH 15 YEARS
GUARANTEE AGAINST CORROSION**


*Average COP above 6.4 based on European standards
(Air 26°C, Water 26°C, Hygro 80%) certified by TÜV.

**Average noise at 10m distance from the heat pump.

TECHNICAL DATAOptional WiFi
For remote controlPOOLEX
SILVERLINE 55POOLEX
SILVERLINE 70POOLEX
SILVERLINE 90POOLEX
SILVERLINE 120POOLEX
SILVERLINE 150POOLEX
SILVERLINE 180POOLEX
SILVERLINE 220E.U. STANDARD
T.U.V. CERTIFIED


This information is provided for guidance purposes only and is liable to be modified without notice

Swimming pool volume		20-30m ³	30-40m ³	40-50m ³	45-65m ³	65-75m ³	70-90m ³	80-110m ³
Ref :		PC-SLP055	PC-SLP070	PC-SLP090	PC-SLP120	PC-SLP150	PC-SILVERPRO-180	PC-SILVERPRO-220
Air 26°C Water 26°C Hygro 80%	Capacity (W)	5390	7020	9310	12500	15240	18000	22 520
	Power consumption (W)	880	1130	1510	2010	2460	2820	3730
	COP	6,13	6,21	6,17	6,22	6,20	6,38	6,03
Air 15°C Water 26°C Hygro 70%	Capacity (W)	3900	5070	7050	9050	10590	12600	15 500
	Power consumption (W)	810	1010	1390	1780	2070	2520	3140
	COP	4,84	5,02	5,07	5,08	5,12	5,00	4,93
Electricity supply		Mono 230V / 50Hz						
Max power (W)		1290	1830	2510	3030	3580	3850	6210
Max current (A)		6,26	8,85	11,52	14,50	16,41	18,50	27,10
Heating time range		15°C / 40°C						
Operating range		10°C / 43°C						
Flow (m ³ /h)		1,86	2,5	3,2	4,01	4,7	5,6	7
Refrigerant		R32					R410A	
Packaging dimensions (mm)		845x330x610	905x350x645	1005x350x750				1150x425x820
Dimensions (mm)		765x310x490	827x340x531	927x340x636				1067x405x692
Net/gross weight (kg)		39 / 44	41 / 50	49 / 59	52 / 62	54 / 64	66 / 80	76 / 90
Noise at 1 metre (dB(A))		<46	<46	<48	<49	<49	<51	<51
Noise at 4 metres (dB(A))		<39	<40	<42	<43	<45	<46	<46
Noise at 10 metres (dB(A))		<30	<36	<37	<39	<39	<40	<40
Compressor type		Rotatif						Scroll
Brand of compressor		Toshiba					Mitsubishi	Panasonic
Heat exchanger		Twisted Tech® Titane						
Function		Chauffage						
Load losses (mCE)		0,9	0,9	1	1,10	1,13	1,15	nc

**ACCESSORIES INCLUDED**Delivered on
wooden palletMaintenance kit
Including multi-language
usermanualPVC CONNECTORS
Ø 50mm 1" 1/2Wired control extension
(10m)
except silverline miniCondensation
drainage pipeAnti-vibration
support kit

SWIMMING POOL HEATING WiFi box

YOUR HEAT PUMP, CONNECTED



WIFI BOX

OPERATE YOUR HEAT PUMP FROM WHEREVER YOU ARE



Pool system

CONTROLLABLE

FROM YOUR SMARTPHONE
WHEREVER YOU ARE

SIMPLE INSTALLATION

CONNECTED

TO YOUR INTERNET BOX

WARRANTY 2 YEARS

An app that will change your life

With the app downloadable from the Apple Store or Google Play, you can operate your heat pump with the flick of a finger. The set temperature, heating mode and all the control panel's functions appear on this simple, intuitive app.

From your smartphone anywhere in the world

A simple internet connection from your smartphone or tablet is enough to take control of your heat pump. You can plan for your return home and to have a bath at the right temperature as soon as you arrive.

Simple installation and configuration

Connected to your heat pump's control box, the wifi box connects to your Internet Wifi network in a matter of minutes. All you need to have is an Internet connection to your smartphone to control your heat pump, even from the other side of the world. Your control box is sealed and magnetised for easy positioning on your heat pump.

Feedback in real time

More than just a remote control box, the app also gives you the pool temperature, the selected heating mode and the flow rate of your installation. The app also alerts you in the event of a problem.

COMPATIBLE PUMPS

TRILINE PREMIUM

JETLINE PREMIUM INVERTER

JETLINE SELECTION

JETLINE SELECTION INVERTER

SILVERLINE

TECHNICAL DATA

Ref:	PC-WM01
Dimensions	9 x 9 x 4,5cm
Weight	0.15kg
Network standard	IPv6
Electricity supply	12V
Maximum range	100m
Warranty	2 years



MAXI POOL SUN

SOLAR HEATING FOR SWIMMING POOLS

HEATING
BY SOLAR ENERGY

COMPATIBLE WITH
**SALT
TREATMENT**

COMPATIBLE WITH
22 AND 35mm

WARRANTY
2 YEARS

Solar heating for swimming pools

The Maxi Pool Sun dome uses only solar energy to heat the water in your pool. Your bathing season is therefore extended without consuming electricity or emitting toxic substances.

High-performance materials

A polycarbonate cover intensifies the sun's heat. It is unbreakable and resistant to ultraviolet rays, chlorine and sodium.

Omnidirectional

Its dome shape allows it to follow the sun throughout the day and improve the system's effectiveness, even during periods of weak sunshine. Additionally, its large surface area helps to absorb more of the sun's rays and thus heat up the water in your swimming pool.

Perfect performance

For optimal performance we recommend that you place one dome for every 15 m³ of water. You can lay them in series so as to increase the effect produced or the output.

How it works

1. The polycarbonate dome transmits maximum solar energy to the black pipe contained inside.
2. A greenhouse effect is produced inside the dome.
3. The water passing through the filtration pump then flows through the dome's pipe to be heated.
4. Once it has been filtered then heated, the water will be decanted into your pool to provide a pleasant temperature.

ACCESSORIES INCLUDED

DOMES INLET/OUTLET PIPE
(DIAM. 22 MM, LENGTH 102 CM)

2 FIXING CLAMPS

4 CONNECTORS

2 PUMP CONNECTION PIPES
(DIAM. 35 MM, LENGTH 10 CM)

INSTRUCTION MANUAL

TECHNICAL DATA

Ref:	PC-DOME-10
heating capacity	15 m ³
Product dimensions	113 x 75 x 32.5cm (W x L x H)
Packaging dimensions	115 x 77 x 34cm (W x L x H)
Maximum volume	13 L
Maximum pressure	2 bar
Maximum flow	7,000 litres/hour
Maximum temperature	100°C
Materials	Anti-UV treated polycarbonate
Possible to daisy-chain	Yes
Recycling	100% recyclable
Warranty	2 years

SWIMMING POOL HEATING U Connect

THE QUICKEST SOLUTION
TO CONNECT YOUR HEAT PUMP

POOLEX
UConnect®



WARRANTY
2
YEARS



UCONNECT

UNIVERSAL HEAT PUMP CONNECTOR

**AUTOMATIC
SELF-PRIMING**

**FAST
INSTALLATION**

DETACHABLE
IN JUST A FEW SECONDS

COMPATIBLE WITH ANY
**HEATING
SYSTEM**

The Poolex UConnect kit is compatible with all swimming pool heat pumps of any make. It is supplied with 6 metre long connections and 1½" universal male adaptors.

The Poolex UConnect kit is powered via a 230V/12V transformer that can be linked to your heat pump or directly to your electrical system.

The Poolex UConnect kit can be installed at the edge of your pool in just a few minutes. It is not necessary to attach it and it can be removed at any time.

Its self-priming system provides simple fast start-up. It is compatible with all swimming pool heat pumps of any make.

It can be installed without the need for a by-pass kit or additional pump. Designed for intensive usage, Poolex UConnect is guaranteed for 2 years.

ADVANTAGES

**COMPACT AND UNIVERSAL
30/38MM CONNECTOR INCLUDED
SELF-PRIMING SYSTEM
SIMPLE START-UP
DESIGNED FOR INTENSIVE USAGE**

WARRANTIES

GUARANTEED FOR 2 YEARS

TECHNICAL DATA

Electricity supply	230V	Min. flow	3,8 m³/h
Ref:	PC-UCONNECT	Max. flow	5,2 m³/h
Pump motor	12V / 85W	Connector	1"½
Protection	IPX8	Warranty	2 ans



CLEANPAC

THE IDEAL CLEANER FOR HEAT PUMP MAINTENANCE

**WITHOUT
RINSING**

**RESTORES THE
YIELD**
OF YOUR HEAT PUMP

EFFECTIVE AGAINST
**GREASE
& DUST**

CLEANPAC, the extra-powerful cleaner from Poollex, has been tested to make your life easier.

Over time, the evaporator of your heat pump can become clogged. Dust, plant and organic matter can obstruct it, reducing its performance, and even causing it to fail.

CLEANPAC from POOLEX comes with a bottle incorporating an adjustable spray as well as a flexible body to allow access to the most inaccessible locations of the evaporator.

Its combination of degreasing agents provides perfect efficiency right from first use, even for the dirtiest of evaporators, without affecting your heat pump.

For optimum use in full safety use, follow the instructions on the bottle.

ADVANTAGES

**FLEXIBLE BODY WITH SPRAY
NO RINSING REQUIRED
GETS TO THE BOTTOM OF DUST AND GREASE
EFFECTIVE IN MINUTES**

TECHNICAL DATA

Contents	1L
Reference	PC-CLEAN100
Amphoteric surface-active agents	Less than 5%
Non-ionic surface-active agents	Less than 5%
Preservatives	Methylisothiazolinone Methylchlorisothiazolinone

SOLAR SHOWER

100% ECO-FRIENDLY

A SHOWER FOR EVERY POOL

**NEW
2019**



**Formidra Prestige
BELLAGIO**
Outstanding design

SOLAR SHOWER

FORMIDRA, MANUFACTURER OF INNOVATIVE SOLAR SHOWERS

Our solar showers combine:

- Eco-friendly with 100% natural solar heating.
- Easy installation with any standard connection.
- Unique design with elegant, streamlined and colourful curves.

Our greatest pride is having succeeded in transforming something functional into a decorative item that will enhance your exterior surroundings.

CONTENTS



GAMME PRESTIGE



NEW
2019


DESIGN & EXCELLENCE

BELLAGIO

**Aluminium
Structure**

**FOOT RINSE
INCLUDED**

The waves of the BELLAGIO are a delight for design enthusiasts. Its aluminium structure and its slightly glittering finish are a perfect mirror for the sun's reflections. Its twin water supplies (hot and cold) provide a hot shower no matter the season. Its stainless steel mixer tap provides the user with precise temperature selection, while its toggle switch allows easy and practical selection of the integrated rainfall-effect showerhead or the foot rinse.



Pink metallic paint finish
DS-B162RS

FEATURES

Material	Aluminium	Base Dimensions	25 x 40 cm
Weight	10 kg	Fixing kit	Included
Height	228 cm	Warranty	2 years

Blue metallic paint finish
DS-B162BL

Grey metallic paint finish
DS-B162GR



Formidra
Prestige

Formidra
Prestige

Integrated summer rainfall-effect showerhead

*Stainless steel mixer tap with
toggle switch*

Foot wash included

Standard 1/2" brass connections

OUTSIDE SHOWER DADA PIU

4 VERSIONS AVAILABLE

**NEW
2019**

TIMELESS
CLASS

**DADA
STRAIGHT**

37L

**FOOT WASH
INCLUDED**

Formidra is renewing its flagship model, la DADA. Available in both straight and curved versions, it combines Formidra's ecological solar 37L-capacity technology with a hot water intake to ensure that hot showers are available whatever the number of users. As always, Formidra provides a foot wash, ideal alongside a swimming pool.






2019 INNOVATION HYBRID TECHNOLOGY

Solar heating
+ hot water tank



The DADA line not only includes FORMIDRA solar technology but also a hot water inlet from the main supply of the house. This way, you benefit not only from 100% solar hot water, but also from hot water drawn from the domestic supply when necessary.



FEATURES

Material	Aluminium	Base Dimensions	14 x 32.4 cm
Weight	10 kg	Fixing kit	Included
Height	228 cm	Warranty	2 years
Capacity	37L		



NEW

2019


REFINED CURVES
AND DISCRETE ELEGANCEDADA
CURVE

38L

FOOT WASH
INCLUDED

Also available as a curved version, the DADA CURVE stands out thanks to its taunt lines and its extremely flat, mirror-effect square showerhead.


Its slender curves mean it will naturally blend in to any garden while adding a designer touch.



Ultra-flat, anti-limescale showerhead.



Laser-engraved stainless steel mixer tap



FEATURES

Material	Aluminium	Base Dimensions	25 x 40 cm
Weight	10 kg	Fixing kit	Included
Height	222 cm	Warranty	2 years
Capacity	38L		



Anthracite paint finish
+ brushed aluminium casing
DS-B363NX

Anthracite paint finish
+ brushed aluminium casing
DS-B363NO


Stainless steel anodising
DS-B363AX

2019 INNOVATION
HYBRID TECHNOLOGY

Solar heating
+ hot water tank



The DADA line not only includes FORMIDRA solar technology but also a hot water inlet from the main supply of the house. This way, you benefit not only from 100% solar hot water, but also from hot water drawn from the domestic supply when necessary.



Cold water
Hot water

SOLAR SHOWER Cobra

5 COLOURS AVAILABLE



SOLAR SHOWER NEW GENERATION

COBRA



Anthracite
DS-C720NO



Pink
DS-C720RS




Purple
DS-C720VO



Blue
DS-C720BL



Green
DS-C720VE



32 L

FOOT RINSE
INCLUDED



FEATURES

USES THE SUN'S ENERGY
INNOVATIVE DESIGN
AVAILABLE IN 5 COLOURS
INCLUDING FOOT RINSE
EASY INSTALLATION
RECYCLABLE PEHD

Unique design!

Super slim and futuristic, this new solar shower becomes a distinctive decorative feature in your garden.

As with the entire Formidra range, the Cobra is eco-friendly, being heated by solar energy and made of recyclable materials.

Designed in high-density polyethylene, the Cobra is available in 5 colours and includes a foot rinse.

SPECIFICATIONS

Materials	HD Polyethylene	Pedestal dimensions	30 x 34 cm
Weight	9.5kg	Fixing kit	Included
Capacity	32 L	Warranty	2 years
Height	217cm		

5 COLOURS AVAILABLE

SOLAR SHOWER HAPPY GO

COMPACT
& ELEGANT

HAPPY GO

Garden
Pool
Boat

Formidra



REDUCED HEIGHT
HIGH CAPACITY


23 L

FEATURES

USES THE SUN'S ENERGY
COMPACT DESIGN
AVAILABLE IN 5 COLOURS
INCLUDING FOOT RINSE
RECYCLABLE PEHD
EASY INSTALLATION

SPECIFICATIONS

Materials	HD Polyethylene	Pedestal dimensions	26 x 29 cm
Weight	6.5kg	Fixing kit	Included
Capacity	23 L	Warranty	2 years
Height	120cm		



Compact and sophisticated!

The Happy Go solar shower combines compactness with high capacity. Supplied with its moveable shower head, it is easy and fun to use.

100% eco-friendly, the warmth from the sun's rays is enough to heat its 23 litre reservoir. It can easily be installed at any water inlet. Manufactured in HD polyethylene, the new Happy Go is now available in anthracite, pink, purple, green or blue.

SOLAR SHOWER Happy

5 COLOURS AVAILABLE

COMPACT &
PRACTICAL
HAPPY



Anthracite
DS-H122N0



Pink
DS-H122RS




Purple
DS-H122V0



Blue
DS-H122BL



Green
DS-H122VE



25L

**FOOT RINSE
INCLUDED**



FEATURES

USES THE SUN'S ENERGY
AVAILABLE IN 5 COLOURS
INCLUDING FOOT RINSE
RECYCLABLE PEHD
EASY INSTALLATION

Made of thermoplastic resin, the Happy solar shower is the must-have open air accessory. 100% eco-friendly, it comes with a mixer, foot rinse and 25 litre water reservoir, and is heated solely by the warmth of the sun.

With its curved design and 5 trendy colours, it will perfectly enhance the areas around swimming pools, gardens and patios. A simple connection to a water inlet is enough to supply this solar shower. The Happy's flanged base ensures easy installation and stability.

SPECIFICATIONS

Materials	HD Polyethylene	Pedestal dimensions	24 x 26 cm
Weight	5.5kg	Fixing kit	Included
Capacity	25 L	Warranty	2 years
Height	216 cm		

5 COLOURS AVAILABLE

SOLAR SHOWER Happy 4x4

HIGH CAPACITY &
ELEGANCE

HAPPY 4X4

Formidra



Anthracite
DS-H422NO



Pink
DS-H422RS



Purple
DS-H422VO



Blue
DS-H422BL



Green
DS-H422VE




44L

FOOT RINSE
INCLUDED



FEATURES

USES THE SUN'S ENERGY
HIGH CAPACITY
AVAILABLE IN 5 COLOURS
INCLUDING FOOT RINSE
RECYCLABLE PEHD
EASY INSTALLATION



The Happy 4x4 solar shower has the largest water reservoir in its range. Its 44 litre reservoir is heated solely by the sun, making it 100% eco-friendly.

Made of high-density polyethylene, its elegant design in 5 different colours and its curved shape blend into any surroundings.

A simple connection to a water inlet is enough to supply this solar shower. Its flanged base ensures the easy installation and stability of the Happy 4x4.

SPECIFICATIONS

Materials	HD Polyethylene	Pedestal dimensions	26 x 29 cm
Weight	7.5kg	Fixing kit	Included
Capacity	44 L	Warranty	2 years
Height	229 cm		

SOLAR SHOWER

Jolly

AVAILABLE IN 6 COLOURS AND 2 SIZES

MODERN & PRACTICAL JOLLY




33 L

25 L

33 L

FOOT RINSE
INCLUDED



FEATURES

- USES THE SUN'S ENERGY
- RECYCLABLE ALUMINIUM BODY
- AVAILABLE IN 6 COLOURS
- INCLUDING FOOT RINSE
- EASY INSTALLATION

SPECIFICATIONS

Materials	Aluminium	Pedestal dimensions	15 x 16,5 cm
Weight	10.5kg	Fixing kit	Included
Capacity	25 L	Warranty	2 years
Height	233 cm		

You'll love its contemporary and sophisticated curves. The Jolly solar shower will blend beautifully into any surroundings. Made of aluminium, this designer product comes in 6 different colours.

The Jolly solar shower's 25 litre reservoir is heated solely by the warmth of the sun. It is therefore 100% eco-friendly. It can easily be connected to any water inlet.

7 COLOURS AVAILABLE

SOLAR SHOWER Spring

LIGHTNESS & DESIGN SPRING



Anthracite
DS-A122NO

anodized inox
DS-A122AX

Stainless steel
paint
DS-A122NX

Anthra/
Stainless
DS-A122BN

Pink
DS-A122RS

Purple
DS-A122VO

Blue
DS-A122BL

FOOT RINSE
INCLUDED



30 L

FEATURES


USES THE SUN'S ENERGY

RECYCLABLE ALUMINIUM BODY

AVAILABLE IN 7 COLOURS

INCLUDING FOOT RINSE

EASY INSTALLATION



SPECIFICATIONS

Materials	Aluminium	Pedestal dimensions	26 x 12 cm
Weight	11.5kg	Fixing kit	Included
Capacity	30 L	Warranty	2 years
Height	228cm		

The contemporary design of the Spring solar shower will blend perfectly into any garden or patio. Made entirely of aluminium and stainless steel (depending on the model), this shower comes in 7 colours.

Its large 30 litre reservoir is heated solely by the warmth of the sun, so it is 100% eco-friendly. Its curved design, elegance and light weight make this shower a 'must' for any exterior. It can easily be connected to any water inlet.

Formidra

WATER FITNESS

**EXCLUSIVE
TECHNOLOGY**



ADJUSTABLE RESISTANCE
BY **SPEED**
GEAR LEVER



WATER FITNESS FOR ALL

With a range of eye-catching equipment combined with the expertise of top-level athletes and recognised sports coaches, Waterflex makes water fitness accessible to all.

At the very core of Waterflex's DNA are design, comfort and performance. These objectives have enabled us to become **the first manufacturer-designer and European leader in this field.**

Waterflex is committed to the success of your customers' wellness, fitness or aquatherapy programmes. In line with trends and **new technologies**, Waterflex is reinventing new ways to do watersports.

The Inobike product line meets the expectations of the most demanding customers. Besides, the new concepts such as **the Aquafitmat and the Fit's Pool** are a real success.

CONTENTS

GAMME INOBIKE



GAMME WR



Waterflex

DEDICATED
TO STORES



DEDICATED
TO STORES




AQUAFITMAT
P.72



AQUAJOGG
P.75



ELLY
P.74



WX TRAMP
P.76

AQUABIKES

CIRCUIT TRAINING

DEDICATED
TO STORES



LANABIKE EVO
P.78



AQUAJOGG AIR
P.79

NOUVELLE GAMME ALUMINIUM

BASSIN AUTOPORTANT



FIT'S POOL
P.58

SPÉCIAL CLUBS



AQUABIKE LIFT
P.77

ACCESSOIRES



PÉDALES
P.82



ACCESSOIRES
P.83



INOBIKE 7 ^{WARRANTY 3 YEARS}

THE SPORT GEAR WATER BIKE

ADJUSTABLE RESISTANCE
BY **SPEED**
GEAR LEVER

SPORT HANDLEBAR
45°
+ **COMFORT SADDLE**

COMPATIBLE
with salt water pools
INOX AISI 316L

Saddle/Feet/Handlebars
ADJUSTMENTS

HYDRAULIC RESISTANCE

REGULAR

SPORTY

INTENSIVE

TECHNOGEAR+ ® GEAR LEVER

This sporty version is intended for professional clients who wish to combine cardio-training with muscle strengthening.

The INOBIKE 7 has a double propeller system engaged by a 3-speed gear lever for 3 levels of resistance. The combination of two propellers to increase the effectiveness of the hydraulic resistance and the integration of a gear lever to simplify its use.

Simple and intuitive. Appreciate the comfort of barefoot pedals. Discover the fluidity of movement when pedalling without articular constraint and the pleasure of simple and effective adjustments of the resistance.

ADVANTAGES

SPORT HANDLEBAR 45°

CAN BE USED WITH BARE FEET

WIDE RANGE OF ADJUSTMENTS

FAST DRAINAGE

SACRIFICIAL ANODE FOR SALT WATER

LOWER RINGS FOR ELASTIC EXERCISE ROPES


WARRANTIES

3 YEARS FOR METAL COMPONENTS


WEARING PARTS GUARANTEED FOR 6 MONTHS



FOR ALL SIZES




COMPATIBLE WITH ANY SWIMMING POOL




DOUBLE RESISTANCE

RESISTANCE




SPEED 0 = pedals alone

11%



SPEED 1 = 1 propeller + pedals

18%



SPEED 2 = 2 propellers + pedals

24%

NEW: GEAR LEVER!

The Inobike 7 has a **double propeller system** engaged by a **3-speed gear lever** = **3 levels of resistance**. The combination of two propellers to increase the effectiveness of the hydraulic resistance and the integration of a gear lever to simplify its use.

ACCESSORIES INCLUDED



Comfort saddle



Bottle holder



Insulated flask

SPECIFICATIONS

Ref:	WX-IN07
Quality	Inox AISI 316L
Min.dimensions closed	L 94 x W 55 x H 120 cm
Max.dimensions open	L 122 x W 55 x H 164 cm
Weight	22kg
Depth of water	1.10 m to 1.60 m
Warranty	Metal parts 3 years 6 months for wearing parts

Certification:

WATER FITNESS

Inobike 6 & 8

INOBIKE 6



INOBIKE 6 ^{WARRANTY 3 YEARS} ATHLETIC WATER BIKE



FIXED
HYDRAULIC RESISTANCE
6 BLADES

COMPATIBLE
Salt water pools
INOX AISI 316L

Saddle/Feet/Handlebars
ADJUSTMENTS

can be used
BAREFOOT

HYDRAULIC RESISTANCE 6

The Inobike 6 uses a hydraulic resistance system composed of a propeller with 6 fixed blades. Shaped just like a bike

It develops the perfect medium resistance for cardio workouts and muscle strengthening. Easy to use and time-saving as no manipulation involved.

Ref:	WX-IN06
Quality	Inox AISI 316L
Min.dimensions closed	L 96 x W 55 x H 120 cm
Max.dimensions open	L 120 x W 55 x H 164 cm
Weight	21kg
Depth of water	1.10 m to 1.60 m
Warranty	Metal parts 3 years 6 months for wearing parts

Certification:

HYDRAULIC RESISTANCE

REGULAR

SPORTY

INTENSIVE

ADVANTAGES

SPORT HANDLEBAR 45°
CAN BE USED WITH BARE FEET
WIDE RANGE OF ADJUSTMENTS
FAST DRAINAGE
SACRIFICIAL ANODE FOR SALT WATER
LOWER RINGS FOR ELASTIC EXERCISE ROPES

ACCESSORIES INCLUDED



Comfort saddle



Insulated flask



Bottle holder



INOBIKE 8

ULTRA-SPORT WATER BIKE

WARRANTY
3 YEARS


Waterflex

**ADJUSTABLE
MECHANICAL
RESISTANCE**
COMPATIBLE
 Salt water pools
INOX AISI 316L

 Saddle/Feet/Handlebars
ADJUSTMENTS

 can be used
BAREFOOT
TECHNOBRAKE+ ® GEAR LEVER

The INOBIKE 8 has a mechanical system that combines the efficiency of a brake pad with the precision of a gear lever in order to customise the resistance. Adjustment is made during the exercise without even having to stop pedalling, simply by pressing the gear lever for a precise resistance alteration. So you improve your performance while you train.

Ref:	WX-INO8
Quality	Inox AISI 316L
Min.dimensions closed	L 96 x W 55 x H 120 cm
Max.dimensions open	L 120 x l.55 x H 164 cm
Weight	22.9kg
Depth of water	1.10 m to 1.60 m
Warranty	Metal parts 3 years 6 months for wearing parts

 Certification: **CE**
MECHANICAL RESISTANCE

REGULAR

SPORTY

INTENSIVE

ADVANTAGES

SPORT HANDLEBAR 45°
 CAN BE USED WITH BARE FEET
 WIDE RANGE OF ADJUSTMENTS
 FAST DRAINAGE
 SACRIFICIAL ANODE FOR SALT WATER
 LOWER RINGS FOR ELASTIC EXERCISE ROPES

ACCESSORIES INCLUDED


Comfort saddle



Insulated flask



Bottle holder

WATER FITNESS WR3 / WR4 / WR5

AQUABIKE WR PRODUCT LINE



A TRIM SILHOUETTE!

Designed for everyday use, the WR3 combines the gentle resistance of its Aquaspeed 2 pedals with great pedalling fluidity. Its versatility ensures optimum cardio-training sessions.

For easy handling, you will appreciate its light weight, carrying handle and fast drainage. The WR3 is recommended by many hotels and spas.

WR3

REGULAR

SPORTY

INTENSIVE

WR SERIES

WARRANTY
3 YEARS

AQUABIKES FOR EVERYBODY

COMFORT

PEDALS

CAN BE USED BAREFOOT

EXERCISE BAR
+ COMFORT SADDLE
OPTIONAL

COMPATIBLE

with salt water pools
INOX AISI 316L

Saddle/Feet/Handlebars

ADJUSTMENTS

WR3 SPECIFICATIONS

Quality	Inox AISI 316L
Min.dimensions closed	L.94 x l.55 x H.116 cm
Max.dimensions open	L.122 x l.55cm x H.153 cm
Weight	18.5kg
Depth of water	1.10m to 1.50m
Warranty	Metal parts 3 years 6 months for wearing parts
Ref:	WX-WR3

OPTIONAL ACCESSORIES



Exercise bar



Comfort saddle



Optional elastic exercise ropes

WR PRODUCT LINE ADVANTAGES

SPORT HANDLEBAR 45°

CAN BE USED WITH BARE FEET

WIDE RANGE OF ADJUSTMENTS

FAST DRAINAGE

SACRIFICIAL ANODE FOR SALT WATER

LOWER RINGS FOR ELASTIC EXERCISE ROPES

WR PRODUCT LINE WARRANTIES

3 YEARS FOR METAL COMPONENTS

WEARING PARTS GUARANTEED FOR 6 MONTHS

WR4



HYDRAULIC RESISTANCE

REGULAR

SPORTY

INTENSIVE



AQUAPALM 2 SYSTEM

Consisting of 4 blades to increase performance, their cup-shape provides extra resistance. The user can modify this hydraulic resistance system even when seated, by rotating each of the blades. This technical advance has taken sports clubs, physiotherapists and thalassotherapy centres by storm.

WR4 SPECIFICATIONS

Quality	Inox AISI 316L
Min.dimensions closed	L.94 x l.55 x H.116 cm
Max.dimensions open	L.122 x l.55cm x H.153 cm
Weight	22.6kg
Depth of water	1.10m to 1.50m
Warranty	Metal parts 3 years 6 months for wearing parts
Ref:	WX-WR4

Waterflex

WR5



MECHANICAL RESISTANCE

REGULAR

SPORTY

INTENSIVE



SPINNING PRO SYSTEM

Adjust the difficulty of the exercise and individualise the effort from the sitting position by turning the knob.

You can pace yourself. The brake pad acts on a 316L marine-grade stainless steel wheel for unrivalled efficiency. You can simulate hill-climbing! Easy and intuitive to use, this water bike provides high-level performance.

WR5 SPECIFICATIONS

Quality	Inox AISI 316L
Min.dimensions closed	L.94 x l.55 x H.116 cm
Max.dimensions open	L.122 x l.55cm x H.153 cm
Weight	22.9kg
Depth of water	1.10m to 1.50m
Warranty	Metal parts 3 years 6 months for wearing parts
Ref:	WX-WR5



DEDICATED
TO STORES

FALCON ^{WARRANTY} **3** YEARS
THE SPORT WATER BIKE +



INOX AISI
316 L

EXERCISE BAR
+ COMFORT SADDLE

COMPATIBLE
with salt water pools

Saddle/Feet/Handlebars
ADJUSTMENTS

HYDRAULIC RESISTANCE

REGULAR

SPORTY

INTENSIVE

THE MOST FULLY EQUIPPED AQUABIKE

This sports version is suitable for those who wish to combine cardio-training with muscle building.

You will appreciate the Falcon's pedalling fluidity and its comfort when being used with bare feet. With its **included sports + accessories pack**, this aquabike is the most fully equipped in its class. Designed for intensive use in both chlorinated water and sea water, it is ideal for returning to fitness or for aquatic physiotherapy.

The Falcon works on your stamina and physical condition. It provides a complete workout.

ADVANTAGES


- SPORT HANDLEBAR 45°
- CAN BE USED WITH BARE FEET
- WIDE RANGE OF ADJUSTMENTS
- FAST DRAINAGE
- SACRIFICIAL ANODE FOR SALT WATER
- LOWER RINGS FOR ELASTIC EXERCISE ROPES

WARRANTIES


- 3 YEARS FOR METAL COMPONENTS
- WEARING PARTS GUARANTEED FOR 6 MONTHS



FOR ALL SIZES



COMPATIBLE WITH ANY SWIMMING POOL



AQUAPALM 2 SYSTEM

AQUAPALM 2 SYSTEM

The Falcon's Aquapalm 2 system consists of 4 blades to increase performance. Their cup-shape provides additional support in the water and extra resistance. This system of hydraulic resistance can be modified by the user, even when seated, by rotating each of the blades.

ERGONOMIC ADJUSTMENTS



SPORT PACK INCLUDED



Bottle holder



Insulated flask



Exercise bar



Comfort saddle

SPECIFICATIONS

Ref:	WX-FALC4
Quality	Inox AISI 316L
Min.dimensions closed	L 93 x W 55 x H 114 cm
Max.dimensions open	L 112 x W 55 x H 153 cm
Weight	19.5kg
Depth of water	1.10m to 1.50m
Warranty	Metal parts 3 years 6 months for wearing parts

Certification:

WATER FITNESS

Happy Bike

3 COLOURS AVAILABLE



Happy: Bike

DEDICATED
TO STORES



HAPPY BIKE **WARRANTY 3 YEARS**

THE FUN WATER BIKE

HYDRAULIC
RESISTANCE

CARDIO
TRAINING

COMPATIBLE
with salt water pools

Saddle/Feet/Handlebars
ADJUSTMENTS

BE HAPPY

Ideal for private pools, this bike is a real fitness centre. Its hydraulic resistance lets you pedal at your own pace and enjoy a gentle workout!

HAPPY BIKE ADVANTAGES

The geometry of its X shape has been designed to make it light and easy to transport and to enable anybody to easily sit on the saddle. Thanks to its four adjustment points, the Happy Bike can be adapted to suit all body types.

BUILT-IN RESISTANCE

The special shape of its AquaSpeed pedals accentuates the effect of water resistance while maintaining a fluid, enjoyable movement.

ADVANTAGES

3 SHADES AVAILABLE

AISI 316L QUALITY STAINLESS STEEL

FAST DRAINAGE

BAREFOOT COMFORT

SACRIFICIAL ANODE

FLASK HOLDER INCLUDED

WARRANTIES

3 YEARS FOR METAL COMPONENTS

WEARING PARTS GUARANTEED FOR 6 MONTHS



Waterflex

3 COLOURS AVAILABLE


HYDRAULIC RESISTANCE

REGULAR


SPORTY

INTENSIVE

ERGONOMICS FOR EVERYONE



Up to 200kg



ACCESSORIES



Flask holder (INCLUDED)



Resistance bands (OPTIONAL)

SPECIFICATIONS

Ref:	WX-HAPPY-BL01	WX-HAPPY-OR01	WX-HAPPY-RS01
Colours	Cobalt	Orange	Fuchsia
Min. dimensions	L 97 x W 60 x H 114 cm		
Max. dimensions	L 112 x W 60 x H 149 cm		
Weight	17kg		
Depth of water	1.20m to 1.60m		
Warranty	Metal parts 3 years 6 months for wearing parts		

Certification:



AQUAFITMAT

FLOATING SWIMMING POOL MAT

TECHNOLOGY
DROPSTITCH
DOUBLE SKIN

INFLATABLE
In less than 3 minutes

ULTRA-RIGID
To improve your balance

**SOPHISTICATED
DESIGN**
To demarcate the work areas

AN AQUATIC FUN ACTIVITY

The Aquafitmat is inflated like a paddle. Designed to be easily fastened between two water lanes with our attachment kit, it is quick to install. This educational mat has been specially designed to use the unequal balancing technique.

DESIGNED FOR YOUR BALANCE

Patterns printed on the non-slip EVA covering allow users to clearly identify the workout areas indicated during the lesson. You will like the Aquafitmat's softness and comfort, plus its large 81cm width that provides excellent stability, even for complicated yoga postures.

With its many rings, the floating mats interlock with each other for multiple configurations. Optionally, you can snap-on the elastic aquatic exercise ropes to the sides!

The mat enables the coach to structure the session to facilitate user learning.

REGULAR

SPORTY

INTENSIVE

ADVANTAGES

DOUBLE SKIN DROP STITCH TECHNOLOGY

INFLATES IN UNDER 3 MINUTES

ATTACHMENT KIT

EVA NON-SLIP COVERING


GREAT STABILITY

STORAGE BELT

FLASK HOLDER STRAP



UNIQUE DESIGN



ACCESSORIES



Attachment kit
included



High pressure pump
(optional)



Carrying case
(optional accessories)



Paddle
(optional accessories)

SPECIFICATIONS

Ref:	WX-AQUAFITMAT
Materials	Nylon-reinforced PVC
Finish	Double layer Drop-Stitch technology
Volume	210 L
Max. load	120kg
Dimensions	L 220 x W 81 x 12cm thick
Weight	10kg
Warranty	1 year

Certification:



WATER FITNESS

Elly

REGULAR

SPORTY

INTENSIVE

ELLIPTICAL POOL BIKE



ELLY



ELLY

WARRANTY
3 YEARS

NORDIC WALKING FOR SWIMMING POOLS

JOLT-FREE
ELLIPTICAL
ACTION

COMPATIBLE
with salt water pools
INOX AISI 316L


**BLADES OF
RESISTANCE**

can be used
BAREFOOT

A COMPLETE SPORT

The Elly aquatic cross-trainer is a complete user-friendly exercise apparatus combining the benefits of rowing, cross-country skiing, stepping and cycling.

It is used to synchronously work all the muscles in the body. Approximately 80% of the muscles used when exercising! The secret lies in its elliptical action, designed to replicate as faithfully as possible the natural movements of Nordic walking, while protecting the joints from jolts.



ADVANTAGES

AISI 316L QUALITY STAINLESS STEEL
WIDE PVC PEDALS (FOR USE WITH BARE FEET)
WHITE STABILISING PADS
OSCILLATING LEVER ARMS
NON-SCRATCH SILICONE WHEELS

WARRANTIES

3 YEARS FOR METAL COMPONENTS
WEARING PARTS GUARANTEED FOR 6 MONTHS

SPECIFICATIONS

Ref:	WX-ELLY
Materials	Inox AISI 316L
Finish	Brushed steel with electropolished anti-corrosion
Resistance	Oscillating lever arms with perforated blades
Max. load	150kg
Dimensions	L 112 x W 56 x H 175 cm
Weight	26 kg
Warranty	Metal parts 3 years 6 months for wearing parts

Certification:

REGULAR

SPORTY

INTENSIVE



AquaJogg



Waterflex

AQUAJOGG

WARRANTY 3 YEARS

AQUATIC TREADMILL

**INTENSIVE
USE**
COMPATIBLE
 with salt water pools
INOX AISI 316L
13° SLOPE

**SPACE-
SAVING**

AQUATIC TREADMILL

The AquaJogg's fluidity of movement combines the benefits of the water's buoyancy with the possibility of walking or running.

ITS excellent stability means that at your own pace you can work safely on muscle strengthening, building stamina and rehabilitation.

The AquaJogg is designed for intensive daily use in group or individual sessions. It can be used barefoot. The innovative folding system is space-saving and the silicone wheels facilitate immersion in the water without marking the floor.

"EASY PUSH" OPENING SYSTEM

Opening : push the lever and allow the platform to open down to the floor. Easy and effortless.

Closure : Push on the lever and raise the platform with your foot. Move the treadmill back until it clicks in order to engage the safety mechanism.



Certification:



ADVANTAGES

AISI 316L QUALITY STAINLESS STEEL
CAN BE USED WITH BARE FEET
"EASY PUSH" OPENING SYSTEM
VARIABLE BELT RESISTANCE
6 NON-SCRATCH SILICONE WHEELS

WARRANTIES


3 YEARS FOR METAL COMPONENTS
WEARING PARTS GUARANTEED FOR 6 MONTHS

SPECIFICATIONS

Ref:	WX-QUAJOGG
Materials	Inox AISI 316L
Finish	Brushed steel with electropolished anti-corrosion
Belt	Running surface W 38 x L 118cm
Max. load	150kg
Open dimensions	L 135 x W 67 x H 128 cm
Weight	32kg
Warranty	Metal parts 3 years 6 months for wearing parts



**WX-TRAMP
PREMIUM**



REGULAR

SPORTY

INTENSIVE

WX TRAMP PREMIUM ^{WARRANTY 2 YEARS}

JUMP FOR FUN

**AISI 304
STAINLESS STEEL
STRUCTURE**

**CELLULAR
JUMP SURFACE**

**GREAT
STABILITY**
with 6 feet

**BALANCING HANDLE
OPTIONAL ACCESSORY**

JUMP FOR FUN !

The water trampoline can be used for physiotherapy, aqua-training or just at home with the family. Versatile and suitable for anyone aged 7 to 77 with no contraindications. Improve your coordination, balance and physical condition while having fun.



SPECIFICATIONS

Anti-corrosion	Inox AISI 304
Seams	Reinforced
Depth of water	1.20m to 1.70m
Stability	Suction cups
Max.load	100kg
Warranty	metal parts 2 years 6 months for wearing parts

MODELS



Model	Round	Hexagonal
Dimensions	Ø 101 x H 34 cm	112 x 112 x H 34 cm
Weight	6.3kg	6.3kg



Waterflex

AQUABIKE LIFT

WARRANTY 2 YEARS

LIFTING GEAR

**LIFTING
MADE EASIER**
BY COUNTERWEIGHT

**SWIVELLING WHEELS
WITH SAFETY
LOCKING**

**SAFETY
STOP**

**GREAT
STABILITY**

GET YOUR WATER BIKES OUT OF THE WATER EFFORTLESSLY!

Compatible with all water fitness equipment (treadmill, cross-trainer, water bike, trampoline, etc.), the Aquabike Lift combines mobility, stability, safety and ease of use. Its square handle makes lifting and handling easier, and its safety system means that it can be operated by just one person. It adapts to the most complex pool designs.

The Aquabike Lift can be positioned wherever you want, without taking up space at the edge of the pool.

WHEEL LOCKING SYSTEM

For safe handling.

ARM EXTENSION

Available as an option, this 160cm extension arm enables the Aquabike to be used in swimming pools with complicated surrounds.



ADVANTAGES

**4 WHEELS INCLUDING TWO WITH 360° PIVOT
EASY-FIX SYSTEM WITH ADJUSTABLE STRAPS
ANTI-CORROSION TREATMENT
NOT FIXED TO THE GROUND
2 SILICONE FEET**

SPECIFICATIONS

Use	2 people advised
Weight	110kg
Pedestal dimensions	53 x 72 cm
Max. dimensions	H 2.27 x L 2.30m
Maximum load	70kg
Materials	Steel + epoxy paint anti-corrosion treatment
Warranty	2 years
Quality certification	CE + TUV Compliant with European standard EN13197/IN - 1/10/2009

Certification: 

WATER FITNESS

Lanabike Evo

ALUMINIUM TECHNOLOGY



**ANODISED
ALUMINIUM
STRUCTURE**

**NEW
2019**

LANABIKE **EVO**



Lightweight

LANABIKE **EVO**

**GUARANTEE
3
YEARS**

THE MOST ENJOYABLE POOL BIKE

**ULTRA-LIGHT
WEIGHT** ^{less than} **10 kg**

**ADS PEDALS
TWO SPEED**



**ALUMINIUM
STRUCTURE**

SETTINGS
Saddle/Feet/Handlebar

THE REVOLUTION!

Waterflex is revolutionising the use of aquabikes in private pools thanks to the Lanabike Evo. Its revolutionary Aqua Double Speed pedal system, its anodised aluminium frame and comfort saddle come together to form a light, modular and comfortable aquabike.

THE ADVANTAGES OF THE LANABIKE EVO

Its ultra-rigid anodised aluminium frame make it extremely light (less than 10 kg) but also completely impervious to corrosion. Maintenance, like introducing and removing the bike from the pool, become amazingly easy.

AQUA DOUBLE SPEED PEDALS

These pedals, with their unprecedented technology, provide variable resistance. Designed in aluminium and stainless steel, they are robust and light. Their adjustable side valve is perfect for boosting your training sessions. You'll also appreciate the comfort when using them with bare feet.

ACCESSORIES



aqua double speed pedals

Comfort saddle

ADVANTAGES

ALUMINIUM TECH QUALITY
EXPRESS WATER DRAINAGE
COMFORTABLE FOR USE IN BARE FEET
SACRIFICIAL ANODE

WARRANTIES

3 YEARS FOR METAL PARTS
6 MONTHS FOR THE PARTS SUBJECT TO WEAR AND TEAR

FEATURES

Reference	WX-LANA2-OR
Material	Aluminium tech
Minimum dimensions closed	L 96 x W 55 x H 120 cm
Maximum dimensions open	L 120 x W 55 x H 164 cm
Weight	9.9 kg
Water depth	1.10 m to 1.60 m
Warranty	2 years for aluminium parts 6 months for parts subject to wear and tear

Certification:



**NEW
2019**

**ANODISED
ALUMINIUM
STRUCTURE**


Waterflex

AQUAJOGG AIR

**GUARANTEE
3
YEARS**
THE LIGHTEST TREADMILL
**INTENSE
USE**
**ULTRA-LIGHT
WEIGHT 19^{kg}**
**13°
TILT**
**DETACHABLE
LATERAL BARS**

AQUATIC WALKING

The AquaJogg Air has all of the advantages of the stainless steel AquaJogg, such as the benefits of water buoyancy, the possibility of walking or running thanks to its smooth motion, with the added benefit of easy maintenance and service thanks to its ultra-light weight. AT your own pace, work out to build muscle, endurance and physiotherapy all in complete safety thanks to the excellent stability it provides.

The AquaJogg Air is designed for daily and intensive use, either in group classes or individually. Its new lateral stability bars provide more stable support. These bars can be detached in a few seconds.

'EASY PUSH' OPENING SYSTEM

Opening: push the lever and let the platform open down to the ground. Easy and with no effort.

Closing: push the lever and raise the platform with your foot. Pull the treadmill back until you hear the click engaging the safety mechanism.

Certification:

ADVANTAGES

ANODISED ALUMINIUM
BAREFOOT USE
'EASY PUSH' OPENING SYSTEM
6 SILICONE ANTI-SCRATCH WHEELS

WARRANTIES

3 YEARS FOR ALUMINIUM PARTS
6 MONTHS FOR THE PARTS SUBJECT TO WEAR AND TEAR

FEATURES

Reference	WX-QUAJOGG2
Material	Aluminium tech
Finish	Anodised
Treadmill	Treadmill area W 38 x L 118 cm
Max. load	150 kg
Dimensions, open	L 135 x W 67 x H 128 cm
Weight	19 kg
Warranty	2 years for aluminium parts 6 months for the parts subject to wear and tear

WATER FITNESS FIT'S POOL

1ST AQUAFITNESS MOVABLE POOL



FIT'S POOL WARRANTY 2 YEARS

AQUABIKEING WITHOUT A SWIMMING POOL

**COMPACT
DIMENSIONS**

**FREE-STANDING
POOL**

2 CAN CONTAIN UP TO
AQUABIKEES

**FILTRATION
HEATING
RELAXING BUBBLES**

With this ultra-compact aquabiking pool, you can create an extra space devoted to water fitness and wellness.

This little pool can be positioned on your patio, in your garage or in an existing room. You can use it to enjoy year-round water fitness sessions at a very low cost!

This new concept of an interior pool that can be assembled without tools provides an adequate and comfortable aquabiking space for up to two persons. Its reduced external dimensions provide a sense of relaxation during your aquabiking or aqua-training session by taking up limited space, its sides measuring only 1.84m. Hardly bigger than a double bed.

ADVANTAGES

COMPACT DIMENSIONS 184 X 184 X 128CM

AN IDEAL 120CM DEPTH OF WATER

STEEL STRUCTURE + FOAM SIDEWALLS

REINFORCED PVC LINER

EASY ASSEMBLY IN 50 MINUTES WITHOUT TOOLS

COMPLETE MOTOR UNIT

FILTRATION, HEATING, RELAXING BUBBLES

CHROMOTHERAPY


SECURE INSULATION COVER

WARRANTIES

2 YEARS FOR METAL COMPONENTS

WEARING PARTS GUARANTEED FOR 6 MONTHS

ULTRA-RIGID STRUCTURE




- Secure closure
- Insulated cover inflatable
- Depth of water 1.20m
- Insulated foam sidewalls
- Floor tiles
- PVC internal liner with reinforced seams
- Self-coloured PVC external liner with reinforced seams
- Steel tubular structure
- Motor unit

SPACE-SAVING



Waterflex

MOTOR UNIT



SPECIFICATIONS

Ref:	WX-FITPOOL
Materials	Reinforced PVC liner + steel structure + polystyrene panels
External dimensions of pool	L 184 x W 184 x H 128 cm
Internal dimensions of pool	L 154 x W 154 x H 128 cm
Volume of water	3630 L
Height of water	120cm
Weight (empty)	70kg
Electricity supply	230V - 50Hz
Heating	1500W
Filtration pump	60 W
Warranty	2 years except wearing parts

FILTRATION



The Fit's Pool 60W filtration motor is fitted with a latest generation washable and reusable filter cartridge.

Depending on usage (public or private), a simple occasional treatment with activated oxygen or chlorine will guarantee you clean, clear water.

SAFETY

The Fit's Pool is supplied with an inflatable cover covering the entire pool to avoid any heat loss or deterioration of water quality. The cover is also fitted with 8 straps with lockable clips to secure access to the pool.



WATER FITNESS

Aquabike pedals



All these pedals are compatible with all our aquabike models and are offered as options.

**NEW
2019**

ADS PEDAL

AQUA DOUBLE SPEED PEDAL

These pedals with their revolutionary technology provide variable resistances. Made of aluminium and stainless steel, they are light yet strong. Their sideways moveable flange is perfect for boosting your workouts. You will equally like the comfort when using it with bare feet.



PEDAL ACP2

AQUA COMFORT PEDAL

When pedalling, the special shape of the ACP 2 thermoformed pedals pushes the water forward, thus increasing the water resistance effect. This gentle resistance makes it universally accessible. You will equally like the comfort when using it with bare feet.



AHP PEDAL

AQUATIC HAPPY PEDAL

The AISI 316L stainless steel AHP pedals accentuate the water's resistance while maintaining a fluid and pleasant motion. They provide medium resistance. Available in 3 colours, they can also be used with bare feet.



ACCESSORIES

AQUAFITNESS MULTI-TRAINING POWER WORKER

THE FINISHING TOUCH TO YOUR WATER FITNESS EXERCISES

The Waterflex multi-training power worker has been specially designed to be attached to the rear of water bikes to provide additional water exercises.

It is fast and easy to install. Simply position and secure it behind your aquabike's saddle. This water multi-trainer will enable you to do exercises in addition to pedalling or to stretch after your water fitness session.



COMFORT SADDLE

A WATER SADDLE FOR ADDED COMFORT

The padded saddle is an accessory designed for Waterflex water bikes. This aquatic saddle is specially suitable for larger persons or those with sensitive buttocks, both men and women.

It has been ergonomically tailored to provide maximum comfort during your water fitness session. To preserve your padded saddle, we recommend that you check the pH of the water in your swimming pool – it should be between 6.7 and 7.6.



Waterflex

WATER RESISTANCE BAND

THE ESSENTIAL WATER FITNESS ACCESSORY

Add to the variety and challenge of your water bike exercise with Waterflex water resistance bands: light and portable. Perfect for all levels of water fitness, this versatile resistance accessory enables you to develop upper body muscle power, target the arms and invigorate the heart.

3 levels of resistance are available:

Gentle (orange), medium (green), high (blue)



RENOV-INOX

RESTORE THE ORIGINAL SHINE

Waterflex Renov-inox has been specially designed to maintain submerged stainless steel. The result of collaboration with the ProTech laboratories, it restores the shine on your water bike and protects it against oxidation.

The Renov Inox Pack also contains a product applicator sponge and a microfiber to wipe and gently rub the product to bring back its original shine.



INSULATED FLASK

MAINTAINS THE SAME TEMPERATURE FOR 8 HOURS

The double wall of the Waterflex flask keeps hot or cold liquids at an even temperature for several hours. This 0.6 litre capacity flask is suitable for all kinds of drinks, even carbonated ones. Sport top with press-button opening so you can drink with one hand. Hermetic seal to prevent leaks.

Food safety: 0 bPA, 0 phthalates, 0 toxins.



WATER FITNESS

aquaboxing & aquagym

REDEFINE YOUR BODY



LEG BUOYANCY CUFFS

Sold in pairs

Very soft touch thanks to the choice of EVA non-irritable foam; they are available in one-size-fits-all. Velcro fastenings allow for adjustments ensuring they always stay in place. Specially designed for aquagym, water-based physiotherapy or even hydrotherapy. Their material increases water resistance and buoyancy to aid lower-body muscle development.



500 G WEIGHTED AQUAGYM CUFFS

Sold in pairs

Aquagym is great, but increasing your exertion in the water is even better for building muscle! The weighted cuffs can be positioned on the wrists or the ankles. They have a removeable silicone weight held in place in a pouch that you can wash between sessions. The fabric is very strong and perfectly adjustable using the velcro strip.



GLOVES

Sold in pairs

Thanks to their original design, they are easy to put on. Made of EVA foam, they are soft to the touch and comfortable. Use them during your aquaboxing sessions or even to supplement your aquabike classes, to build your muscles without impact. They create water resistance for a better upper body work-out.




FOAM DUMBBELLS

Sold in pairs

Strong and light, these dumbbells are the essential accessory for aquagym classes and the perfect addition to aquajogging classes. For physiotherapy, just like muscle strengthening, these dumbbells are your allies when it comes to gentle but effective loading of the upper body.

LUXURY FOAM NOODLES

This 'deluxe' model is specially created for professionals, so that it can be used regularly and daily. Especially intended for aquagym, hydrotherapy and relaxation, you will appreciate its high-density foam material, with its very-soft, non-irritating texture. Its major asset: highly resistant to chlorine, it does not deteriorate in water!



**NEW
2019**



Waterflex

COACH MAT

THE AQUATIC COACHING MAT

**IDENTICAL APPEARANCE
TO THE AQUAFITMAT**

**TO ROLL UP
EASY**

**EVA
ANTI-SLIP**

A MAT FOR COACHES

Anti-slip mat for the Coach and Aquafitness trainer, ideal for aquagym or water fitness courses. With its identical appearance to the Aquafitmat, it's easier for the fitness trainer to instruct class participants by means of simple visual instructions.

The non-slip EVA mat makes the activity safer.

THE BENEFITS

- Safety for the trainer, no fall hazard
- Time-saving for classes using the Aquafitmat
- No inflation
- Design combining light, vibrant colours with portability
- Facilitates animation for both indoor and outdoor classes
- Good value

FEATURES

Reference	WX-AQUAFM-COACH
Material	Nylon-reinforced PVC
Dimensions	L 220 x W 82 cm


ADVANTAGES

- ULTRA-RESISTANT MATERIAL
- NON-SLIP COATING
- BAREFOOT USE
- DESIGN IDENTICAL TO THE AQUAFITMAT
- LARGE SIZE



DUAL HEALTHY INFRARED TECHNOLOGY

At Holl's, we think that a sauna should be as fully equipped as possible. We have provided all our infrared cabins with Dual Healthy technology. So the user has the choice of Full Spectrum Quartz or Magnesium technology just by pressing one button.



Holl's PureWave
Infrared at its best

PRESTIGE RANGE

With your wellness in mind, HOLL'S has researched the latest trends to bring you the best technologies in this field.

Our product lines of infrared saunas are all equipped with the latest Full Spectrum 'Dual Healthy' technology, combining quartz and magnesium for a maximum of benefits. Our saunas are also made of the highest quality woods such as red cedar or spruce, from sustainably managed forests.

With our traditional and infrared hybrid saunas, you can offer products that are fully equipped.

With HOLL'S you can distribute a complete range of traditional and infrared products for use inside and outside, for 2 to 6 persons.

CONTENTS



INFRARED RANGE



TRADITIONAL RANGE

TRADITIONAL RANGE + INFRARED



TRADITIONAL SAUNA



TRADITIONAL OUTSIDE SAUNA



INFRARED LOUNGER



TRADITIONAL SAUNA

SAUNA PRESTIGE

Multiwave

QUARTZ AND MAGNESIUM INFRARED SAUNA



DUAL
Healthy

WARRANTY
ELECTRONICS

2
YEARS

WARRANTY
WOODWORK

GOLD 10
YEARS

INFRARED CABIN

MULTIWAVE

COMBINING COMFORT
& WELL-BEING



INFRARED TECHNOLOGY
**DOUBLE
ACTION**

AUDIO SYSTEM/
**MP3 / FM
BLUETOOTH**

**RED CEDAR
SPRUCE**

HOLL'S presents this cabin made of red cedar with its aromatic scent.

Equipped with Full Spectrum Quartz/Magnesium dual technology covering the entire infrared spectrum for gentle treatment of the epidermis or deeper subcutaneous penetration, the Multiwave infrared sauna has many attractive features.

With its abachi wood benches and headrests, its Dual Healthy panels ideally located for use by several persons and its superlative equipment, it is an exceptionally elegant structure that will enhance your lifestyle every day.

Take a seat and simply enjoy your session. With music, Quartz or Magnesium infrared mode and chromotherapy, your comfort is complete. A place for relaxing, feeling good and de-stressing

FEATURES

DUAL HEALTHY INFRARED TECHNOLOGY

FULL SPECTRUM QUARTZ + MAGNÉSIUM

CANADIAN RED CEDAR WOOD

CHROMOTHERAPY LED

DIGITAL CONTROL PANEL

AUDIO MP3 SYSTEM + BLUETOOTH

EASY ASSEMBLY

WARRANTIES

ELECTRICAL WARRANTY 2 YEARS


10-YEAR WARRANTY ON WOODWORK



Chromotherapy LED
and audio stereo FM/
MP3/Bluetooth



Exterior made of
Canada red cedar




Digital display control
panel



Abachi wood bench &
headrests



Fast, easy
assembly




Underfloor heating

FOR 2 TO 4 PERSONS




HOLL'S



Holl's



MULTIWAVE 2	MULTIWAVE 3	MULTIWAVE 3C
2 persons	3 persons	3/4 persons
Dimensions 130 x 100 x 190cm	Dimensions 150 x 110 x 190cm	Dimensions 140 x 140 x 190cm
6 infrared emitters	7 infrared emitters	8 infrared emitters
Chromotherapy LED	Chromotherapy LED	Chromotherapy LED
Digital control panel	Digital control panel	Digital control panel
Audio MP3 / FM / Bluetooth	Audio MP3 / FM / Bluetooth	Audio MP3 / FM / Bluetooth
Exterior in Canadian red cedar	Exterior in Canadian red cedar	Exterior in Canadian red cedar
Abachi wood bench and headrests	Abachi wood bench and headrests	Abachi wood bench and headrests
2150W heating power	2500W heating power	2550W heating power



Certification: 

SAUNA PRESTIGE

Purewave

QUARTZ AND MAGNESIUM INFRARED SAUNA

DEDICATED TO
STORES



WARRANTY
ELECTRONICS
2 YEARS

WARRANTY
WOODWORK
GOLD **10** YEARS

INFRARED CABIN

PUREWAVE

GENTLE WELL-BEING



INFRARED TECHNOLOGY
**DOUBLE
ACTION**

AUDIO SYSTEM/
**MP3 / FM
BLUETOOTH**

**CANADIAN
RED CEDAR**

HOLL'S offers this cabin in light-coloured spruce wood.

Equipped with Full Spectrum Quartz/Magnesium dual technology covering the entire infrared spectrum for gentle treatment of the epidermis or deeper subcutaneous penetration, the Purewave infrared sauna has many attractive features.

With its abachi wood benches and headrests, its Dual Healthy panels ideally located for use by several persons and its superlative equipment, it is an exceptionally elegant structure that will enhance your lifestyle every day.

Take a seat and simply enjoy your session. With music, Quartz or Magnesium infrared mode and chromotherapy, your comfort is complete. A place for relaxing, feeling good and de-stressing

FEATURES

DUAL HEALTHY INFRARED TECHNOLOGY
FULL SPECTRUM QUARTZ + MAGNÉSIUM

CANADIAN SPRUCE WOOD

CHROMOTHERAPY LED

DIGITAL CONTROL PANEL

AUDIO MP3 SYSTEM + BLUETOOTH

EASY ASSEMBLY

WARRANTIES

ELECTRICAL WARRANTY 2 YEARS

10-YEAR WARRANTY ON WOODWORK



Chromotherapy LED
and audio stereo FM/
MP3/Bluetooth




Exterior
in Canadian
spruce



Abachi wood bench &
headrests



Easy assembly
and fast



Digital display control
panel



Underfloor heating

FOR 2 TO 4 PERSONS




HOLL'S



Holl's



PUREWAVE 2	PUREWAVE 3	PUREWAVE 3C
2 persons	3 persons	3/4 persons
Dimensions 130 x 100 x 190cm	Dimensions 150 x 110 x 190cm	Dimensions 140 x 140 x 190cm
6 infrared emitters	7 infrared emitters	8 infrared emitters
Chromotherapy LED	Chromotherapy LED	Chromotherapy LED
Digital control panel	Digital control panel	Digital control panel
Audio MP3 / FM / Bluetooth	Audio MP3 / FM / Bluetooth	Audio MP3 / FM / Bluetooth
Exterior made from Canadian spruce	Exterior made from Canadian spruce	Exterior made from Canadian spruce
Abachi wood bench and headrests	Abachi wood bench and headrests	Abachi wood bench and headrests
2150W heating power	2500W heating power	2550W heating power



Certification:

SAUNA PRESTIGE Venetian

TRADITIONAL STEAM SAUNA

DEDICATED TO
STORES

WARRANTY
2
YEARS

WARRANTY
WOODWORK
GOLD **10**
YEARS

STEAM CABIN

VENETIAN

BACK TO THE BASICS
OF THE FINNISH
SAUNA



STEAM
TECHNOLOGY

CHROMOTHERAPY
LED

ELEGANT
DESIGN

Behind its wide glazed surfaces decorated with elegant louvred shutters, you will enjoy all the benefits of a luxury steam sauna.

Its Canadian spruce wood construction alone evokes relaxation and well-being. INSIDE, the two-tier benches similar to those in traditional Finnish saunas make it possible to enjoy different temperature levels (for the 3/4 and 4/5 person models).

Designed exclusively with splendid finishes, the Venetian cabin is also fully equipped for you to enjoy a luxury steam sauna session.

FEATURES

STEAM TECHNOLOGY
INTERIOR LIGHTING
CHROMOTHERAPY LED
DOUBLE BENCH
SAFETY GLASS DOOR
EASY ASSEMBLY

WARRANTIES

ELECTRICAL WARRANTY 2 YEARS
10-YEAR WARRANTY ON WOODWORK



Wide glazed surfaces covered with solid wood louvred shutters.




Exterior in Canadian red cedar



Abachi wood double bench



Easy assembly and fast



Bright lighting and LED chromotherapy.




Sauna kit included
Bucket, wooden ladle, hourglass, thermometer, hygrometer

FOR 2 TO 5 PERSONS

HOLL'S






Holl's



VENETIAN 2
2 persons
Dimensions 139 x 110 x 200cm
Bright lighting and LED chromotherapy.
Interior lighting
Spruce wood exterior
Abachi wood bench and headrests
Sauna kit included
3.5kW stove and stones not included*

VENETIAN 3/4
3/4 PERSONS
Dimensions 160 x 160 x 200cm
Bright lighting and LED chromotherapy.
Interior lighting
Spruce wood exterior
Abachi wood bench and headrests
Sauna kit included
4.5kW stove and stones not included*

VENETIAN 4/5
4/5 persons
Dimensions 185 x 185 x 200cm
Bright lighting and LED chromotherapy
Interior lighting
Spruce wood exterior
Abachi wood bench and headrests
Sauna kit included
8kW stove and stones not included*



Certification:

*Electric stove's power recommendation depending on cabin size

SAUNA PRESTIGE HYBRID COMBI

INFRARED + STEAM SAUNA



DUAL
Healthy +

technology INFRARED + STEAM

WARRANTY
ELECTRONICS

2
YEARS

WARRANTY
WOODWORK

GOLD 10
YEARS

INFRARED SAUNA + STEAM

HYBRID COMBI



TRADITIONAL AND INFRARED,
THE BEST OF BOTH WORLDS

TECHNOLOGY
& TYPE C
& STEAM

AUDIO SYSTEM/
MP3 / FM
BLUETOOTH

TREE SPECIES
RED CEDAR
& ABACHI WOOD

Having problems choosing between the pleasure of a traditional sauna or the benefits of infrared waves?

HOLL'S has thought of you and designed a cabin that combines these two sauna concepts !

The HYBRID COMBI is revolutionising sauna culture as it permits steam or infrared sessions with quartz and magnesium radiation in the same cabin.

FEATURES

DUAL HEALTHY INFRARED TECHNOLOGY
FULL SPECTRUM QUARTZ + MAGNÉSIUM

SPACE FOR STEAM STOVE

CHROMOTHERAPY LED

AUDIO STEREO FM/MP3/BLUETOOTH

RED CEDAR AND SOLID ABACHI EXTERIOR

WARRANTIES

ELECTRICAL WARRANTY 2 YEARS


10-YEAR WARRANTY ON WOODWORK




Sauna kit included
Bucket, wooden ladle,
hourglass, thermometer,
hygrometer



Red cedar and solid
abachi exterior.




Audio stereo FM/MP3/
Bluetooth



6mm glass door to
ensure insulation,
comfort and safety.



Easy and fast
assembly



Chromotherapy LED

4 PERSONS

HOLL'S



HYBRID COMBI

4 persons

Dimensions 180 x 140 x 190cm

8 infrared emitters

Chromotherapy LED

Digital control panel

Audio MP3 / FM / Bluetooth

Exterior made of Canadian red cedar and abachi wood



Abachi wood bench and headrests

2800W infrared power

Sauna kit included

3.5kW stove and stones not included*

*Electric stove's power recommendation depending on cabin size



Holl's

Certification: 

SAUNA PRESTIGE Combi Access

INFRARED + STEAM SAUNA



DUAL
Healthy
technology INFRARED + STEAM

WARRANTY
ELECTRONICS

2
YEARS

WARRANTY
WOODWORK

GOLD 10
YEARS

INFRARED + TRADITIONAL SAUNA

COMBI ACCESS



THE BENEFITS OF A SAUNA FOR EVERYONE

TECHNOLOGY
& TYPE C
& STEAM

SPACE MAXIMISED FOR
PERSONS WITH
LIMITED MOBILITY

TREE SPECIES
RED CEDAR
& **ABACHI WOOD**

Because a sauna's benefits should be accessible to everyone, Holl's has designed a model that is ideal for persons with limited mobility. By using both the Full Spectrum + Magnesium Infrared technology and the steam stove, the Combi Access is equipped with a double sliding door and has a large 1.50m diameter open area to easily move around in. Access to the bench is facilitated by its two lateral grab handles and two other folding handles in the centre of the seating. And to maximise enjoyment of your session, make use of the frontal emitters.

FEATURES

DUAL HEALTHY INFRARED TECHNOLOGY
FULL SPECTRUM QUARTZ + MAGNÉSIUM

IMPROVED ACCESS FOR PERSONS WITH LIMITED MOBILITY

CHROMOTHERAPY LED


AUDIO STEREO FM/MP3/BLUETOOTH

RED CEDAR AND SOLID ABACHI EXTERIOR

WARRANTIES

ELECTRICAL WARRANTY 2 YEARS

10-YEAR WARRANTY ON WOODWORK



Sliding door
for easy access




Red cedar and solid
abachi exterior.



Bench with deep
seating
and folding handles





Lateral grab handles



Audio stereo FM/MP3/
Bluetooth



Easy and fast
assembly



**Panels
Remote
infrared panels**

COMBI ACCESS

4 persons + Ø150cm open space

Dimensions 203 x 225 x 193 cm

7 infrared emitters

Chromotherapy LED

Digital control panel

Audio MP3 / FM / Bluetooth

Exterior made of Canadian red cedar and abachi wood


Abachi wood bench and headrests

2550W infrared power

Sauna kit included

6kW stove and stones not included*

Floor not included



*Electric stove's power recommendation depending on cabin size

Steam
Technology

WARRANTY
ELECTRONICS
2
YEARS

WARRANTY
WOODWORK
GOLD **10**
YEARS

STEAM SAUNA

ECCOLO



MINIMUM CONSUMPTION,
MAXIMUM COMFORT

DOUBLE BENCH
COMFORT

OPTIMISED
INSULATION

CHROMOTHERAPY
LED

All parameters have been studied to ensure the sauna conserves energy. Its walls are insulated and the space beneath the benches is enclosed for optimum insulation. Door opening and closing have been designed to avoid any heat loss.

For a substantial number of bathers (6 persons), such a sauna normally requires an 8kW stove connected to a 380v socket. With our excellent insulation, a simple 4.5kW stove, such as is found in a sauna for 3 persons, will suffice.


This economical sauna reaches optimum temperature when connected to a conventional 20A 230 volt socket.

FEATURES

- MINERAL WOOL INSULATION
- VAPOUR BARRIER
- COMFORTABLE TWO- TIER BENCHES
- CHROMOTHERAPY LED
- SAUNA KIT INCLUDED
- RED CEDAR AND SOLID ABACHI EXTERIOR

WARRANTIES

- ELECTRICAL WARRANTY 2 YEARS
- 10-YEAR WARRANTY ON WOODWORK




Wide comfortable
double benches



Abachi wood
headrests and
benches



Red cedar and solid
abachi exterior



Chromotherapy LED



Easy and fast
assembly




Sauna kit included
Bucket, wooden ladle,
hourglass, thermometer,
hygrometer

6 PERSONS

HOLL'S



Holl's



ECCOLO

6 persons

Dimensions 200 x 175 x 190cm

Chromotherapy LED

Comfortable abachi wood double bench

Mineral wool insulation and vapour barrier


Exterior made of Canadian red cedar and abachi wood

Abachi wood bench and headrests

Sauna kit included

4.5kW stove and stones not included*

* Electric stove's power recommendation depending on cabin size



SAUNA PRESTIGE Barrel

TRADITIONAL OUTSIDE STEAM SAUNA

Special
exterior



WARRANTY
ELECTRONICS

2
YEARS

WARRANTY
WOODWORK

4
YEARS

TRADITIONAL SAUNA

BARREL



THE OUTSIDE SAUNA
WITH A PANORAMIC VIEW

STEAM
TECHNOLOGY

6 PERSONS

TRADITIONAL
DESIGN

With its rounded rectangular design, exceptional elegance and Finnish pine panels, this sauna's steam technology makes it ideal for outside use. Its dimensions (200 x 180 x 197cm) are perfect for seating up to 6 persons. With its glazed door and windows on each side, this sauna gives you a nice view outside while you enjoy all the benefits of a steam sauna.

FEATURES

TRADITIONAL DESIGN
SOLID PINE CONSTRUCTION
COMFORTABLE BENCHES AND HEADRESTS
SAUNA KIT INCLUDED
GLAZED WINDOWS

WARRANTIES

ELECTRICAL WARRANTY 2 YEARS
4-YEAR WARRANTY ON WOODWORK



Solid natural pine
headrests and
benches



Traditional sauna kit
Bucket, wooden ladle,
hourglass, thermometer,
hygrometer



Tinted glass and
wooden handle



Adjustable ventilation



Anti-moisture treated
natural pine exterior

6 PERSONS

HOLL'S



BARREL

6 persons

Dimensions 200 x 180 x 197cm

Interior lighting not included

Anti-moisture treated pine exterior

Natural pine bench and headrests


Door with tinted safety glass

Sauna kit included

8kW stove and stones not included*

Roof insulation included

*Electric stove's power recommendation depending on cabin size



SAUNA PRESTIGE

Alto confort plus

INFRARED HEATED LOUNGER



Technology
**Infrared
Carbon**

WARRANTY
ELECTRONICS
2 YEARS

WARRANTY
WOODWORK
GOLD **10** YEARS



COMFORTABLE INFRARED LOUNGER

ALTO CONFORT PLUS

SAUNA HEAT WHEREVER YOU WANT

HEATING
INFRARED
CARBON

DIGITAL
CONTROL BOX

ADJUSTABLE
BACKREST, SEAT
& ARMRESTS

Awarded for its innovation and design, the unique Alto Confort Plus lounge is for freely enjoying the benefits and pleasure of your sauna. Elegant and comfortable, it fits wherever you want in the room. Its advanced infrared technology provides physical relaxation and de-stressing, while soothing the mind day after day.


With its backrests, seats and armrests adjustable to different positions, the Alto Confort Plus lounge invites you to enjoy an infrared session in perfect comfort. Lean back and relax, your session can start anytime and anywhere.

FEATURES

SOLID WOOD CONSTRUCTION
TYPE C CARBON INFRARED PANELS
550W POWER
TILTING SEAT AND BACKREST
FLIP-UP ARMRESTS
CONTROL SYSTEM


WARRANTIES

ELECTRICAL WARRANTY 2 YEARS
10-YEAR WARRANTY ON WOODWORK



Emitters

Beneath the lounge, along the length of the seat there are carbon infrared emitters that diffuse optimum heat.



TARGETTING THE BACK AND LEGS

Type C infrared waves diffuse a gentle heat focused on the entire back and legs, from the neck to the ankles.

SPECIFICATIONS

Solid wood frame
 Dimensions 158 x 110 x 60cm
 Tilting seat and backrest
 Flip-up armrests
 Type C infrared power – 550W
 230v - 50hz electricity supply



ADJUSTABLE SEAT, BACKREST AND ARMRESTS

Select the most suitable reclining angle for you and enjoy a perfect moment of relaxation.

SAUNA PRESTIGE

Alto Vap & Alto Stone

TRADITIONAL STEAM SAUNA

Technology
Steam



WARRANTY
ELECTRONICS

2
YEARS

WARRANTY
WOODWORK

GOLD **10**
YEARS

STEAM SAUNA

ALTO VAP



THE COMBINATION OF A TRADITIONAL SAUNA AND THE ALTO CONFORT LOUNGER

WIDE GLAZED
SURFACE

2 ALTO CONFORT LOUNGERS
INCLUDED

CHROMOTHERAPY
LED

The spacious ALTO VAP invites you to enjoy the benefits of steam as you sit comfortably in an ingenious lounger. You can also relax with a technologically advanced remote control chromotherapy system.

In addition, its large glazed surface provides an external panoramic view.

FEATURES

DIMENSIONS 220 X 200 X 190CM

2 ALTO CONFORT LOUNGERS INCLUDED

COMPLETELY GLAZED FRONT SECTION

**EXTERIOR MADE OF CANADIAN RED CEDAR AND
ABACHI WOOD**

SAUNA KIT INCLUDED

WARRANTIES

ELECTRICAL WARRANTY 2 YEARS

10-YEAR WARRANTY ON WOODWORK



Fast, easy assembly.



Abachi wood headrest
with LED chromotherapy



2 Alto Comfort loungers
included



Red cedar and solid
abachi exterior.



Traditional sauna kit
Bucket, wooden ladle,
hourglass, thermometer,
hygrometer

2 PERSONS

HOLL'S



Holl's



LED chromotherapy



2 Alto Confort loungers included

ALTO VAP

2 Alto Confort loungers

Dimensions 200 x 220 x 190cm

Chromotherapy LED

Completely glazed facade

Wall of stones (for Alto Stone)


Exterior made of Canadian red cedar and abachi wood

Sauna kit included

8kW stove and stones not included*

Floor not included

*Electric stove's power recommendation depending on cabin size





Spectra
New generation infrared technology

SAUNA CABINS

France Sauna gives you a wide choice of ever more attractive cabins. Traditional or infrared, for 1 to 6 persons, our saunas are fitted with both modern and traditional interiors.

Hi-tech equipment such as audio/MP3 and LED chromotherapy provides fully-equipped saunas at unbeatable prices.


The Spectra range's new Dual Healthy technology

demands high-end premium brand cabins.

With France Sauna, our cabins provide you with all the pleasure of a session along traditional Scandinavian lines.

CONTENTS

NEW FOR 2018



SPECTRA

P.84



APOLLON

P.86



LUXE

P.88



ZEN

P.90



STOVES & ACCESSORIES

P.92

NEW FOR 2018



**DUAL
Healthy**

WARRANTY
ELECTRONICS

2
YEARS

WARRANTY
WOODWORK

4
YEARS



INFRARED CABIN

SPECTRA

NEW GENERATION OF DUAL HEALTHY INFRARED EMITTERS

With the new Dual Healthy technology offering the choice at each session between Magnesium's relaxing properties or the benefits of **Full Spectrum** Quartz, Spectra saunas stand out also for their elegant design and spruce wood construction. The technology used and the comprehensive equipment in these cabins available in 3 sizes make it a best-seller among infrared saunas.

FEATURES

DUAL HEALTHY TECHNOLOGY

Full Spectrum Quartz/Magnesium

CHROMOTHERAPY LED

DIGITAL CONTROL PANELS

AUDIO STEREO RADIO/MP3

100% CANADIAN SPRUCE

FEATURES



Exterior light




Control panel inside and outside




Interior light fitting




Radio/MP3 player



Wooden handle



Quartz/Magnesium
Dual Healthy
Infrared emitters



Chromotherapy



Materials 100% Canadian
spruce




	SPECTRA 2	SPECTRA 3C	SPECTRA 4
Capacity	2 persons	3 persons	4 persons
Overall	140 x 110 cm	160 x 160 cm	185 x 185 cm
Dimensions floor dimensions**	140 x 125 x 200 cm	160 x 160 x 200 cm	200 x 185 x 200 cm
Power	1980W	2580W	2950W
Emitters*	7 infrared emitters	9 infrared emitters	11 infrared emitters
Type of emitters	Vertical infrared Dual Healthy Quartz and Magnesium, Carbon floor panel		
Accessories	LED chromotherapy/Digital control panel/MP3/FM audio/USB		
Temperature	18 to 60°C		
Frame	Exterior in Canadian red cedar	Exterior in Canadian red cedar	Exterior in Canadian red cedar
Interior	Abachi wood bench and headrests, 45cm depth of seating		
Door	Door and windows made of safety glass		
Weight	172kg	214kg	269kg
Warranty	Electronics 2 years/Woodwork 4 years		
Ref:	SN-SPECTRA03R	SN-SPECTRA04C	SN-SPECTRA05R

Certifications:



* The number of IR emitters is given as a guide and may vary according to the model. The number of IR emitters DOES NOT CHANGE the cabin's heating capacity.

** Overall (including cornerpiece) Photos may differ from actual products.


mp3 100% COMPATIBLE

WARRANTY ELECTRONICS
2 YEARS

WARRANTY WOODWORK
4 YEARS



INFRARED SAUNA

APOLLON

RETAINS ITS NATURAL LOOK

The Apollon sauna range has a natural classic design in Canadian spruce. Its ergonomics are emphasised by exterior light fittings.

This range is equipped with 100% carbon panels that diffuse longwave IR rays.

The infrared panels have been positioned for optimum effect on the walls, round the benches and on the floor so as to spread a gentle, pleasant heat even under the arches of the feet and behind the calves.

FEATURES

TYPE C INFRARED DIFFUSERS

CHROMOTHERAPY

DIGITAL CONTROL PANELS

AUDIO STEREO RADIO/MP3

SOLID WOOD FROM CANADIAN SPRUCE

FEATURES



Exterior light



Control panel inside and outside




Interior light fitting



Radio/MP3 player



Designer handle



Vertical and horizontal infrared emitters



Chromotherapy LED



Materials 100% Canadian spruce



2 PERSONS



2/3 PERSONS



3 PERSONS



3/4 PERSONS

Certifications:



TECHNICAL SPECIFICATIONS

Capacity	2 PERSONS	2/3 PERSONS	3 PERSONS	3/4 PERSONS
Model	Apollon 2	Apollon 2/3	Apollon 3	Apollon 3/4
Floor dimensions	120 x 105 cm	120 x 120 cm	153 x 110 cm	150 x 150 cm
Overall dimensions**	120 x 123 x 190 cm	120 x 120 x 190 cm	153 x 128 x 190 cm	150 x 150 x 190 cm
Power	1890 W	1980 W	2070 W	2430 W
Emitters*	7 infrared emitters	9 infrared emitters	8 infrared emitters	11 infrared emitters
Deep seat	45 cm			
Type of emitter	Carbon Fiber Infrared Transmitter (Long Wave Type C)			
Accessories	LED Chromotherapy / Digital Control Panel / MP3 / FM / USB Audio			
Operating temp.	18 à 60°C			
Frame	Canadian spruce			
Inside	Abachi bench and headrests, seat 45cm deep			
Door	8 mm thick safety glass			
Electricity supply	230V - 50Hz			
Weight	164 kg	178 kg	192 kg	222 kg
Warranty	electronics 2 years / Woodwork 4 years			
Ref	SN-APOLLON-2	SN-APOLLON-2C	SN-APOLLON-3	SN-APOLLON-3C

* The number of IR emitters is given as a guide and may vary according to the model. The number of IR emitters DOES NOT CHANGE the cabin's heating capacity.

** Overall (including cornerpiece) Photos may differ from actual products.



INFRARED CABIN

LUXE

HIGH QUALITY PRECIOUS WOOD

The Luxe sauna range has been designed in Canada red cedar, a species of wood that is both durable and precious; it gives your sauna a natural woody fragrance. This high-grade wood is also extremely hard-wearing over time and will keep your sauna looking attractive year after year.

This range is equipped with 100% carbon panels that diffuse longwave IR rays. The infrared panels have been positioned for optimum effect on the walls, round the benches and on the floor so as to spread a gentle, pleasant heat even under the arches of the feet and behind the calves.

FEATURES

TYPE C INFRARED DIFFUSERS

CHROMOTHERAPY

DIGITAL CONTROL PANELS


AUDIO STEREO RADIO/MP3

100% CANADIAN RED CEDAR

FEATURES



Exterior light




Control panel inside and outside




Interior light fitting



Radio/MP3 player



Designer handle



Vertical and horizontal infrared emitters



Chromotherapy



Materials 100% Canadian red cedar



2 PERSONS



2/3 PERSONS



3 PERSONS



3/4 PERSONS

Certifications:



TECHNICAL SPECIFICATIONS

Capacity	2 PERSONS	2/3 PERSONS	3 PERSONS	3/4 PERSONS
Model	Luxe 2	Luxe 2/3	Luxe 3	Luxe 3/4
Floor dimensions	120 x 105 cm	120 x 120 cm	153 x 110 cm	150 x 150 cm
Overall dimensions**	120 x 123 x 190 cm	120 x 120 x 190 cm	153 x 128 x 190 cm	150 x 150 x 190 cm
Power	1920 W	1980 W	2190 W	2360 W
Emitters*	7 infrared emitters	9 émetteurs infrarouges	8 émetteurs infrarouges	11 émetteurs infrarouges
Deep seat	45 cm			
Type of emitter	Carbon Fiber Infrared Transmitter (Long Wave Type C)			
Accessories	LED Chromotherapy / Digital Control Panel / MP3 / FM / USB Audio			
Operating temp.	18 à 60°C			
Frame	Canadian spruce			
Inside	Abachi bench and headrests, seat 45cm deep			
Door	8 mm thick safety glass			
Electricity supply	230V - 50Hz			
Weight	164 kg	178 kg	192 kg	222 kg
Warranty	electronics 2 years / Woodwork 4 years			
Ref	SN-LUXE-2	SN-LUXE-2C	SN-LUXE-3	SN-LUXE-3C

* The number of IR emitters is given as a guide and may vary according to the model. The number of IR emitters DOES NOT CHANGE the cabin's heating capacity.

** Overall (including cornerpiece) Photos may differ from actual products.


Technology
Steam

WARRANTY
ELECTRONICS

2
YEARS

WARRANTY
WOODWORK

4
YEARS



STEAM CABIN

ZEN

TRADITIONAL FINNISH SAUNA

Traditional Finnish sauna cabin

The Zen steam sauna range provides all the benefits of the traditional Finnish sauna. Made from Canada spruce of certified origin, they have the simple yet elegant look of traditional saunas.

Each Zen steam sauna has its Harvia Vega stove (single or three phase depending on the model) guaranteed for 2 years, and 20kg of lava stones to ensure a rapid and effective rise in temperature.

The system of snap-on panels makes Zen sauna cabins very easy to assemble.

FEATURES

SOFT LIGHTING

INCLUDES HIGH QUALITY HARVIA STOVE

THERMOMETER

TRADITIONAL HOURGLASS

100% CANADIAN SPRUCE

FEATURES



HARVIA VEGA stove



Exterior light



Wooden bucket and ladle



Thermometer



Materials 100% Canadian spruce



Hourglass



2 PERSONS



3/4 PERSONS



3 PERSONS



4 PERSONS

Certifications:



TECHNICAL SPECIFICATIONS

	2 PERSONS	3 PERSONS	3/4 PERSONS	4 PERSONS
Model	Zen 2	Zen 3	Zen 3/4	Zen 4
Ref:	SN-ZEN-2	SN-ZEN-3	SN-ZEN-3C	SN-ZEN-4
Capacity	2 persons	3 persons	3 to 4 persons	4 persons
Electric stove	Harvia			
Power	3500W	3500W	4500W	6000W
Electricity supply	Single phase 230V 1N or 3-phase 230V 3N			
Operating temp.	60 to 90°C			
Frame	100% Canadian spruce			
Door	8mm thick safety glass			
Handle	Wood			
Height	190cm	190cm	200cm	200cm
Width	120cm	153cm	150cm	174cm
Depth	110cm	110cm	150cm	198cm
Seat depth	50cm	50cm	43cm	50cm
Wall thickness	4.5 cm			
Weight	126kg	186kg	150kg	232kg
Warranty	Electronics 2 years / Woodwork 4 years			

Photos may differ from actual products.

ACCESSORIES

STOVES

HARVIA



HARVIA STONE

Stones for electric or wood stove.

Ref: **SN-AC-ROCK**

Size of stones: Ø 5-10cm

Total weight: 20kg



Ref: **AC3020**

Size of stones: Ø 10-15cm

Total weight: 20kg



ACCESSORIES KIT FOR TRADITIONAL SAUNA

Stainless steel bucket and
ladle, thermometer
and hygrometer

Ref: **SA006**



SAUNA FRAGRANCE


Enter your sauna cabin and
feel your body enveloped in the
aroma of one of **14 essential
oils**.



For your comfort France-Sauna proposes ergonomic wooden
accessories suitable for the infrared and traditional steam sauna.



Headrest



Comfortable backrest

**DELTA****VEGA COMPACT****VEGA****VEGA LUX**

	DELTA	VEGA COMPACT	VEGA			VEGA LUX		
Type	Electric stove	Electric stove	Electric stove			Poêle électrique		
Ref:	D36	BC35	BC45	BC60	BC80	BX45	BX60	BX80
Power	3.6kW	3.5kW	4.5kW	6.0kW	8.0kW	4.5 kW	6.0 kW	8.0 kW
Recommended volume (min. - max.)	2 - 4.5 m³	2 - 4.5 m³	3 - 6 m³	5 - 8 m³	7 - 12 m³	3 - 6 m³	5 - 8 m³	7 - 12 m³
Electricity supply	230V 1N~ / 400V 2N~	230V 1N~ / 400V 2N~	230V 1N~ / 400V 3N~			230 V 1N~ / 400 V 3N~		
Dimensions (L x D x H)	340 x 200 x 635 mm	280 x 295 x 505 mm	480 x 310 x 540 mm			500 x 340 x 510 mm		
Weight (without stones)	8kg	7kg	11kg			11 kg		
Max. capacity	11kg	10kg	20kg			25 kg		
Location	Wall-mounted (in corner)	Wall-mounted	Wall-mounted			Mural		
Control unit	Built-in	Built-in	Built-in			Intégrée		
Warranty	2 years							

**SOUND STEEL****FIGARO****Cilindro H****FLARESMOCKER**

	SOUND STEEL			FIGARO		Cilindro H	FLARESMOCKER	
Type	Electric stove			Electric stove		Electric stove	Use	Grilling - Smoking - Frying – Poaching
Ref:	M45S	M60S	M80S	FG70	FG90	PC70H	Ref	SN_HARVIA-WS100
Power	4.5kW	6.0kW	8.0kW	6.8kW	9.0kW	6.8kW	Dimensions	ø420mm, height 700mm
Recommended volume (min. - max.)	3 - 6 m³	5 - 8 m³	7 - 12 m³	6 - 10 m³	8 - 14 m³	6 - 10 m³	Electricity supply	Wood
							Weight	17kg
Electricity supply	230V 1N~ / 400V 3N~			230V 1N~ / 400V 3N~		230V 1N~ / 400V 3N~	Included	2 round grill pans
Dimensions (L x D x H)	420 x 310 x 620 mm			480 x 260 x 940 mm		360 x 930 mm	Materials	Stainless steel
Weight (without stones)	16kg			20kg		17kg	Optional accessories	Stainless steel frying pan
Max. capacity	20kg			90kg		90kg	Warranty	2 years
Location	Wall-mounted			Floor-mounted		Floor-mounted		
Control unit	Built-in			Built-in		Built-in		
Warranty	2 years							

RIGID SPA & ITS HIGH-END FURNITURE



NEW
2019

Netspa Octopus
The spa and its braided furniture

QUALITY, DESIGN, SERVICE AND PRICE

NETSPA IS CLEARLY DIFFERENT!

NetSpa's aim is to allow anyone to create a wellness space in their own home. Our range of portable inflatable spas combine technology, design and quality.

NETSPA ADVANTAGES

- Larger dimensions for greater comfort.
- Original, modern design combined with solid, high-quality materials.
- State-of-the-art technology for low consumption costs.
- Complete packs with a protective tarpaulin, insulated cover and two filter cartridges.
- Personalised service with numerous instructional videos, customer support and a highly innovative maintenance solution.

CONTENT

**NEW
2019**



**OCTOPUS
P.120**



**CAIMAN
P.122**



**PYTHON
P.123**

PREMIUM RANGE



**ASPEN
P.124**



**SILVER
P.125**

Netspa



**MONTANA
P.126**



**MALIBU
P.127**



**ACCESSORIES
P.130**



**VITA PREMIUM
P.128**

INFLATABLE SPA

Octopus



NEW
2019



SPA PORTABLE

OCTOPUS

STRUCTURE
**SEMI-
RIGID**

EASY
ASSEMBLY

**ULTRA
DEEP**

FILTRATION
HEATING
RELAXING BUBBLES

A high-end spa, now within reach!

A major innovation in the Netspa line.

The Octopus jacuzzi flawlessly combines the advantages of a large 4-6 person jacuzzi, with the outside dimensions of a 4-person inflatable jacuzzi. Its structure, made of 13 cm foam panels, assembles in just a few minutes to simultaneously provide the required rigidity as well as the indispensable insulation and comfort. The interior liner incorporates an insulating mat, as well as vertical bubble channels, ideal for relaxing the back. Its intelligent Netspa motor block, provides heating, filtration and also relaxing bubbles, for less maintenance and more pleasure than ever.



BENEFITS

VERY DEEP JACUZZI,
FOR FULL IMMERSION OF THE NECK AND SHOULDERS

TRIPLE FUNCTION
MASSAGE / HEATING / FILTRATION

INTELLIGENT & ECONOMICAL MOTOR

10mA ELECTRICAL PROTECTION

100% SAFE INSULATING COVER

EASY TO INSTALL AND USE

OPTIMISED INSULATION


FEATURES

Reference	SP-OCT165
Capacity	4+2 persons
Dimensions	Ø 193 x H 73 cm
Inside dimensions	Ø 165 x H 73 cm
Water volume	1,000 litres
Net weight (empty)	36 kg
Air nozzles	100
Temperature gain	1.5 - 3 °C/hour
Power supply	240 V ~ 50 Hz
Heating	1,500 W
Liner	0.6 mm beaded PVC interior Braided PVC exterior
Cover	Double insulation for the heater
Filter pump	40 W
Filtration	Filtration block + 1 anti-bacterial cartridge included
Guarantee	Structure and electronics 2 years Poolstar After-Sales Service

EQUIPMENT & ACCESSORIES



Insulating foam structure (13 cm thickness)



Insulating cover



Massaging vertical bubbles for the back



Safe closing system




Exterior casing in braided PVC




1 Bacti-Stop filter cartridge included

OPTIONAL FURNITURE

5 ELEMENTS TO CHOOSE FROM



YOUR CUSTOMISABLE JACUZZI



INFLATABLE SPA

Caïman

4 PERSONS



PRESTIGE CLOTHING
LEATHERETTE



INFLATABLE SPA

CAÏMAN

An inflatable spa that is both highly effective and elegant

Enjoy a session in the Caïman spa for up to 4 persons. The liner has a matt black imitation leather finish with a crocodile motif which gives this spa an understated yet extremely elegant touch. Its 'smart' motor unit combines the heating, filtration and massaging bubbles functions to provide simple intuitive operation.

SPECIFICATIONS

Ref:	SP-CAM130C
Capacity	4 persons
Dimensions	L 168 x W 168 x H 70 cm
Internal dimensions	L 125 x W 125 x H 70 cm
Volume of water	700 litres
Weight (empty)	27kg
Air nozzles	110
Temperature increase	1.5-2.5°C/hr
Electricity supply	240 V ~ 50 Hz
Heating	1500W
Liner	Interior : perl PVC 0.6mm Exterior cladding laminated PVC 0.8mm
Protection	Double insulation from heater
Filtration	Includes filtration unit + 1 cartridge
Filtration pump	40W
Warranty	Inflatable elements and electronics 2 years Poolstar after-sales service



FEATURES

GENEROUS IMITATION LEATHER FINISH

DOUBLE HEATER PROTECTION

TRIPLE FUNCTION

MASSAGE / HEATING / FILTRATION

'SMART' ECONOMICAL MOTOR

EASY AND FAST INSTALLATION

BUILT-IN INFLATOR

EQUIPMENT AND ACCESSORIES



Electrical socket with
10mA differential protection



Safe, insulated cover



Square shape: compact &
elegant



Unique design with imitation
leather finish



Includes 1 anti-bacterial
filter cartridge

5 TO 6 PERSONS

INFLATABLE SPA Python

PRESTIGE CLOTHING
LEATHERETTE



INFLATABLE SPA

PYTHON

Comfortable, fashionable and simple

You will like the Python spa's octagonal shape, perfect for 5 persons, and its trendy design. The spa's exterior has a matt black imitation leather finish with a crocodile motif which gives an elegant touch to your relaxation area. And get the benefit of its 'smart' motor unit which combines the heating, filtration and massaging bubbles.

SPECIFICATIONS

Ref:	SP-PYT155C
Capacity	5/6 persons
Dimensions	185 x 185 X H 70 cm
Internal dimensions	145 x 145 X H 70 cm
Volume of water	850 litres
Weight (empty)	30kg
Air nozzles	130
Temperature increase	1.5-2.5°C/hr
Electricity supply	240 V ~ 50 Hz
Heating	1500W
Liner	Liner per l PVC 0.6mm Exterior cladding laminated PVC 0.8mm
Protection	Double insulation from heater
Filtration	Includes filtration unit + 1 cartridge
Filtration pump	40W
Warranty	Inflatable elements and electronics 2 years Poolstar after-sales service



FEATURES

GENEROUS IMITATION LEATHER FINISH

DOUBLE HEATER PROTECTION

TRIPLE FUNCTION

MASSAGE / HEATING / FILTRATION

'SMART' ECONOMICAL MOTOR

EASY AND FAST INSTALLATION

BUILT-IN INFLATOR

EQUIPMENT AND ACCESSORIES



Electrical socket with
10mA differential protection



Safe, insulated cover



130 air jets



New generation motor unit



Includes 1 anti-bacterial
filter cartridge

INFLATABLE SPA Aspen

4 PERSONS



INFLATABLE SPA

ASPEN

The perfect inflatable spa for small spaces

The Aspen square-shaped inflatable spa is compact and ideal for 4 people. Elegant but rugged, the Aspen has a heavy-duty textured laminated PVC outer covering and a pearl coloured interior liner.

The Aspen is supplied with a 'smart', economical motor unit providing three functions: Heating, Massage and Filtration. You'll love the design, adore the bubbles and appreciate the small price tag!

SPECIFICATIONS

Ref:	SP-ASP130C
Capacity	4 persons
Dimensions	L 168 x W 168 x H 70 cm
Internal dimensions	L 128 x W 128 x H 70 cm
Volume of water	700 litres
Weight (empty)	27kg
Air nozzles	110
Temperature increase	1.5-2.5°C/hr
Electricity supply	240 V ~ 50 Hz
Heating	1500W
Liner	Interior : perl PVC 0.6mm Exterior: laminated PVC 0.8mm
Protection	Double insulation from heater
Filtration	Includes filtration unit + 1 cartridge
Filtration pump	40W
Warranty	Inflatable elements and electronics 2 years Poolstar after-sales service



FEATURES

TRIPLE FUNCTION

MASSAGE / HEATING / FILTRATION

DOUBLE HEATER PROTECTION

'SMART' ECONOMICAL MOTOR

EASY AND FAST INSTALLATION

BUILT-IN INFLATOR

EQUIPMENT AND ACCESSORIES



Thermally insulated base



Safe, insulated cover




Electric socket with 10 mA earth leakage protection



Unique design with textured finish



Square shape: compact & elegant



2 filter cartridges included

5 TO 6 PERSONS

INFLATABLE SPA Silver



INFLATABLE SPA

SILVER

Innovative, Trendy and Comfortable

NetSpa's SILVER spa has been created with an innovative and fashionable octagonal design, while paying particular attention to its users' comfort.

Its dimensions are perfect for providing the ideal space for 5 persons (exterior 195cm/interior 155cm).

FEATURES

TRIPLE FUNCTION

MASSAGE / HEATING / FILTRATION

DOUBLE HEATER PROTECTION

'SMART' ECONOMICAL MOTOR

EASY AND FAST INSTALLATION

BUILT-IN INFLATOR

SPECIFICATIONS

Ref:	SP-SLV155C
Capacity	5/6 persons
Dimensions	185 x 185 X H 70 cm
Internal dimensions	145 x 145 X H 70 cm
Volume of water	850 litres
Weight (empty)	30kg
Air nozzles	130
Temperature increase	1.5-2.5°C/hr
Electricity supply	240 V ~ 50 Hz
Heating	1500W
Liner	Interior : perl PVC 0.6mm Exterior: laminated PVC 0.8mm
Protection	Double insulation from heater
Filtration	Includes filtration unit + 1 cartridge
Filtration pump	40W
Warranty	Inflatable elements and electronics 2 years Poolstar after-sales service

EQUIPMENT AND ACCESSORIES



Thermally insulated base




Safe, insulated cover




Electric socket with 10 mA earth leakage protection



New generation motor unit



130 air jets



2 filter cartridges included



INFLATABLE SPA

Montana

4 TO 6 PERSONS



INFLATABLE SPA

MONTANA

The benchmark in inflatable spas

Its original design truly enhances your indoor or outdoor space. Designed with a heavy-duty laminated PVC outer covering and a pearl coloured interior liner, this spa combines technology and sturdiness.

Available in two sizes – for 4 and 6 people – the Montana has an external motor unit for efficient filtering, an effective massage function and rapid, powerful heating system.

FEATURES

DOUBLE HEATER PROTECTION

TRIPLE FUNCTION

MASSAGE / HEATING / FILTRATION

'SMART' ECONOMICAL MOTOR


EASY AND FAST INSTALLATION

BUILT-IN INFLATOR


SPECIFICATIONS

Ref:	SP-MTA135	SP-MTA165
Capacity	4 persons	6 persons
Dimensions	Ø 175 x H 70 cm	Ø 204 x H 70 cm
Internal dimensions	Ø 130 x H 70 cm	Ø 160 x H 70 cm
Volume of water	700 litres	930 litres
Weight (empty)	25kg	30kg
Air nozzles	110	140
Temperature increase	1.5-2.5°C/hr	
Electricity supply	240 V ~ 50 Hz	
Heating	1500W	
Liner	Interior : perl PVC 0.6mm Exterior: laminated PVC 0.8mm	
Protection	Double insulation from heater	
Filtration	Includes filtration unit + 1 cartridge	
Filtration pump	40W	
Warranty	Inflatable elements and electronics 2 years Poolstar after-sales service	

EQUIPMENT AND ACCESSORIES




Thermally insulated base




Safe, insulated cover




Electrical socket with
10mA differential protection



Unique design with textured
finish



110/140 air jets



2 filter cartridges included

4 TO 6 PERSONS

INFLATABLE SPA Malibu



INFLATABLE SPA

MALIBU

Design & performance

With its clean, modern design, this 4 or 6-person inflatable spa will fit perfectly into a contemporary or traditional space. With its ultra-resistant laminated PVC outer and pearl interior liner, the Malibu spa is the perfect place for the family to enjoy some unforgettable moments of relaxation.

Like the other models in the NetSpa range, the Malibu has a smart, economical external motor unit, with three functionalities: Heating, Massage and Filtration.

FEATURES

DOUBLE HEATER PROTECTION

TRIPLE FUNCTION

MASSAGE / HEATING / FILTRATION

'SMART' ECONOMICAL MOTOR


EASY AND FAST INSTALLATION

BUILT-IN INFLATOR

SPECIFICATIONS

Ref:	SP-MBU135	SP-MBU165
Capacity	4 persons	6 persons
Dimensions	Ø 175 x H 70 cm	Ø 204 x H 70 cm
Internal dimensions	Ø 130 x H 70 cm	Ø 160 x H 70 cm
Volume of water	700 litres	930 litres
Weight (empty)	25kg	30kg
Air nozzles	110	140
Temperature increase	1.5-2.5°C/hr	
Electricity supply	240 V ~ 50 Hz	
Heating	1500W	
Liner	Interior : perl PVC 0.6mm Exterior: laminated PVC 0.8mm	
Protection	Double insulation from heater	
Filtration	Includes filtration unit + 1 cartridge	
Filtration pump	40W	
Warranty	Inflatable elements and electronics 2 years Poolstar after-sales service	

EQUIPMENT AND ACCESSORIES




Thermally insulated base




Safe, insulated cover




Electric socket with 10 mA
earth leakage protection



Unique design with textured
finish



110/140 air jets



2 filter cartridges included

Netspa

PORTABLE SPA

Vita Premium

6 PERSONS



PORTABLE SPA

VITA PREMIUM

**SEMI-
RIGID**
FRAME

EASY
ASSEMBLY

**ULTRA
DEEP**

FILTRATION
HEATING
RELAXING BUBBLES

The ideal alternative

The Vita Premium from NetSpa is an innovation in the world of spas. This spa is semi-rigid, making it the perfect solution for anyone looking for a portable spa at an ultra-competitive price! Built with eight walls made from 13 cm insulating foam, this spa is wrapped in an external liner made from 8 mm thick imitation leather. This extra-deep (73cm) spa meets the highest standards so you can immerse your torso completely for a full massage. With an integrated filter in the motor unit, the internal space has been optimised for 4 to 6 people.

FEATURES

VERY DEEP
NECK AND SHOULDER TOTALLY IMMERSED

TRIPLE FUNCTION
MASSAGE / HEATING / FILTRATION

'SMART' ECONOMICAL MOTOR

ELECTRICAL PROTECTION

100% SECURE INSULATED COVER

EASY TO INSTALL AND USE

IMPROVED INSULATION

EASY ASSEMBLY




SPECIFICATIONS

Ref:	SP-VIP160
Capacity	6 persons
Dimensions	Ø 184 x H 73 cm
Internal dimensions	Ø 160 x H 73 cm
Volume of water	1100 litres
Weight (empty)	46kg
Air nozzles	88
Temperature increase	1.5-2.5°C/hr
Electricity supply	240 V ~ 50 Hz
Heating	1500W
Liner	Interior : perl PVC 0.6mm Exterior: laminated PVC 0.8mm
Protection	Double insulation from heater
Filtration pump	40W
Warranty	Structure and electronics 2 years Poolstar after-sales service

EQUIPMENT AND ACCESSORIES



Foam insulating structure
(13 cm thick)



Isothermal inflatable cover
(25 cm thick)




Electric socket with 10 mA
earth leakage protection



Secure closure system



Interior and exterior liner



2 filter cartridges included

OPTIONAL FURNITURE

5 ELEMENTS TO CHOOSE FROM



ACCESSORIES

optional accessories

HEADREST & CUP HOLDER

SP-N1405173

Set of 2 headrests
+ 1 cup-holder for NetSpa inflatable spa.



2 IN 1 HEADREST & CUP HOLDER

SP-N1405180

Set of 2 headrests and cup holder (2 in 1)
for Vita Premium spa.



INFLATABLE FOOT RINSE

SP-N1405548

Foot rinse for clean, clear water. Dim. 87 x 68 x 14 cm.



COMFORT SEAT CUSHIONS

SP-N1405197

Set of 2 cushions to fill with water for a comfortable seat.
Dim. 45 x 38 x 10 cm.



INFLATABLE BAR

SP-N1405227

5 beverage holders and a large central compartment for storing ice cubes, bottles and snacks.
Diameter 64 cm.




INFLATABLE LID

SP-N1405173 - 5 persons (square)

SP-N1405203 - 4 persons (round)

SP-N1407528 - 5/6 persons (octagonal)

SP-N1405210 - 6 persons (round)



SPA SPOTLIGHT

SP-N1407542

Sealed low voltage lamp fitted with rechargeable battery. Add colour to your spa! Compatible with all spas.



NETSPA CLEANER SUPERVAC

NS-CLEANER-25

Electric cordless rechargeable vacuum for spas and small pools. Supplied with a telescopic pole, Li-Ion battery and large capacity filter. Electronics warranty: 2 years



NETSPA CLEANER

NS-CLEANER-13

Electric cordless rechargeable vacuum for spas and small pools. Electronics warranty: 2 years



NETSPA ACTIVE OXYGEN

SP-NOXYTAB-20

Universal treatment for active oxygen spas. 20 x 20g tablets.



FILTER CARTRIDGES

SP-N1407535

Set of 3 new generation cartridges

SP-N1408425

Filter unit holder (with cartridge)



FILTER CARTRIDGES

SP-N1408778

Set of 3 anti-bacterial cartridges for inflatable spas

SP-N1408785

Set of 3 anti-bacterial cartridges for Vita Premium





Brava lounge
Design and sturdiness

POOL AND GARDEN FURNITURE

Our range of pool and garden furniture offers you new opportunities for additional sales.

Our materials are selected to provide increased strength and durability. Our designs meet all requirements and blend into both traditional and modern exteriors.

COSTA sun loungers are fitted with a **Serge Ferrari** composite fabric that provides support that is both firm and comfortable.

The **BRAVA** collection is designed in basket weave pattern reinforced fibreglass resin **protected against UV radiation** to withstand the fiercest summer conditions.

All the recliners are stackable for easier storage.

contents



COSTA
P.134



BRAVA
P.135

GARDEN FURNITURE

Costa/Brava lounge

4 COLOURS AVAILABLE



COSTA

WARRANTY
3 YEARS

COSTA SUN LOUNGER

4 COLOURS
TO CHOOSE
FROM

UV-RESISTANT

2 BUILT-IN
WHEELS

BACKREST
5 POSITIONS

The Costa collection is made of fibreglass reinforced resin designed to be weather-resistant.

The Costa sun lounge is fitted with a Serge Ferrari composite fabric that provides support that is both firm and comfortable, perfect for enjoying the sun to the full. Its backrest offers 5 adjustable positions and it has non-slip feet and wheels for easy movement. This recliner's modern design and robust construction will satisfy the most discerning customers.

Costa recliners are stackable for easier storage.

FEATURES

FIBREGLASS REINFORCED RESIN
5-POSITION ADJUSTABLE BACKREST
NON-SLIP FEET
TRANSPORT WHEELS
SERGE FERRARI 500 G/M² BATYLINE ISO FABRIC
STACKABLE

WARRANTIES

**WARRANTY 3 YEARS, LIMITED TO 2 YEARS
IF USED IN A COMMERCIAL CONTEXT**

COMPOSITE FABRIC

Serge Ferrari



Serge Ferrari produces innovative high-quality composite materials with a wide variety of properties.

- Does not tear, extremely tough
- Excellent resistance to outdoor conditions
- Maintains constant tightness
- Consistency of weave, guaranteed finishes
- Stays cool in summer, dries very quickly

SPECIFICATIONS

Costa recliner	GD-COSSL
Dimensions	l 68 x L 193 x H 35 cm
Available in 4 colours	Black/Anthracite – White/Yellow White/White - White/Turquoise
Weight	16.5kg
Maximum weight	110kg
Costa Table	GD-COSST
Dimensions	l 45 x L 45 x H 45 cm
Available in 4 colours	Anthracite - White - Cream
Weight	2.8kg


BRAVA WARRANTY 3 YEARS

BRAVA SUN LOUNGER

**REINFORCED
RATTAN TEXTURE**
UV-RESISTANT
**2 BUILT-IN
WHEELS**
**BACKREST
5 POSITIONS**


The Brava collection is designed in basket weave pattern fibreglass reinforced resin.

This flexible yet strong material helps withstand the fiercest summer conditions. Protected against UV rays, it does not lose its colour.

The Brava sun lounger has a 5-position adjustable backrest and hidden wheels in the feet.

For the perfect seating position, the Brava sun lounger can be supplemented with a comfort mattress (optional).

It is also possible to stack several recliners for easy storage.



FEATURES

FIBREGLASS REINFORCED RESIN
5-POSITION ADJUSTABLE BACKREST
NON-SLIP FEET
TRANSPORT WHEELS
STACKABLE
OPTIONAL COMFORT MATTRESS

WARRANTIES

**WARRANTY 3 YEARS, LIMITED TO 2 YEARS
IF USED IN A COMMERCIAL CONTEXT**

SPECIFICATIONS


Brava recliner	GD-BRASL
Dimensions	173 x L 187 x H 44 cm
Weight	14kg
Maximum weight	110kg
Brava Table	GD-BRAST
Dimensions	145 x L 45 x H 45 cm
Weight	2.8kg



TECHNOLOGIES


DROPSTITCH LIGHTWEIGHT

Dropstitch technology involves encasing thousands of polyester fibers between two layers of PVC. Under high pressure, the fibres are pulled taught, giving the board its strong rigidity.



DOUBLE-LAYER DROPSTITCH

Stronger than the LightWeight Dropstitch technology, a second PVC layer covers the first, significantly increasing the rigidity, particularly for long boards.



STAND UP PADDLE ZRAY

THE MOST ATTRACTIVE COLLECTION OF THE SUMMER!

After first entering the paddle board market in 2013, today Poolstar is imposing itself as an essential player on the stand up paddle scene. Fun, easy and pleasant, the Stand Up Paddle (SUP) became quickly accessible thanks to the revolutionary inflatable technology: Dropstitch.

Without a doubt, the ZRAY range is the most attractive in the Stand Up Paddle market in 2018. It combines all the ingredients for success: extremely competitive pricing, design, performance, quality and, first and foremost, paddles to suit

all abilities.

READY TO GO!

Delivered as a complete package: rucksack, high pressure pump and paddle - our boards stand out because of a unique design, a thickness of 15 cm, and their ability to transform into a kayak thanks to the optional seat.

In 2019, ZRAY is bolstering its collection and materials with even more specialised models — all offering the best value for money on the market!

CONTENTS



GENERAL PUBLIC BESTSELLER



**NEW
2019**

CONVERTS INTO A
KAYAK

THICKNESS
15 cm



**NEW
2019**

CONVERTS INTO A
KAYAK

THICKNESS
15 cm

X-RIDER 9'9"

THE UNIVERSAL SUP

The inflatable board Zray X-Rider 9'9" is a revolution in the Stand Up Paddle world!

The 15 cm thickness of this SUP, combined with its 297 cm length, provide exceptional stability, easy manoeuvring and a fluid and pleasant gliding motion.

X-RIDER 10'10"

THE ULTRA-MULTIPURPOSE SUP

The design of the SUP Zray X-Rider 10'10" was conceived to provide unprecedented paddle boarding pleasure. Longer (330cm), with a 15-cm thickness, this board provides paddler stability up to weights of 140kg! Stable, light, functional and multipurpose, this SUP is suitable for hours of use whether in calm or choppy seas.

BENEFITS

ULTRA-RIGID DROPSTITCH TECHNOLOGY

15 CM THICKNESS: COMFORT AND STABILITY

CONVERTS INTO A KAYAK

ULTRA-RIGID DROPSTITCH TECHNOLOGY

15 CM THICKNESS - STABILITY & SMOOTH GLIDING

CONVERTS INTO A KAYAK

FEATURES



Dimensions	297 x 76 x 15 cm
Fins	1 sliding removable center fin
Maximum rider weight	120 kg
Guarantee	1 year

Dimensions	330 x 76 x 15 cm
Fins	1 sliding removable center fin
Maximum rider weight	145 kg
Guarantee	1 year

NEW
2019NEW
2019NEW
2019**X-RIDER 9'**SPECIAL FOR SMALL
BUILDS**X-RIDER 12'**

HIGHER LOAD AND STABILITY

X-RIDER 13'FOR THE WHOLE FAMILY
UP TO 3 RIDERS**FEATURES**

Dimensions	275 x 71 x 13 cm	Dimensions	365 x 81 x 15 cm	Dimensions	396 x 89 x 15 cm
Fins	1 sliding removable center fin	Fins	1 sliding removable center fin	Fins	1 removable center fin + 2 fixed
Maximum rider weight	85 kg	Maximum rider weight	162 kg	Maximum rider weight	220 kg
Guarantee	1 year	Guarantee	1 year	Guarantee	1 year

X-RIDER RANGE ACCESSORIES INCLUDED

Paddle



Leash

High pressure
pumpTransport bag
premium

THE LATEST TECHNOLOGY, LIGHT AND RIGID

CONVERTS INTO A
KAYAK
+ FOOTREST

TECHNOLOGY
DROPSTITCH
FUSION



FURY 10'

MULTIPURPOSE AND STABLE



FURY 10'6"

HIGH-PERFORMANCE TOURING



FURY 11'6"

DOUBLE CHAMBER TOURING

FEATURES



Dimensions	305 x 81 x 15 cm	Dimensions	320 x 81 x 15 cm	Dimensions	350 x 81 x 15 cm
Fins	1 removable center fin + 2 fixed	Fins	1 removable center fin + 2 fixed	Fins	1 removable center fin + 2 fixed
Maximum rider weight	122 kg	Maximum rider weight	142 kg	Maximum rider weight	154 kg
Guarantee	1 year	Guarantee	1 year	Guarantee	1 year

FURY RANGE - ACCESSORIES INCLUDED



Paddle



Leash



High pressure pump



Transport bag premium

STRONG & RIGID FOR INTENSIVE USE

CONVERTS INTO A
KAYAK
+ FOOTREST

TECHNOLOGY
DROPSTITCH
DOUBLE-LAYER



ATOLL 9'10"

AGILITY AND STRENGTH FOR A
MULTIPURPOSE BOARD



ATOLL 10'6"

MULTIPURPOSE, STABLE
AND HIGH PERFORMING



ATOLL 11'6"

ULTRA-STABLE FOR PERFECTLY
SMOOTH MOVEMENT

FEATURES



Dimensions	300 x 76 x 15 cm	Dimensions	320 x 81 x 15 cm	Dimensions	350 x 81 x 15 cm
Fins	1 removable center fin + 2 fixed	Fins	1 removable center fin + 2 fixed	Fins	1 removable center fin + 2 fixed
Maximum rider weight	120 kg	Maximum rider weight	145 kg	Maximum rider weight	160 kg
Guarantee	1 year	Guarantee	1 year	Guarantee	1 year

TOURING RANGE - ACCESSORIES INCLUDED



Paddle



High pressure
pump



Transport bag
premium

OTHER RANGES

SAIL INCLUDED



RANGE WINDSURF

UNIQUE COMBINATION:
SUP + WINDSURF BOARD

+ ACCESSORIES



Paddle



Premium
transport bag



High pressure
pump



WindSUP sail included

NEW
2019



RANGE SNAPPER

STABLE & HIGH PERFORMING
SNAPPER 9'6" & SNAPPER 11'



RANGE RAPID

RAPID & STABLE
RAPID 12'6" & RAPID 14'



ACCESSORIES INCLUDED



Paddle



Leash



High pressure pump



Premium
transport bag



INFLATABLE STAND UP PADDLE

SUPER17

GROUP SUP


UP TO
10 RIDERSATTACHMENT OPTION FOR
4 KAYAK SEATS

The Super 17 is a real pleasure craft (518x152x20cm) that can carry up to 10 people! The perfect activity for leisure centres, team building activities or groups of friends. Unique amongst the XXL board offerings, the Zray Super 17 can transform itself into a kayak with its numerous attachment points.

BENEFITS

WEIGHT SUPPORTED UP TO 900 KG**CONVERTS INTO A GIANT KAYAK**


ACCESSORIES INCLUDED



FEATURES

Dimensions	518 x 152 x 20 cm
Fins	4 detachable fins
Max. rider weight	900 kg
Guarantee	1 year

TECHNOLOGY

**DROPSTITCH
LIGHTWEIGHT**

KAYAK GONFLABLE ZRAY Drift

FULL DROP STITCH

BEST SELLER
2018

Full technology
DROPSTITCH



DRIFT

**THE HIGH PRESSURE KAYAK:
100% DROPSTITCH**

Drop Stitch technology has allowed inflatable SUPs to match the performance of rigid boards. This same transformation is now available for kayaks, with inflatable versions available in Full Dropstitch.

The Zray Drift kayak offers very high performance and a unique gliding motion, all while remaining compact and easy to transport. Long (428cm) and wide (81cm), the idea behind the Drift was combined performance and comfort.

BENEFITS

**BOTTOM AND WALLS CONSTRUCTED IN DROPS-
TITCH WITH 3 AIR CHAMBERS**

LAYOUT OPTIMISED FOR MORE COMFORT

**KAYAK SEATS WITH INFLATABLE BACKREST
INCLUDED**

PACK COMPLETE WITH FOOTRESTS

FEATURES

Dimensions	426 x 81 x 22 cm
No. of passengers	2
No. of air chambers	3
Max. rider weight	220 kg
Guarantee	1 year

DROPSTITCH TECHNOLOGY

Invented for the Stand Up Paddle, Dropstitch technology involves enclosing thousands of polyester fibers between two layers of PVC. Once inflated, the fibres are pulled taught, giving the board its great rigidity.



ACCESSORIES INCLUDED



**BOTTOM IN
DROPSTITCH**



NASSAU

THE WINNING COMBINATION

Dimensions	406 x 94 x 24 cm
No. of passengers	2
No. of air chambers	3
Max. rider weight	200 kg
Guarantee	1 year



SAINTE CROIX

PLEASURE & FUN ON THE WATER

Dimensions	350 x 78 x 52 cm
No. of passengers	2
No. of air chambers	3
Max. rider weight	160 kg
Guarantee	1 year



ROATAN

THE MOST FUN FOR FAMILIES

Dimensions	376 x 77 x 34 cm
No. of passengers	2
No. of air chambers	3
Max. rider weight	170 kg
Guarantee	1 year



TORTUGA

THE COMFORTABLE KAYAK

Dimensions	400 x 90 x 28 cm
No. of passengers	2
No. of air chambers	3
Max. rider weight	170 kg
Guarantee	1 year

ACCESSORIES INCLUDED



Kayak seats
2 inflatable



Pump



2 double paddles



TAHITI

COMFORT & DESIGN

Dimensions	400 x 90 x 22 cm
No. of passengers	2
No. of air chambers	3
Max. rider weight	170 kg
Guarantee	1 year


coasto



TECHNOLOGY

THERMO TWIN SKIN® by Coasto

A revolution in the SUP market. Aware of the weight constraint engendered by the double layer construction, Coasto has developed a unique technology consisting of thermally fusing the two PVC layers. With Coasto, the two PVC layers are not now glued but thermo-welded together.



COASTO STAND UP PADDLE

HIGH TECHNOLOGY, DESIGN AND PERFORMANCE!

Coasto is a real sensation in the market for inflatable stand up paddles.

First of all, the brand studied all the components and construction methods of inflatable SUPs currently on the market, then consulted various engineers, technicians and riders in order to offer products that clearly stand out.

That basic research has resulted in two major points of differentiation:


1. Development of the unique **Thermo Twin Skin® technology**
2. Each board meets a specific recognised market requirement

Stronger and lighter, these new boards with their streamlined design are also sold in Premium packs with an outstandingly finished red anodised paddle, a double action pump, a Premium carrying case on castors and a leash.

With all these elements, Coasto presents a new concept to the SUP market with unbeatable value for money.

Coasto means strong and durable in french !

CONTENT



**REVOLUTION 2019
INFLATABLE SURF**

STAND UP PADDLE COASTO Argo & Nautilus

TTS DROPSTITCH



ARGO

THE NEW STANDARD ALL AROUND

NAUTILUS

THE XXL CRUISING PARTNER


If you are looking for an 'all-in-one' SUP, this stand up paddle is close to perfection. In fact, its racing pedigree together with its large width (81cm) and flat tail make it the most versatile of the Coasto product line!

Its dimensions give the rider exceptional flexibility. Constructed with two fixed fins and one moveable, this SUP will keep you perfectly on course during long excursions.

SPECIFICATIONS



Dimensions	320 x 81 x 15 cm	Dimensions	350 x 86 x 15 cm
Fins	2 fixed fins + 1 detachable	Fins	2 fixed fins + 1 detachable
Maximum rider weight	140 kg	Maximum rider weight	170 kg
Warranty	1 year	Warranty	1 year



KAYAK convertible



Footrest



3 inbreakable fins



Kick pad



1 CENTRAL HANDLE & HOLDER Comfortable handle to carry the board, hold your paddle or a bottle



TURBO

SPEED AND MUCH MORE!

Fast and innovative, Turbo iSUP is tailor-made for competition. Designed with the ultimate Race SUP specifications, Turbo is offering more for true champions. Kick pad, professional graduation of the board and EVA pad with outstanding comfort and grip.



CALYPSO

ALL AROUND MULTIFONCTIONS

Developed with the current all-round SUP's standards, Calypso offers a unique thickness, combined with super-stiff TTS ® Technology, offers the perfect compromised between low volume and hard board. Versatile, this board is suitable for cruises, waves and initiation for paddlers up to 90kg.



ODYSSEA

UNIQUE COMBINATION

ODYSSEA 9'5" offers a unique experience in the wave thanks to its wild tail, combined with a moderate length - 9'5" / 290cm - and enlarged round rails - 32" / 81cm. Such combination creates a multi-function boards that will perfectly suit both.

SPECIFICATIONS



Dimensions	381 x 76 x 15 cm	Dimensions	297 x 76 x 12 cm	Dimensions	290 x 81 x 12 cm
Fins	1 removable fin	Fins	1 removable fin	Fins	1 removable fin
Maximum rider weight	170 kg	Maximum rider weight	90 kg	Maximum rider weight	80 kg
Warranty	1 year	Warranty	1 year	Warranty	1 year

ACCESSORIES INCLUDED



Paddle



Carrying case



Double action pump
High pressure pump



Coiled leash



Safety belt
and repair kit



INFLATABLE SURF COASTO Air surf

NEW RANGE OF INFLATABLE SURFS

**NEW
2019**

**NEW
2019**



Optimal pressure



VERSION 1
3 fixed fins



VERSION 2
3 detachable fins

AIR SURF 6 INFLATABLE FISH SURFBOARD

AIR SURF 8 INFLATABLE MALIBU SURFBOARD

Certain of the quality of its boards, Coasto is now innovating and promoting a range of inflatable surfboards! Thanks to TTS® technology, these new surfboards can sustain a pressure of 22 psi to provide unparalleled rigidity.

- **Compact: easy transportation and storage**
- **Lightness: less than 5kg**

- **Surfer safety in the event of collision with the board**
- **Strong: resistant to impacts (rocks, stones, etc.)**

FEATURES



Dimensions	180 x 51 x 8 cm	Dimensions	244 x 57 x 8 cm
Fins	Version 1: 3 fixed fins Version 2: 3 detachable fins	Fins	Version 1: 3 fixed fins Version 2: 3 detachable fins
Maximum rider weight	80 kg	Maximum rider weight	80 kg
Guarantee	1 year	Guarantee	1 year

ACCESSORIES INCLUDED



Transport bag



Double action pump
high pressure foldable



Coiled leash



Support
belt



Repair kit



PB-CPAD-FSIO

**CARBON
FUSION**

3 sections paddle




PB-CPAD-COST

**CARBON
COAST**

Anti-twist system



PB-PAD-TONGA

TONGA

Carbon 3K technology



PB-PAD-APIA

APIA**COASTO PADDLES**

100% carbon-fibre handle
3 anti-twist sections and professional
blade angle
(13° angle)

Pro paddle
made entirely of 3k carbon
Performance and pleasure (15° angle)

FRAME

Handle: 100% carbon fibre
Blade: Carbon finish
Handle: Carbon finish

Manche : 100% Carbone
Pale : 100% Carbone
Poignée : 100% Carbone

SPECIFICATIONS

Dimensions	170 - 215 cm
No. of sections	3
Weight	860g

Dimensions	170 - 215 cm
No. of sections	3
Weight	605g

SKIFFO PADDLES

100% carbon-fibre handle
3 anti-twist sections and professional
blade angle
(13° angle)

Pro paddle
made entirely of 3k carbon
Performance and pleasure (15° angle)

FRAME

Handle: 100% carbon fibre
Blade: Carbon finish
Handle: Carbon finish

Manche : 100% Carbone
Pale : 100% Carbone
Poignée : 100% Carbone

SPECIFICATIONS

Dimensions	170 - 215 cm
No. of sections	3
Weight	860g

Dimensions	170 - 215 cm
No. of sections	3
Weight	605g



KAYAK SEATS

Convert your Paddle Board into a kayak with the optional seat and enjoy your outing in comfort.

**NEW
2019**

PB-KSEAT-H2

Super deluxe neoprene kayak seat with padded seat



PB-KSEAT-OR01
Neoprene kayak seat



PB-ZKS57024

Inflatable kayak seat



PB-LSH-C10BK

COILED LEASH

3m/8mm coiled

A coiled leash helps you go faster and/or avoids tangling when you are paddling in twos.



PB-LSH-S090R

9' STRAIGHT LEASH

2.75m/7mm straight leash.

Keep yourself safe. For 2.30m to 3.30m SUPs.



PB-PAD-BAG **PB-PAD-CBAG**

CASES FOR 3-PIECE PADDLES



PB-BOTTLE-03C

INSULATED FLASK

Double stainless steel wall for high thermal performance.

PB-SUPPORT-01

SUP STAND

Promote SUPs in your showroom!

Stable and adjustable, the new "SUP PORT" stand is suitable for all SUPs on the market. The integrated document holder means you can display information sheets alongside the boards.



ELECTRICAL PUMP FOR STAND UP PADDLE

STAR PUMP

**NEW
2019**

Star pump Super Pressure 16 psi

For inflation and deflation of stand up paddles
LCD screen to select the correct pressure.

Battery included

Led Light and USB charger included

Auto stop

Connection via cigarette lighter



**NEW
2019**

Star pump high pressure 16 psi

For inflation of stand up paddles

Regulator adjustment knob to set air pressure.

Auto stop

Connection via cigarette lighter



**NEW
2019**

Star Pump power bank

Portable battery compatible with cigarette lighter

Battery lithium 6000mAh

Capacity to inflate 5 to 7 SUP



Star pump Revolution

SUP pre-inflation up to 3 psi

Connection via cigarette lighter



SEALING BAGS FOR STAND UP PADDLE

DRY BAGS

**NEW
2019**

20L/40L/60L

Stand Up Paddle is a fascinating sport that will incite to spend hours on the water. Our bags are manufactured in marine PVC (500D tarp) to give you all the strength and the durability you'll need. These waterproof bags are available in four sizes, 20L, 40L and 60L, allowing you keep your equipment dry.



PB-DBAG-SSP



PB-DBAG-ZSP

SMARTPHONE POUCH - SPORTABLE

Special pouch smartphone 100% waterproof, pre-inflated for flotation. Equipment: PVC Touch-Screen, armband + cord.

FLOATING MAT Skiflott S-M-L-XL

THREE LAYERS OF FOAM



NEW FOR 2018

FLOATING MAT

SKIFLOTT

For water-related activities

Discover the Skiflott product line, with its 4 mats for fun activities in pool, lake or sea. You can use it as an educational floating pathway for children, as a mat for relaxing or simply to have a great time with friends. Since you can fit up to 10 persons on the mat and stand straight on it, you will appreciate all the possibilities that the Skiflott offers.

FEATURES

2 ROLLED-UP SUPPORT STRAPS

HIGH DENSITY CLOSED CELL FOAM

GREAT BUOYANCY

NO INFLATION NECESSARY

FROM 1 TO 10 PERSONS (DEPENDENT ON MODEL)

COMPATIBLE WITH ALL TYPES OF WATER




POOL



LAKE


SEA





Ref:	PB-SKFL-A260	PB-SKFL-A262	PB-SKFL-A350	PB-SKFL-A550
Model	SKIFLOTT-S	SKIFLOTT-M	SKIFLOTT-L	SKIFLOTT-XL
Materials	High density foam	High density foam	High density foam	High density foam
Dimensions	260 x 90 x 3,5 cm	260 x 180 x 3,5 cm	350 x 180 x 3,5 cm	550 x 180 x 3,5 cm
Weight	5.8kg	7.4kg	8,3 kg	10.8kg
Max. load	120kg	250kg	400kg	600kg
Use	1 person	2 persons	4/6 persons	8/10 persons
Accessories included	<ul style="list-style-type: none"> - 2 rolled-up support straps - 2 velcro openings for pillow - 2 velcro strips for pillow - 1 anchoring point 	<ul style="list-style-type: none"> - 2 rolled-up support straps - 3 velcro openings for pillow - 3 velcro strips for pillow - 2 anchoring points 	<ul style="list-style-type: none"> - 2 rolled-up support straps - 4 velcro openings for pillow - 4 velcro strips for pillow - 4 anchoring points 	<ul style="list-style-type: none"> - 2 rolled-up support straps - 4 velcro openings for pillow - 4 velcro strips for pillow - 4 anchoring points

TRIPLE LAYER XPE



ACCESSORIES


Includes pillow
positioning straps



Includes pillow
Includes cushion

SALES NETWORK

POOLSTAR



**OUR SALES TEAM,
AT YOUR SERVICE.**

Europe and international

EUROPE

Monique RIDDER

Tel: +33 (0)7 76 02 65 01
monique@poolstar.fr

INTERNATIONAL

Ludivine LU

Tel: +33 (0)7 76 02 65 01
ludivine@poolstar.fr

ITALY

Marie ARDOUIN

Tel: +33 (0)6 67 87 63 87
marie@poolstar.fr

SPAIN-PORTUGAL AREA

Jean FERNANDEZ

Tel: +34.625.826.076
Tel: +34.960.130.507
juan.fernandez@poolstar.es

France

NORTH-EASTERN AREA

Salvatore CARTA

Tel : 07 7 66 16 72 65
salvatore.carta@poolstar.fr

WESTERN AREA

Matthieu LEMESTRE

Tel: +33 (0)6 98 55 11 84
matthieu.lemestre@poolstar.fr

CENTRAL AREA

Xavier BLANCHARD

Tel: +33 (0)6 09 08 14 44
xavierblanchard@poolstar.fr

EASTERN CENTRAL AREA

Jean-Pierre CERISIER

Tel: +33 (0)6 07 24 10 49
jeanpierrecerisier@poolstar.fr

SOUTH-WESTERN AREA

Mathias WERNER

Tel: +33 (0)6 99 47 02 21
werner.mathias@poolstar.fr

SOUTHERN AREA

Valérie BONAVENTURE

Tel: +33 (0)7 60 85 74 30
bonaventure.valerie@poolstar.fr

SOUTH-EASTERN AREA

Jennifer FOURCADE

Tel: +33 (0)7 68 14 93 74
fourcade.jennifer@poolstar.fr

MAJOR ACCOUNTS

Thierry SEBBAN

Tel: +33 (0)6 67 03 00 95
sebban.thierry@poolstar.fr

EXTRANET FOR TRADE CUSTOMERS

Contact:

<http://pro.poolstar.fr>

and ask to open an account.



ORDERING AND LOGISTICS

STOCK AVAILABILITY

With real-time monitoring of inventory and re-stocking, you can respond immediately to your customers' requests for delivery dates.

ORDERING ON-LINE

Considerable time-saving when ordering our products 24/7 from our platform.

INVOICE HISTORY

As well as receiving your invoices by e-mail, you can see your invoice history on your Poolstar account.

ACCOUNT MANAGEMENT

SHIPMENT TRACKING

Track in real time the status of your shipments with just a few clicks.

AFTER-SALES SERVICE ADMINISTRATION

Requests for information or after-sales service, warranty claims, after-sales follow-up: nothing could be simpler.

SPARE PARTS

Ask for spare parts, order a broken or missing item.

SALES ASSISTANCE

DOWNLOAD CATALOGUES

In addition to their own particular websites, all our printed catalogues can be downloaded in multi-language pdf format from our platform or upon request.

MULTI-LANGUAGE PRODUCT INFORMATION SHEETS

For every one of our products, its information sheet can be downloaded in pdf format and printed. These product sheets are available in 5 different languages.

PHOTO PACKS

Each product has a pack of photos that can be downloaded for distribution on your websites.

AFTER-SALES SERVICE DEPARTMENT



Our aim is 100% satisfaction

EXPERTS ALWAYS READY TO HELP

A TEAM OF SPECIALISTS

Every year in our French offices we train and strengthen our after-sales service team. It is trained on our entire product range including new additions so as to best respond to all your questions and find the most suitable answer.

TELEPHONE NUMBER JUST FOR TRADE CUSTOMERS

Since 2016, our trade customer phone line has been answering all your questions and requests. Just a phone call away, our team of experts knows our products inside out.

TROUBLESHOOTING

Just give us a call and our highly qualified after-sales service team can usually give you a quick assessment.

SPARE PARTS IN STOCK

We keep a permanent stock of more than 1,200 lines of spare parts for all our products to cover all requirements throughout the season and for you to give your customers a fast response time.

A DEDICATED PLATFORM

AFTER-SALES SERVICE FORM

For warranty claims or requests for information or quotations, our after-sales service form provides you with a clear, quick reply.

KEEPING TRACK ONLINE 24 HOURS A DAY

Monitor at any time the status of your after-sales service requests: For returns requests, diagnostics, repairs, spare parts ordering and dispatch, our Internet platform is accessible round the clock.

DOWNLOADABLE TECHNICAL DOCUMENTS

For locating an installation or user manual, a technical diagram or spare part reference number. Our database enables you to download in pdf format and print a lost or missing manual.

DISPATCH WITHIN 24/48 HOURS

Once the problem has been identified, we dispatch your parts and accessories as quickly as possible anywhere in France.

Sales Department

From Monday to Friday
9.30am to 12.30 and 2.00pm to 5.30pm

Phone : +33(0) 491 511 517

Email : export@poolstar.fr

After-sales service department

From Monday to Friday
9.30am to 12.30 and 2.00pm to 5.30pm

Telephone : +33 (0)4 91 51 03 03

<http://support.poolstar.fr>



960 avenue Olivier Perroy
13790 ROUSSET

Tel : +33 (0)4 91 51 15 16

Fax : +33 (0)4 91 51 97 07

WWW.POOLSTAR.FR