



CATALOG 2021

SWIMMING POOL PROFESSIONALS



Poolstar

Pure innovation

Poolstar is all about passion. The company, founded in 2006 between the Mediterranean and Provence, has grown ever since. It has become a benchmark for three major highly-complementary sectors:

**SWIMMING POOL & GARDEN, RELAXATION & WELLNESS,
SPORTS AND LEISURES.**

Innovations that will inspire you

Our company has one important mission: innovations to offer you the best products at ever more competitive prices.

A challenge that has paid off! Poolstar aims to think out of the box, assert its differences and offer everyone access to innovative, high-quality products. Our goal is to become a benchmark player in constantly-changing markets focused on leisure lifestyle. Above all, at Poolstar we take pleasure in designing with a sense for detail yet with a dash of insolence. Our desire to create state of the art concepts and to make bold moves offers us the opportunity to surf on new markets with ingenuity!

New headquarters and showrooms to welcome you

2019 marked a turning point for Poolstar. We moved to new headquarters comprising a warehouse of around 20,000m², 23 loading bays, over 1,000m² of office space and two showrooms, including an outdoor one with two heated pools. The perfect place to welcome you and invite you to discover our products, see them up close, test them and appreciate them.

Well-organized teams at your service

Poolstar relies on a team of passionate swimming pool professionals: designers, engineers, technicians, sales staff, all dedicated to customer satisfaction. Growth is on the agenda, with a positive turnover that had already reached 33 million euros in 2019. Now, Poolstar needs to meet the growth challenge by structuring its organization and boosting its sales, marketing, and communications... We continue to pursue our creative vision by developing new products, integrating new technologies at highly-competitive prices.


Continual improvement process to meet demands

We continue to put priority in our customer approach. We constantly quest to satisfy our customers by listening attentively to their needs and by rolling out service quality improvement processes. We have enhanced customer communication by creating a privileged channel for exchanging with sales teams in the field and in our offices.

Poolstar, global proximity

Poolstar is close-at-hand while spreading its wings around the world. Following its development in Spain in 2019, Poolstar is strengthening its position in Europe. Further Great Britain, Benelux, Germany and Scandinavia are priority for international expansion.

Join in Poolstar's ongoing adventure in France and beyond its borders.




POOLEX
FOLLOW THE EXPERT

P.10

Poolex

The largest range of swimming pool heat pumps

Poolex



formidra

P.50

Formidra

Luxury-design, affordable outdoor hybrid, solar showers

Formidra




Waterflex
Water Fitness Expert

P.68

Waterflex

Aquafitness equipment for all levels

Waterflex




HOLL'S
COMFORT DESIGN SAUNAS

P.92

Holl's Sauna

Collection of luxury saunas

Holl's




France Sauna

P.122

France Sauna

Selection of high-end saunas

France Sauna



NETSPA


P.132

NetSpa

Collection of semi-rigid and inflatable spas for all

NetSpa

Poolstar, services which make all the difference



In-house after-sales service

Pickup area, testing bench and on-site repair



Poolstar, expertise with a personal touch

Poolstar has grown considerably since it was created with just 3 employees in 2006. Today, it counts over 60 members of staff in France and around the world. But, in our company, human touch remains the core of our activities. Customer satisfaction is our key priority.

A close relationship

Poolstar's organization is designed in such a way that every customer benefits from a close, professional relationship. You work with a dedicated contact person who knows your customer record fully. Your calls are answered directly by a real person and not an automated machine. Sales staff in the field and support teams work constantly hand-in-hand to ensure optimal response quality.

Flexible and tailor-made services

As a truly-flexible company, Poolstar provides personalized responses according to your profile, requests and constraints. A dedicated support for exchanging with sales teams in the field and in our offices enhances communication with our customers.

Commitment to continual improvement

In an effort to always improve customer satisfaction, Poolstar carries out studies and uses those results to progress. Driven by a commitment to continue our service quality improvement, we remain constantly attentive to your needs.

A wide range

Poolstar offers you a wide range of products in every category; sizes, power, colours, materials... we are able to fully meet your customers' expectations. Poolstar has a solution for each demand!

State-of-the-art features

Poolstar creates products embracing best-in-class technologies and features for all its categories. Poolstar ensures product performances..



Customer Service on hand

Our Customer Service is on hand to help you. The team will guide you, advise you and find solutions to your queries. You work with a dedicated contact person who knows your customer record, your expectations and your needs fully.

Extended support

Our teams accompany you by delivering business-specific training. We propose tutorials and practical datasheets, and we have all the information ready to help with your sales.

Poolstar is actively involved in an Expert Tour in France. This tour brings together several swimming pool professionals, an excellent opportunity to share!

A well-studied supply chain

Our new premises enable us to optimize logistics and deliveries meaning you receive your products as quickly as possible. We are equipped with twenty-three loading bays ensuring fluidity and efficiency.

Dropshipping: save on shipping costs

To enable you to retain your margins, Poolstar proposes a service which makes all the difference: Dropshipping, meaning direct delivery to your customer. You specify your customer's contact details and we deliver to them directly. You save on shipping costs and gain a delivery day. A win-win solution for everyone concerned.

POOLSTAR 2021, INNOVATION... OUR DNA



Comprehensive range, 90 % Full Inverter

Always at the forefront of technology, Poolex is once again setting itself apart in a rapidly expanding market, and equips its entire range of heat pumps with Full Inverter, a technology which is more economical and quieter.

The Poolex range is an ally of choice as it covers swimming pools from 20 to 700m³, in the most extreme conditions of -15 ° C, even -25 ° C.


In a horizontal or vertical shape, you will necessarily find a Poolex made for you.



A proprietary hybrid system

Already very present on the solar showers market, Formidra puts its innovation at your service with its DADA range using its hybrid technology. A technology that allows you to enjoy a hot shower all year round, regardless of weather conditions.

An argument of choice for individuals and communities.



Featherweight aluminium structure

Leader on the aquabike international market, Waterflex is revolutionizing the market by opting for aluminium instead of stainless steel in the structure of its bikes. The advantage is instantaneous: 40% lighter while retaining the rigidity that has made Waterflex aquabikes so successful.

Introducing and retrieving equipment from the water becomes a formality and does not present a risk anymore for the coach.



A Best-Seller semi-rigid structure!

Providing a sturdier solution than an inflatable spa without having to go to the extent of a rigid acrylic spa is now possible. NetSpa offers a collection of hot tubs equipped with a foam structure that is assembled like an inflatable spa.

Rigidity and sturdiness meet comfort with the accompanying furniture - a winning package.



Dual Healthy infrared and hybrid

Customers are not mistaken, tomorrow's sauna will be hybrid. That is why Holl's is consolidating its range of hybrid saunas to allow you to enjoy either a steam or an infrared session (quartz or magnesium), depending on the mood of the moment and the expected benefits. A 3 in 1 solution, very popular when choosing a sauna.



A complete offer over the entire range

A trusted partner in home wellness, France Sauna equips its saunas with technologies that meet all types of users, from the fan of the steam cabin with intense heat to the one preferring a softer heat that acts at the

heart of the musculo-articular system. Dual Healthy Quartz + Magnesium saunas combine the entire infrared spectrum for targeted and personalized use.


POOLSTAR, SUCCESSFUL INTERNATIONAL DEVELOPMENT

Poolstar is present in fifty countries

Today, Poolstar is present in fifty countries in Europe and around the world, representing a total of 25% of our turnover. We keep continuing our sales growth significantly in Europe.

Poolstar, become part of our winning network

To develop our international business, we rely on partnerships with local and trans-European companies. A winning network, which we invite you to join! Some of our partners work with us across the entire sales chain: logistics, after-sales, etc.



POOLSTAR'S SALES NETWORK



SALES DIRECTOR
Éric TOMÉ BELMONTE
Tel: +33 (0)6 59 25 56 55
eric.tomebelmonte@poolstar.fr



WEST
Charles ROUSSEL
Tel: +33 (0)6 98 55 11 84
charles.rousseau@poolstar.fr



SOUTH-WEST
Stéphane CAMINADE
Tel: +33 (0)6 99 47 02 21
stephane.caminade@poolstar.fr



CENTER-EAST
Jean-Pierre CERISIER
Tel: +33 (0)6 07 24 10 49
jeanpierre.cerisier@poolstar.fr



SOUTH
Valérie BONAVENTURE
Tel: 33 (0)7 60 85 74 30
valerie.bonaventure@poolstar.fr



KEY ACCOUNTS
Fanny PIZZICHINI
Tel: 33 (0)6 67 03 00 95
fanny@poolstar.fr



NORTH-EAST
Salvatore CARTA
Tel: 33 (0)7 66 16 72 65
salvatore.carta@poolstar.fr



CENTER
Xavier BLANCHARD
Tel: 33 (0)6 09 08 14 44
xavier.blanchard@poolstar.fr



SOUTHERN-PYRENEES
Nathalie PERRIN
Tel: 33 (0)6 67 36 63 39
nathalie.perrin@poolstar.fr



SOUTH-WEST
Jennifer FOURCADE
Tel: 33 (0)7 68 14 93 74
jennifer.fourcade@poolstar.fr




ITALY & SWITZERLAND
Marie ARDOUIN
Tel: 33 (0)6 67 87 63 87
marie@poolstar.fr



GERMANY
Thomas ZEYER
Tel : +33 (0)6 26 94 35 25
thomas.zeyer@poolstar.fr



BENELUX & UK
Monique RIDDER
Tel: +33 (0)7 76 02 65 01
monique@poolstar.fr



POOLSTAR'S SALES NETWORK



SALES MANAGER SPAIN / PORTUGAL

Jean FERNANDEZ

Tel: +34 960 130 575
Mov: +34 625 826 76
juan.fernandez@poolstar.es



SALES ASSISTANT

Teresa FERNANDEZ

Tel: +34 620 788 954
teresa@poolstar.es

Tel: +34 960 130 507
pedidos@poolstar.es



Juanma RODA

Mov: +34 601 49 66 80
juanma@poolstar.es




Víctor LUQUE

Mov: +34 670 810 013
victor@poolstar.es



Alfonso CHICO DE GUZMAN

Mov: +34 600 665 426
alfonso@poolstar.es



SWIMMING POOL EQUIPMENT



POOLEX

FOLLOW THE EXPERT

By building on the expertise of its in-house research and development department, Poolex has imagined a Premium range of heat pumps intended especially for professionals.

Inspired by technology used in other sectors, such as the aeronautical industry, we have been able to fine-tune our know-how to offer models with higher performance, equipped with cutting-edge technology and more in line with environmental constraints.

EVER-MORE INNOVATION

As such, virtually all our heat pump ranges include Full inverter technology and the presence of the new R32 gas. Our new models are also equipped with a LED system and Wi-Fi function. New designs and noble materials make each model one-of-a-kind.

The Variline variable-speed filter pump and the Chloé electrolyser are new additions that complete our portfolio.

A POOLEX FOR EVERY POOL

Small or large pool, space-saving or a desire for deco... Our different products are available in a wide array of output rates, enabling us to propose an extensive selection to fit all pools on the market.

SWIMMING POOL HEATING

OFFLINE




P.12

PLATINIUM
from 9 to 15.5 kW



P.14

JETLINE PREMIUM Fi
from 5.7 to 20.7 kW



NEW FOR 2021

P.16

VERTIGO
from 5.5 to 35 kW



NEW FOR 2021

P.18

PLATINIUM MINI
from 5 to 7 kW



NEW FOR 2021

P.20

SILENT JET Fi
from 6.1 to 20.5 kW



NEW FOR 2021

P.22

ARTICLINE Fi
15.5 kW



P.24

ARTICLINE ON/OFF
15.5 kW



P.26

MEGALINE
from 50 to 100 kW



NEW FOR 2021

P.28

NANO TURBO
3.1 kW

ONLINE



NEW FOR 2021

P.34

Q-LINE 7
7 kW



P.36

JETLINE SELECTION Fi
from 7.5 to 21 kW



P.38

SILVERLINE Fi
from 7 to 21 kW



P.40

SILVERLINE
from 5.5 to 22 kW



P.42

NANO ACTION
from 3 to 5 kW



P.44

NANO ACTION RÉVERSIBLE
from 3 to 5 kW

TREATMENT & FILTRATION



P.30

VARILINE
Variable-speed filter pump



P.32

CHLOÉ
Salt electrolyser



P.46

COYOTE
Autonomous pool robot



P.47

FILTRATION GROUP


MAINTENANCE & ACCESSORIES

UCONNECT.....	P.48
KIT BY-PASS 32/38 MM.....	P.49
KIT BY-PASS 50 MM.....	P.49
WIFI MODULE.....	P.50
PURE FLOW.....	P.50
CLEANPAC.....	P.51
BIG FOOT.....	P.51



COP $\geq 7,3$
15/26*

< 21 dB
A 10 M**



PLATINIUM

DESIGN CONCEPT & PERFORMANCES



MAIN FEATURES

State of the art design

Full Inverter Technology

Aluminium casing

WiFi integrated

LED lighting

Because at Poolex, we do not believe in compromising striking design over performance, we have created the Poolex Platinum.

Poolex finally offers users a solution to their concern: how to efficiently hide one's heat pump? And if it was instead openly featured?

Its modern design includes the latest Full Inverter technology with a guaranteed COP over 7 and absolute silence at less than 21db at 10m. As it is the case for the whole Poolex range, the Platinum also features the new, more eco-friendly and efficient R32 refrigerant..

With its three operating modes (INVERTER / ECO SILENCE / CRUISE) you can decide instantly just how you'd like your HP to operate.

Worldwide innovation: The integrated ambiance LEDs tell you straight away about the operating state of your HP.

The guarantee: As of 2019, Poolex has extended the guarantee on all its compressors to 7 years for the entire premium range.

PREMIUM WARRANTIES

Heat Pump **3years**

Compressor **7years**

Titanium coil
anti corrosion warranty **15years**

* Average coefficient of performance greater than 7.3 according to European standards (Air 15°C, Water 26°C, Hygro 70%), TÜV-certified.

** Average noise at 10 m from the heat pump in full inverter mode.



ADVANTAGES

- Exclusive design
- Full Inverter Technology
- Ultra silent
- Reversible
- Eco-friendly R32 refrigerant
- Automatic defrosting via cycle inversion
- Twisted Tech® titanium heat exchanger
- Compatible with salt treatment

TECHNOLOGY


- Up to 30% energy savings for 1 year
- Soft start
- Variable frequency compressor and fan
- Significant reduction in sound pressure



Poollex

WIFI CONNECTION

- Control from your smartphone
- Real-time indications



LED INDICATOR


Green :
your HP has reached its target temperature

Blue :
your pool is being heated.

Red :
action required.



Delivered on a wooden pallet



Isothermal winter storage cover



Maintenance kit & user manual


 PVC connectors
Ø50 mm 1"½


Condensate discharge pipe



Anti-vibration support kit

ACCESSORIES INCLUDED

 E.U. STANDARD
TÜV CERTIFIED

Data based on french territory and provided for informational purposes only and may change without notice.

		POOLEX PLATINIUM 90	POOLEX PLATINIUM 120	POOLEX PLATINIUM 155
Swimming pool volume (m ³)		from 45 to 65 m ³	from 65 to 85 m ³	from 80 to 115 m ³
Reference :PC-VG0		090	120	155
Air 26 °C Water 26 °C Hygro 80%	Max. power output (kW)	12,2	15,1	20,93
	Min. power output (kW)	2,78	4,7	5,23
	Power consumption (kW)	1,79 ~ 0,2	2,22 ~ 0,26	3,22 ~ 0,46
	COP	13,3 ~ 6,8	13,3 ~ 6,8	11,37 ~ 6,5
Air 15 °C Water 26 °C Hygro 70%	Max. power output (kW)	9,03	12,1	15,5
	Min. power output (kW)	2,09	2,8	3,88
	Power consumption (kW)	1,86 ~ 0,28	2,5 ~ 0,4	3,39 ~ 0,57
	COP	7,3 ~ 4,83	7,3 ~ 4,8	6,8 ~ 4,57
Power supply		Mono 230 V / 50 Hz		
Heating temperature range		15°C / 40°C		
Operating range		-10°C / 43°C		
Max power (kW)		16	20	21,86
Flow (m ³ /h)		3,3	4,4	6,7
Refrigerant		R32		
Packaging dimensions (mm)		Ø1 040 x 1010		
Dimensions (mm)		Ø935 x 845		
Net / gross weight (kg)		59 / 67	65 / 73	75 / 83
Noise level at 1 m (dB(A))		<48 ~ <40	<50 ~ <41	<52 ~ <42
Noise level at 10 m (dB(A))		<29 ~ <21	<31 ~ <23	<32 ~ <24
Compressor type		Rotary		
Compressor brand		Mitsubishi		
Heat exchanger		Twisted Tech® Titanium		
Function		EcoBoost & EcoSilence Inverter / Heating / Cooling		
Load losses (mCE)		1,1	1,1	1,1



COP $\geq 7,63$
15/26*

<20 dB
A10M**

JETLINE PREMIUM Fi

YOUR REFERENCE IN HEAT PUMPS



MAIN FEATURES

Full Inverter technology

Elegant aluminium façade

Integrated WiFi Connection

Indicative LED

PREMIUM WARRANTIES

Heat Pump **3years**

Compressor **7years**

Titanium coil corrosion warranty **15years**

For its 2020 edition, the Pooler Jetline Premium renews itself and adopts the Full Inverter technology wrapped up in an elegant design.

The Full Inverter technology comes with only its advantages. A considerable reduction in electricity consumption and in sound pressure, as well as an increased lifetime thanks to its soft start functionality.

In 2020, the heat pump becomes trendy and is proudly featured by the poolside. Its thermocoated aluminium face combines elegance and high performance to provide a heat pump easy to handle on a daily basis.

The new control panel with wired extension at 10m features the Eco Inverter and Power Inverter operating modes. The heat pump can be controlled remotely through one's smartphone thanks to the integrated WiFi module. The extra bit to make life even easier, LED indicators have been added at the front of the heat pump to inform the user, at a glance, of the current status.

The Jetline Premium Fi keeps, however, all its features that contributed to its success: its reversible function that allows it to operate down to -15°C, its automatic defrosting capacity and its titanium twisted tech heat exchanger guaranteed 15 years. Confident of the reliability of our products, the Jetline Premium Fi is guaranteed 3 years.

* Average coefficient of performance above 7.63 according to European standards (Air 15 °C, Water 26 °C, Hygro 70 %) TÜV certified
** Average noise level at 10 m from the HP en Full Inverter mode



ADVANTAGES

- Efficient & economical
- Ultra-silent
- Available in single and three phase
- Reversible
- Eco-friendly R32 refrigerant
- Automatic defrosting via inversion de cycle
- Twisted Tech® titanium heat exchanger
- Compatible with salt treatment

TECHNOLOGY

- Up to **30 %** energy savings over a year
- Soft start
- Variable speed compressor & fan
- Important reduction in acoustic pressure



Poollex

WIFI CONNECTION

- Control through your smartphone
- Real time indications



INDICATIVE LED

- Green:**
target temperature has been reached.
- Blue:**
the swimming pool is heating.
- Red:**
the HP is not operating.

ACCESSORIES INCLUDED



Delivered on a wooden pallet



Isothermal winter cover



Maintenance kit & User manual


 PVC connectors
Ø50 mm 1"½


Extension cord for wired control (10 m)



Condensate discharge pipe



Anti-vibration support kit

 E.U. STANDARD
T.U.V. CERTIFIED

Data based on french territory and provided for informational purposes only and may change without notice.

		JETLINE PREMIUM 55	JETLINE PREMIUM 75	JETLINE PREMIUM 95	JETLINE PREMIUM 125	JETLINE PREMIUM 155	JETLINE PREMIUM 210	JETLINE PREMIUM 155 Tri	JETLINE PREMIUM 210 Tri
Swimming pool volume		30-45 m³	40-55 m³	50-70 m³	65-95 m³	80-115 m³	110-145 m³	80-115 m³	110-145 m³
Reference: PC-JLP		055N	075N	095N	125N	155N	210N	155TN	210TN
Air 26°C Water 26°C Hygro 80 %	Max. power output (kW)	7.62	10.21	13.12	16.52	21.01	28.23	21.01	28.42
	Min. power output (kW)	1.75	2.34	3.02	3.79	4.83	6.49	4.83	6.53
	Power consumption (kW)	1.10~0.13	1.47~0.17	1.88~0.22	2.38~0.28	3.03~0.36	4.06~0.48	3.03~0.36	4.08~0.48
	COP	13.52~6.91	13.54~6.93	13.61~6.98	13.57~6.95	13.56~6.94	13.57~6.95	13.56~6.94	13.59~6.96
Air 15°C Water 26°C Hygro 70%	Max. power output (kW)	5.74	7.62	9.73	12.61	15.74	20.68	15.74	20.75
	Min. power output (kW)	1.33	1.76	2.23	2.87	3.59	4.77	3.59	4.79
	Power consumption (kW)	1.16~0.18	1.54~0.23	1.95~0.29	2.54~0.38	3.18~0.47	4.17~0.63	3.18~0.47	4.18~0.63
	COP	7.53~4.94	7.58~4.95	7.63~4.98	7.61~4.96	7.57~4.95	7.59~4.96	7.57~4.95	7.59~4.97
Power supply		Mono 230 V / 50 Hz						Tri 380 415 V	
Heating temperature range		15 °C ~ 40 °C							
Operating range		-15 °C ~ 43 °C							
Max. power (kW)		2.053	2.853	3.656	3.925	4.985	5.962	4.985	5.962
Flow (m³/h)		2.5	3.5	4.5	5.5	6.5	9	6.5	9
Refrigerant		R32							
Packaging dimensions (mm)		930x425x660			990x445x760		1154x500x860	990x445x760	1154x500x860
Dimensions (mm)		840x400x536			896x438x636		1060x485x736	896x438x636	1060x485x736
Net / Gross weight (kg)		45 / 58	49 / 63	57 / 72	62 / 77	68 / 83	79 / 96	68 / 83	79 / 96
Noise level at 1 m (dB(A))		<38~<47	<39~<47	<40~<49	<41~<49	<41~<50	<42~<51	<41~<50	<42~<51
Noise level at 10 m (dB(A))		<20~<28	<20~<28	<21~<30	<22~<31	<23~<31	<24~<33	<23~<31	<24~<33
Compressor type		Twin rotary							
Compressor brand		Mitsubishi							
Heat exchanger		Twisted Tech© Titanium							
Function		Eco & Boost Inverter / Heating / Cooling							
Load losses (mCE)		0.9	1	1.1	1.1	1.1	1.1	1.1	1.2

NEW FOR
★ 2021



COP
15/26* ≥ 7.61

19 A10 M** dB



One heat pump for
all swimming pools
from 30 to 250m³

VERTIGO Fi

INNOVATIVE DESIGN
& CUTTING-EDGE TECHNOLOGIES



Upward ventilation



LED
Indicative Technology



Integrated WiFi



POWER
TRI



PATENTED
ANTIFREEZE
SYSTEM



NEW
R32
OZONE FRIENDLY



COMPRESSOR
MITSUBISHI
INVERTER

MAIN FEATURES

Upward ventilation

Full Inverter technology

Contemporary design

Wide range of capacities

from 20 to 250 m³

Indicative LED

PREMIUM WARRANTIES

Heat Pump **3years**

Compressor **7years**

Titanium coil
anti corrosion warranty **15years**

As a latest generation heat pump, the Vertigo Fi aims to be efficient, economical and silent.

The Vertigo Fi heat pump combines all the features that have made the One Fi and the Triline Fi so successful, and is available in 11 capacities from 5.5 to 35 kW: the largest range at Poolex. It incorporates Full Inverter technology with a multi-frequency compressor and a variable-speed fan which considerably reduce electrical consumption and sound pressure thanks to a soft start functionality and continuous operation at reduced speed, avoiding any peak in consumption.

The Vertigo Fi combines design and cutting-edge technologies. In a vertical form and with upward ventilation requiring a small discharge area, this heat pump can be installed in a confined space.

Poolex's LED technology has been integrated on the Vertigo Fi. It is designed for ease of use with three colors indicating the operating status of the heat pump.

Convinced of the excellence of its products, Poolex warrants its heat pump for 3 years, 7 years on its compressor and 15 years against corrosion of its exchanger.

* Average coefficient of performance above 7.61 according to European standards (Air 15°C, Water 26°C, Hygro 70%) TÜV certified

** Average noise level at 10 m when HP is in Full Inverter mode



ADVANTAGES

- Uses little floor space
- Quieter thanks to its upward ventilation
- Available in single and three phase
- Reversible
- Eco-friendly R32 refrigerant
- Automatic defrosting via cycle inversion
- Twisted Tech® titanium heat exchanger
- Compatible with salt treatment

UPWARD VENTILATION

Upward ventilation represents significant space gain not only from a floor space standpoint, but also because the required discharge area is reduced by half.

It is also an important advantage in terms of noise reduction as most of the acoustic pressure is sent upward in the ventilation tunnel.



Poollex

WIFI CONNECTION

- Control with your smartphone
- Real time indications



FROM 5 TO 35kW

Covering the needs for swimming pools from 35 to 250 m³, the Vertigo is the range of heat pumps with the widest use in terms of swimming pool volumes, which enables you to meet the broadest market.



ACCESSORIES INCLUDED



Delivered on a wooden pallet



Isothermal winter storage cover



Maintenance kit & user manual



PVC connectors
Ø50 mm 1"½



Condensate discharge pipe



Anti-vibration support kit

E.U. STANDARD
TUV CERTIFIED

Data based on French territory and provided for informational purposes only and may change without notice.

Vertigo Fi		55	75	95	125	155	200	240	155 Tri	200 Tri	240 Tri	300 Tri	350 Tri
Swimming pool volume (m³)		30-45	40-55	50-70	70-90	80-115	110-140	140-170	80-115	110-140	140-170	170-210	210-250
Reference :PC-VGO		055	075	095	125	155	200	240	155	200T	240T	300T	350T
Air 26 °C Water 26 °C Hygro 80%	Max. power output (kW)	7.70	10.35	13.27	16.53	21.2	26.82	32.63	21.2	26.86	32.66	40.3	45.05
	Min. power output (kW)	1.60	1.95	2.41	2.89	3.69	5.47	6.34	3.69	5.45	6.31	8.69	7.79
	Power consumption (kW)	1.13~0.10	1.51~0.13	1.95~0.16	2.39~0.19	3.09~0.24	4.17~0.37	4.82~0.41	3.09~0.24	4.16~0.37	4.83~0.41	5.99~0.57	6.81~0.51
	COP	15.28~6.83	15.34~6.86	13.44~6.46	15.32~6.92	15.16~6.86	14.82~6.43	15.32~6.77	15.16~6.86	14.78~6.45	15.36~6.76	15.32~6.73	15.22~7.09
Air 15 °C Water 26 °C Hygro 70%	Max. power output (kW)	5.82	7.82	9.83	12.62	15.83	20.03	24.22	15.83	20.06	24.24	30.06	35.02
	Min. power output (kW)	1.25	1.52	2.01	2.43	3.15	4.67	5.38	3.15	4.65	5.35	7.40	6.63
	Power consumption (kW)	1.18~0.17	1.58~0.20	2.00~0.26	2.6~0.32	3.28~0.42	4.43~0.64	5.00~0.72	3.28~0.42	4.43~0.64	5.02~0.71	6.25~0.99	7.4~0.89
	COP	7.53~4.93	7.56~4.95	7.61~4.92	7.52~4.86	7.54~4.82	7.33~4.52	7.51~4.84	7.54~4.82	7.31~4.53	7.53~4.83	7.51~4.81	7.46~4.73
Power supply		220-240 V~ /50 Hz							Tri 380 V / 3 / 50 Hz				
Heating temperature range		15~40 °C											
Operating range		-10~43 °C											
Max power (kW)		1.6	2	2.8	3.3	4.8	5.8	6.5	4.8	5.8	6.5	8.2	9
Flow (m³/h)		2.4	3.2	4	5.0	6.7	8.5	10.5	6.7	8.5	10.5	13.0	15.0
Refrigerant		R32											
Packaging dimensions (mm)		570x570x830			635x635x920			720x720x1170	635x635x920			720x720x1170	
Dimensions (mm)		510x510x690			575x575x780			660x660x1030	575x575x780			660x660x1030	
Net / gross weight (kg)		30 / 33	35 / 38	40 / 43	47 / 55	52 / 60	100 / 115	104 / 119	52 / 60	104 / 119	104 / 119	120 / 145	120 / 145
Noise level at 1 m (dB(A))		36~45	38~46	38~46	41~50	42~52	47~56	48~57	42~52	48~57	48~57	49~59	49~59
Noise level at 10 m (dB(A))		19~27	20~28	20~28	23~31	24~32	28~37	29~38	24~32	29~38	29~38	30~39	30~39
Compressor type		Rotary		Twin rotary									
Compressor brand		TOSHIBA										MITSUBISHI	
Heat exchanger		Twisted Tech© Titanium											
Function		Eco & Boost Inverter / Heating / Cooling											
Load losses (mCE)		1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1	1.1

NEW FOR
★ 2021



Special design for
small swimming pools

COP
15/26* ≥ 7.56

< 19 A10 M**
dB



PLATINIUM MINI

BOLDNESS IN ALL SHAPES



Upward ventilation



WiFi integrated



MAIN FEATURES

Full Inverter technology

Bold ABS design

WiFi connection integrated

Available in 2 powers
from 30 to 50 m³

Indicative LED

PREMIUM WARRANTIES

Heat Pump **3years**

Compressor **7years**

Titanium coil
anti corrosion warranty **15years**

A bold design in ABS and available in 2 powers to meet the needs of the majority of pools up to 50 m³.

In line with the Platinum, flagship of the Poolex brand, the Platinum Mini and its original design blends harmoniously into the architecture of your garden.

Available in 2 powers for swimming pools with a maximum volume of 50 m³, the Platinum Mini is equipped with all the features for which Poolex heat pumps are renowned: Full Inverter technology, WiFi control and LED indicators.

With Full Inverter technology, the heat pump operates in a more stable manner to stay close to the set temperature at all times, avoiding peaks and reducing energy consumption considerably. The Platinum Mini is a silent pump that can be proudly displayed in its outdoor space. Its vertical ventilation enables the evacuation of used air away from the surface where it stands, thus saving significant installation space.

The integrated LED indicators provide a touch of elegance while having a more than useful feature: instant visualization of the operating status of the pump.

* Average coefficient of performance above 7.57 according to European standards (Air 15°C, Water 26°C, Hygro 70%) TÜV certified
** Average noise level at 10 m when HP is in Full Inverter mode



ADVANTAGES

- ABS casing
- Compact
- Vertical ventilation
- Reversible
- Eco-friendly R32 refrigerant
- Compatible with salt treatment
- Automatic defrosting via cycle inversion
- Twisted Tech© titanium heat exchanger

SUBLIMATE YOUR SWIMMING POOL

Let the boldness in you express itself! The Platinum Mini renews trends with its bold design and Full Inverter technology. Silent and economical, it can be installed near relaxation areas without particular disturbance.



Pooler

WIFI CONNECTION

- Control with your smartphone
- Real time indications



80 % OF POOLS

Available in 2 powers, 5 and 7 kW, the Platinum Mini can cover up to 80% of current residential swimming pools. In France, average private swimming pool volume is 45m³.

ACCESSORIES INCLUDED



Delivered on a wooden pallet



Isothermal winter storage cover



Maintenance kit & user manual



PVC connectors Ø50 mm 1"½



Extension cord for wired control (10 m)



Condensate discharge pipe



Anti-vibration support kit

 E.U. STANDARD
TUV CERTIFIED

Data based on French territory and provided for informational purposes only and may change without notice.

Platinum Mini		50	70
Swimming pool volume		30-40 m³	40-50 m³
Reference :PC-PLA-		050	070
Air 26 °C	Max. power output (kW)	7.06	9.04
Water 26 °C	Min. power output (kW)	1.99	2.08
Hygro 80 %	Power consumption (kW)	1.04~0.13	1.33~0.14
	COP	15.24~6.82	15.18~6.82
Air 15 °C	Max. power output (kW)	5.08	7.02
Water 26 °C	Min. power output (kW)	1.62	1.71
Hygro 70 %	Power consumption (kW)	1.05~0.22	1.44~0.23
	COP	7.53~4.83	7.56~4.86
Power supply		220-240 V~ /50 Hz	
Heating temperature range		15~40 °C	
Operating range		-10~43 °C	
Max power (kW)		1.6	2
Flow (m³/h)		2.2	3.2
Refrigerant		R32	
Packaging dimensions (mm)		700x700x800	
Dimensions (mm)		640x640x660	
Net / gross weight (kg)		37 / 45	40 / 47
Noise level at 1 m (dB(A))		36~45	38~46
Noise level at 10 m (dB(A))		19~27	20~28
Compressor type		Rotary	
Compressor brand		MITSUBISHI	
Heat exchanger		Twisted Tech© Titanium	
Function		Eco & Boost Inverter / Heating / Cooling	
Load losses (mCE)		1.1	1.1

NEW FOR
★ 2021



COP
15/26* ≥ 7.9

< 19^{A10 M**} dB



SILENT JET Fi

A HEAT PUMP THAT KNOWS HOW TO BE DISCREET



Rear Vent



WiFi integrated



Salt treatment



MAIN FEATURES

Full Inverter technology

New technology
rear-wheel drive

WiFi connection integrated

Available in 7 powers
from 35 to 150 m³

PREMIUM WARRANTIES

Heat Pump **3years**

Compressor **7years**

Titanium coil
anti corrosion warranty **15years**

A reduced noise level never reached thanks to a concentrate of innovative technologies.

Dressed in a sleek-looking casing, the Silent Jet Fi flaunts its cutting edge technologies right next to the swimming pool in full view of all: rear blowing and Full Inverter technology turn it into the quietest heat pump on the market.

Full Inverter technology translates into significant energy savings of up to 35% compared to an on/off heat pump. This is enabled through functionalities such as soft-start and an operating speed which continuously adapts itself according to the pool set temperature. This cutting-edge technology also means that the Silent Jet Fi is extremely quiet since its compressor and fan rarely turn at full speed.

Add to this a ventilation to the rear and the sound volume of this heat pump is further reduced to actually blend into the natural outside noise.

Discreet in its operation, the Silent Jet Fi fits perfectly around the pool and its contemporary design brings a touch of elegance to the outdoor space.

* Average coefficient of performance above 7.57 according to European standards (Air 15°C, Water 26°C, Hygro 70%) TUV certified
** Average noise level at 10 m when HP is in Full Inverter mode




ADVANTAGES

- Full Inverter mode + 35% savings
- Rear ventilation
- Never reached level of silence
- Soft start
- Compatible with salt treatment
- Twisted Tech © Titanium heat exchanger

INNOVATION 2021: REAR-WHEEL DRIVE

Finished the flow of cold air from the front thanks to the rear blower. This solution makes it possible to significantly reduce the acoustic pressure while maintaining first-rate performance. This architecture, coupled with Full Inverter technology, makes this heat pump almost completely silent.



Poollex


WIFI CONNECTION

- Control with your smartphone
- Real time indications



SILENT

Coupling Full inverter technology with the new rear-blowing architecture, the Silent Jet Fi achieves a level of silence never before achieved for a swimming pool heat pump.



ACCESSORIES INCLUDED




Delivered on a wooden pallet



Isothermal winter storage cover



Maintenance kit & user manual



PVC connectors Ø50 mm 1 1/2"



Condensate discharge pipe



Anti-vibration support kit

Silent Jet Fi		60	90	120	160	210	160 TRI	210 TRI
Swimming pool volume		35-50 m³	50-70 m³	65-85 m³	80-115 m³	115-150 m³	80-115 m³	115-150 m³
Reference : PC-SLT		060	090	120	160	210	160T	210T
Air 26 °C Water 26 °C Hygro 80 %	Max. power output (kW)	7,08	12,5	15,5	21,5	22	27	27
	Min. power output (kW)	2,46	2,08	2,4	3,3	3,3	4,3	4,3
	Power consumption (kW)	1,3~0,18	1,93~0,22	2,35~0,25	3,33~0,31	3,34~0,25	4,3~0,27	4,3~0,27
	COP	13,5~6,1	16,5~6,1	16,6~6,5	16,7~6,2	17,1~6,6	16,5~6,3	16,5~6,3
Air 15 °C Water 26 °C Hygro 70 %	Max. power output (kW)	6,1	9,05	11,5	16	16	20,5	20,5
	Min. power output (kW)	1,4	1,6	1,9	2,48	2,6	3,2	3,2
	Power consumption (kW)	1,3~0,18	1,93~0,22	2,35~0,25	3,33~0,31	3,2~0,33	4,36~0,41	4,36~0,41
	COP	7,5~4,7	7,2~4,7	7,6~4,9	7,7~4,8	7,9~5,0	7,8~4,7	7,8~4,7
Power supply		230V/1 Ph/50Hz				380~415V/3 Ph/50Hz	230V/1 Ph/50Hz	380~415V/3 Ph/50Hz
Heating temperature range		15~40 °C						
Cooling temperature range		8~28 °C						
Operating range		-7~43 °C						
Max power (kW)		1.7	2.6	3.2	4	4	5.3	5.3
Flow (m³/h)		2-4	4-6	5-7	7-9	7-9	9-11	9-11
Refrigerant		R32						
Packaging dimensions (mm)		944x420x802	1043x440x802	1147x454x882		1279x484x972		
Dimensions (mm)		870x355x622	975x376x622	1040x406x722		1060x436x822		
Net / gross weight (kg)		46 / 52	56 / 63,5	69 / 77	73 / 81	89 / 98	92 / 100	92 / 100
Noise level at 1 m (dB(A))		37~49	38~50	39~51	40~52	40~52	45~56	45~56
Noise level at 10 m (dB(A))		19~28	19~29	20~30	21~31	21~31	23~35	23~35
Compressor type		Hermetic DC rotary inverter compressor						
Compressor brand		TOSHIBA						
Heat exchanger		Twisted Tech© Titanium						
Function		Eco & Boost Inverter / Heating / Cooling						
Load losses (mCE)		1,1	1,1	1,1	1,1	1,1	1,1	1,1

NEW FOR
★ 2021



4 seasons,
down to -25°C

COP $_{15/26^*} \geq 7.58$



< 23 $_{A10M^{**}}$ dB



ARTICLINE Fi

PERFORMING DOWN TO -25°C



WiFi integrated



MAIN FEATURES

Operates down to -25°C

Full Inverter technology

Heavy tech unique
compresseur

Aluminium facade design

WiFi connection integrated

Indicative LED

For 2021, the Poolstar Articlina renews itself by adopting Full Inverter technology and sporting an elegant design.

Specially designed to withstand cold climate, the Articlina Fi heat pump is equipped with advanced Full Inverter technology to always bring you more savings. Thanks to a soft progressive start and continuous operation at reduced capacity to maintain the set temperature, the Articlina Fi can save up to 30% on energy consumption.

The basic philosophy of the Articlina Fi is to solve the problem of heating swimming pools all year round, on 100% of French territory and 80% of European territory. Therefore, the heat pump is equipped with a 4-way valve and an advanced GMCC compressor, two essential components of the defrost cycle, used in the refrigeration industry.

All this translates into remarkable performance over very low temperature ranges with an optimal COP of around 7.6 making the Articlina Fi the ideal heat pump for mountainous areas or extreme climate conditions. The swimming pool becomes an attraction all year round, whatever the outside temperature, even at -25°C.

Poolstar, certain of the reliability of its Premium range, extends its warranty to 3 years and offers an onsite repair service under certain conditions.

PREMIUM WARRANTIES

Heat Pump **3years**

Compressor **7years**

Titanium coil
anti corrosion warranty **15years**

* Average coefficient of performance above 7.61 according to European standards (Air 15°C, Water 26°C, Hygro 70%) TÜV certified

** Average noise level at 10 m when HP is in Full Inverter mode



ADVANTAGES

- Genuine 4 season
- Efficient & economical
- Ultra quiet
- Reversible
- Eco-friendly R32 refrigerant
- Automatic defrosting via cycle inversion
- Twisted Tech® titanium Heat exchanger
- Compatible with salt treatment

TECHNOLOGY

- Up to **30 %** energy savings over a year
- Soft start
- Variable speed compressor & fan
- Important reduction in acoustic pressure



Poollex

WIFI CONNECTION

- Control with your smartphone
- Real time indications



LED INDICATIVES

- Green:**
target temperature has been reached.
- Blue:**
the swimming pool is heating.
- Red:**
the HP is not operating.

ACCESSORIES INCLUDED



Delivered on a wooden pallet



Isothermal winter storage cover



Maintenance kit & user manual


 PVC connectors
Ø 50mm 1"½


Extension cord for wired control (10 m)



Condensate discharge pipe



Anti-vibration support kit

 STANDARD E.U.
TÜV. CERTIFIED

Data based on French territory and provided for informational purposes only and may change without notice.

Swimming pool volume		ArticLine Fi 155
Reference: PC-ALP		50-85 m³
Air 26 °C Water 26 °C Hygro 80 %	Max. power output (kW)	155N
	Min. power output (kW)	20,63
	Power consumption (kW)	4.78
	COP	2.96~0.35
Air 15 °C Water 26 °C Hygro 70 %	Max. power output (kW)	13.58~6.96
	Min. power output (kW)	15.52
	Power consumption (kW)	3.55
	COP	3.13~0.47
Air -25 °C Water 26 °C Hygro 70 %	Max. power output (kW)	7.58~4.96
	Min. power output (kW)	8.21
	Power consumption (kW)	1.82
	COP	3.67~0.30
Power supply		6.11~2.24
Heating temperature range		Mono 230 V / 50 Hz
Operating range		15 °C~40 °C
Max power. (kW)		-25 °C~43 °C
Flow (m³/h)		3.08
Refrigerant		7
Packaging dimensions (mm)		R32
Dimensions (mm)		990x435x760
Net / gross weight (kg)		925x388x642
Noise level at 1 m (dB(A))		69 / 84
Noise level at 10 m (dB(A))		<41~<50
Compressor type		<23~<31
Compressor brand		Heavy tech
Heat exchanger		Toshiba
Function		Twisted Tech© Titanium
		Eco & Boost Inverter / Heating / Cooling




4 seasons,
down to -25°C

COP ≥ 5.01
15/26*



<32 dB
A10 M**



ARTICLINE ON/OFF

EFFICIENT DOWN TO -25 °C



MAIN FEATURES

Operates down to -25°C

Heavy tech exclusive
compressor

Operates 12 months / 12

LCD control panel

PREMIUM WARRANTIES

Heat Pump **3years**

Compressor **7years**

Titanium coil
anti corrosion warranty **15years**

Regions with extreme climates have the right to their own heat pump, that is why POOLEX created the ARTIC LINE.

The ARTIC LINE Premium is specially designed for areas with cold climates. Its underlying philosophy is to tackle the challenge of heating pools 12 months out of the year, across all of France and 80% of Europe.

Its Heavy Tech compressor means that it can overcome the problem of a lack of refrigerant flow when the temperature is too low, thanks to its high capacity.

This translates into remarkable performance even over very low temperature ranges with a COP of 2.97 at -7°C or 2.05 at -25°C. This remarkable performance makes the Artic Line ideal for mountainous regions and extreme climates. Likewise, it allows you to use your swimming pool all year round, whatever the outside temperature - even at -25°C you will halve your energy consumption with Artic Line.

Poolstar, confident of the reliability of the Premium range, is increasing its warranty to three years and offers on-site repair service under certain conditions.

* Average coefficient of performance above 7.61 according to European standards (Air 15°C, Water 26°C, Hygro 70%) TÜV certified

** Average noise level at 10 m when HP is in Full Inverter mode



ADVANTAGES

- Genuine 4 season
- Efficient & economical
- Ultra quiet
- Reversible
- R410A refrigerant
- Automatic defrosting via cycle inversion
- Twisted Tech® titanium Heat exchanger
- Compatible with salt treatment

HEAVY TECH COMPRESSOR

With its oversized Scroll type compressor, the ArticLine Premium continues to operate even in most extreme climates. The refrigerant volume used by the compressor enables the heat pump to remain efficient.


Poollex


Delivered on a wooden pallet



Isothermal winter storage cover



Maintenance kit & user manual



PVC connectors Ø50mm 1 1/2"



Extension cord for wired control (10m)



Condensate discharge pipe



Anti-vibration support kit

ACCESSORIES INCLUDED

Swimming pool volume (use all year round)

FROM 50 TO 85 m³

Reference: PC-ALP		160
Air 26 °C	Power output (W)	19,860
Water 26 °C	Power consumption (W)	3,530
Hygro 80 %	COP	5.62
Air 15 °C	Power output (W)	15,200
Water 26 °C	Power consumption (W)	3,030
Hygro 70 %	COP	5.01
Air -25 °C	Power output (W)	4,470
Water 26 °C	Power consumption (W)	2,180
Hygro 70 %	COP	2.05
Power supply		MONO 230 V / 50 HZ
Max. power (W)		5,980
Max. current (A)		33.3
Heating temperature range		9 °C / 40 °C
Operating range		-25 °C / 43 °C
Flow (m ³ /h)		6.8
Refrigerant		R410A
Packaging dimensions (mm)		1 242x485x844
Dimensions (mm)		1 215x485x713
Net / gross weight (kg)		97 / 110
Noise level at 1 m (dB(A))		<51
Noise level at 4 m (dB(A))		<41
Noise level at 10 m (dB(A))		<32
Compressor type		Scroll
Compressor brand		Copeland
Heat exchanger		Double titanium coil
Function		Auto / Heating / Cooling
Load losses (mCE)		1.3

E.U. STANDARD
TÜV CERTIFIED

Data based on French territory and provided for informational purposes only and may change without notice.



100%
INOX



COP 15/26* ≥ 7.58

<20 dB A 10 M**

NEW FOR
★ 2021



MEGALINE FI

FULL INVERTER TECHNOLOGY SERVING COMMUNITIES



MAIN FEATURES

Ideal for public pools

Full Inverter Technology

Stainless steel facade and structure

Compressor for large volume

WiFi connection integrated

Easy maintenance

PREMIUM WARRANTIES

Heat Pump **3years**

Compressor **7years**

Titanium coil anti corrosion warranty **15years**

The Megaline Fi is part of the new generation heat pumps dedicated to public pools.

With its Full Inverter Technology, the Megaline Fi modifies its output accordingly. Both compressors and fans adjust their frequencies in real time to only supply the necessary power. Consequently, electrical consumption drops as well as sound pressure to let the heat pump go unnoticed.

The touch screen control panel allows for a more intuitive use of the Megaline Fi. You can also download the Tuya Smart application to control the heat pump wherever you are.

With a stainless steel structure and casing, the Megaline Fi is ready to face any challenge. Furthermore, its new generation Mitsubishi compressors use R32 gas, a more environmental friendly and more efficient refrigerant than the R410.

Its connections for large volumes enable it to naturally adapt itself to the flow constraints found with public equipment.

Confident of the reliability of its product range, Poolstar extends its warranty to 3 years on the heat pump, 7 years on the compressor and 15 years on the heat exchanger against any corrosion.

* Average coefficient of performance above 7.61 according to Europeans standards (Air 15°C, Water 26°C, Hygro 70%) TÜV certified

** Average noise level at 10 m when HP is in Full Inverter mode



ADVANTAGES

- Dedicated to large volumes
- Operates down to -15 °C
- 10 ' control panel
- Gaz R32 eco friendly
- Heat exchanger twisted Tech® titane
- Compatible with salt treatment
- Automatic defrosting via cycle inversion

TECHNOLOGY

- Up to **30 %** energy savings over a year
- Soft start
- Variable speed compressor & fan
- Important reduction in acoustic pressure



WIFI CONNECTION

- Control your heat pump with your smartphone
- Water temperature real time indications
- Application compatible with other home devices




PoolEx

CONTROL PANEL



- The Megaline Fi is fitted with a large-format full-colour control panel from which one can fully control the heat pump.



LIMITLESS EFFICIENCY

- The Megaline Fi is adaptable to all swimming pools, even with the biggest volumes. Connect several MEGALINE FI to multiply their heating capacity.

 E.U. STANDARD
 T.U.V. CERTIFIED

 Data based on French territory and provided for informational purposes only
 and may change without notice.

Swimming pool volume		Megaline Fi 500	Megaline Fi 750	Megaline Fi 1000
Reference: PC-MLP		500N	750N	1000N
Air 26 °C Water 26 °C Hygro 80 %	Max. power output (kW)	68	102	135
	Min. power output (kW)	16.1	24.3	31.9
	Power consumption (kW)	9.8~1.2	14.7~1.8	19.3~2.3
	COP	13.54~6.93	13.56~6.95	13.59~6.98
Air 15°C Water 26°C Hygro 70%	Max. power output (kW)	50	75	100
	Min. power output (kW)	11.7	17.8	23.6
	Power consumption (kW)	10.1~1.6	15.1~2.4	20.0~3.1
	COP	7.52~4.93	7.55~4.96	7.58~4.99
Power supply		Tri 380 V / 3 / 50 Hz		
Heating temperature range		15°C~40°C		
Operating range		-15°C~43°C		
Max power (kW)		14.9	22.4	29.8
Flow (m³/h)		20	30	40
Refrigerant		R32		
Dimensions (mm)		1252×1076×1865	1252×1076×1865	2148×1076×2176
Hydraulic connections (mm)		63	63	75
Poids net (kg)		380	450	760
Noise level at 1 m (dB(A))		≤70	≤71	≤73
Noise level at 10 m (dB(A))		≤40	≤41	≤42
Compressor type		Scroll Inverter		
Compressor brand		Mitsubishi		
Number of compressors		1	2	2
Heat exchanger		Twisted Tech® Titanium		
Function		Heating (Full Inverter) / Cooling (Full Inverter) / Eco		
Load losses (mCE)		4	4,2	4,8

NEW FOR
★ 2021

COP
15/26* \geq 3.93

< 33^{A10 M**} dB



NANO TURBO

THE HEAT PUMP DEDICATED
TO SMALL SWIMMING POOLS



MAIN FEATURES

Ultra-compact

Reversible Hot / Cold

Economical & silent

Plug and Play installation

Transportable

The Nano Turbo Premium is the top-of-the-range heat pump intended for small pools.

Don't be fooled by its small size, this heat pump is equipped with the best components currently available on the market.

Its Twisted Tech® titanium heat exchanger, combined with a rotary compressor operating with the highly environmentally friendly coolant R32, means that it can achieve a COP worthy of comparison to high-end heat pumps.

Thanks to its UV-resistant ABS casing and transport handles, you can choose how you want to use it. Installed permanently, or simply placed close to the pool for a few days, the choice is yours.

Its various operating modes means that it is just as effective heating your in-ground pool as it is at heating your above ground pool or even cooling a pool or jacuzzi.

A genuine alternative to an electric heater, its low cost of use ensures it is competitive right from the first year.

PREMIUM WARRANTIES

Heat Pump **3years**

Compressor **5years**

Titanium coil
anti corrosion warranty **10years**

* Average coefficient of performance above 3.93 according to European standards (Air 15°C, Water 26°C, Hygro 70%) TÜV certified

** Average noise level at 10 m when HP is in Full Inverter mode



TECHNICAL DATA

Swimming pool volume ≤ 21m³

Reference : PC-NANO-T3R

Air 26 °C	Power output (kW)	3,000
Water 26 °C	Power consumption (kW)	600
Hygro 80 %	COP	5.00
Air 15 °C	Power output (kW)	2,200
Water 26 °C	Power consumption (kW)	560
Hygro 70 %	COP	3.93
Power supply	Mono 230V / 50Hz	
Max. power (W)	900	
Max. current (A)	3.99	
Heating temperature range	15 °C / 40 °C	
Operating range	-5 °C / 43 °C	
Flow (m ³ /h)	2	
Refrigerant	R32	
Packaging dimensions (mm)	460 x 370 x 415	
Dimensions (mm)	400 x 280 x 385	
Net / gross weight (kg)	18 / 20	
Noise level at 1 m (dB(A))	<53	
Noise level at 4 m (dB(A))	<43	
Noise level at 10 m (dB(A))	<33	
Compressor type	Rotary	
Compressor brand	Toshiba	
Heat exchanger	Twisted Tech® Titanium	
Function	Heating / Cooling	
Load losses (mCE)	0.8	

E.U. STANDARD
 T.U.V. CERTIFIED

Data based on French territory and provided for informational purposes only and may change without notice.

ACCESSORIES INCLUDED



Cardboard packaging



Multi-language user manual


PVC connectors
 Ø 32-38 mm

5 m power cord with
 10 mA differential protection

Poollex



Ultra silent



Simplified
programming

VARILINE

THE VARIABLE-SPEED FILTER PUMP



MAIN FEATURES

Optimizes the output of
your heat pump

Up to 80% energy savings

4 programmable speeds

Compatible with leading
brands

Digital control panel

For 2020, Poolex proposes a new range of products to optimize your heat pump output.

Our Variline variable-speed pump range offers you a host of benefits, making sure it becomes your POOLEX heat pump companion:

Your heat pump output is optimized thanks to 24/7 running with low throughput which means pool temperature rises more rapidly and target temperature is maintained whilst reducing power consumption, offering up to 80% energy savings depending on use. Its 4 programmable speeds enable you to tailor the filter flow based on the season as well as your pool use, be it during off-season periods, peak periods, after shock treatment or when backwashing.

The flow can be configured by simply touching the control panel, which makes things even easier. Another advantage is the low throughput which means the sand filter will be more efficient and reduce clogging.

PREMIUM WARRANTY


Filtration pump **3years**

**BEST
SELLER**



The advantages of using a variable-speed pump

Your filter pump transfers water from your pool through the filter and through your heat pump. But, output levels can vary depending on swimming periods and pool treatment.



Poollex

MAIN FEATURES

Energy Efficient




Running a variable-speed pump at 50% for 24h instead of an On/Off pump for 8h saves around 80% of energy.

Silent


<45dB

At a slow speed, sound levels are divided by 4 compared to a constant-speed pump.



Better filtration

As water passes more slowly through the filter, filtering is improved and the filter does not become clogged as quickly.




Lifespan

Increased lifetime: as the motor and compressor do not run continually at full capacity, they are used less, heat less and wear less quickly.



FLOW CURVES



	VARILINE 15H	VARILINE 10P	VARILINE 15P	VARILINE 20P	VARILINE 30P
Swimming pool volume	75 m ³	50 m ³	75 m ³	85 m ³	100 m ³
Reference	PF-VL15H	PF-VL10P	PF-VL15P	PF-VL20P	PF-VL30P
Useful power	1.5 cv	1.0 cv	1.5 cv	2.0 cv	3.0 cv
Connector diameter	1.5"x1.5"	2"x2"	2"x2"	2"x2"	2"x2"
Motor type	Permanent magnet synchronous				
Output	80%				
Speed modulation	450 - 3450 rpm				
Flow at 10 mce	17.5 m ³ /h	19 m ³ /h	22 m ³ /h	24.3 m ³ /h	28.2 m ³ /h
Max. flow	21 m ³ /h	23 m ³ /h	27 m ³ /h	29 m ³ /h	33.3 m ³ /h
Max. dynamic head (m)	22.5	22.5	23.5	24	25
Power supply	Mono 230V - 50Hz				
Dimensions in mm (L x w x h)	605 x 270 x 338				
Max. current (A)	5.5	5.5	7	8	10
Warranty	3 years				



POOLEX CHLOÉ

TREATMENT BY SALT WATER ELECTROLYSIS

MAIN FEATURES

3,2 g/L low salinity

Cell cleaning through cycle **inversion**

Automatic cover detection

PREMIUM WARRANTY

Electrolyser + cell **3years**

Don't focus on its small size, because the Chloé electrolyser proves its power through its features. It works by electrolysing the salt which has been added to the pool water beforehand and provides effective, odourless disinfection without the need to add any chemical product, and it's gentle on the skin.


Chloé, which operates from 3.2 g/L of salt in the water and available in 4 versions for pools from 25 to 115 m³, stands out thanks to its different operating modes (Automatic, Winterizing or Shock Chlorination), its intuitive control panel and, above all, its reverse polarity self-cleaning titanium cell.

Maintenance is a child's play as it is equipped with different sensors. These can be used to stop the electrolysis if salt level or water flow is too low and, as such, protect the cell.

In addition, Poollex proposes an automatic cover detection module which automatically limits chlorine production when the pool is covered.

OPERATING PRINCIPLE

Electrolysis disinfection is a chemical process that transforms the salt in water into a disinfecting agent (hypochlorite ions). This hypochlorite is re-transformed into salt when it comes in contact with organic compounds (bacteria, cells) or under the effect of light, as such renewing the cycle to move through the electrolyser again.




ADVANTAGES

- Natural disinfection without chemical products
- Long-life, self-cleaning cell
- Titanium electrodes
- 3 operating modes
Automatic / Winterizing / Shock chlorination
- Low and high salinity level alarm
- Flow Detector
- Replacement cell available in retail

ELECTROLYSIS CELL

The Chloé electrolysis cell is made of Ruthenium-coated titanium plates.

This surface treatment reduces clogging and is combined with a reverse polarity self-cleaning system.



Poollex

FLOW DETECTOR

The Chloé electrolyser is equipped with a flow detector (aka flow switch) and a salt level detection system. These two features combined enable you to safely and easily tailor chlorine production for an optimized cell's lifetime.



“SHOCK CHLORINE MODE”

One-shot intensive use? An incident impacting your pool's hygiene? The SuperChlorine mode enables you to increase chlorine production to 100% for 24h to treat your pool immediately.



	CHLOÉ CL10	CHLOÉ CL15	CHLOÉ CL20	CHLOÉ CL30
Reference	CL-CL10	CL-CL15	CL-CL20	CL-CL30
Swimming pool volume (m³)	35	50	75	115
Production g/h	10	15	20	30
Connection	50 mm			
Salinity	3.2 to 4 ppm			
Protection	IP64			
Automatic cover detection	Yes			
Self-cleaning	Automatic via reverse polarity			
Alarms	Salt level too high / too low, insufficient water flow			
Cell orientation	Horizontal			
Control panel dimensions (mm)	230 x 360 x 145			
Cell dimensions with connectors (mm)	400 x 120			
Modes	Automatic / Winterizing / Shock Chlorine			
Warranty	3 years			

Replacement cell for	CHLOÉ CL10	CHLOÉ CL15	CHLOÉ CL20	CHLOÉ CL30
Reference	CL-CL10L	CL-CL15L	CL-CL20L	CL-CL30L

SWIMMING POOL HEATING

NEW FOR
★ 2021

**FULL
INVERTER**

COP
26/26* ≥ 12.9
 < 19 A10 M** dB



One heat pump
for swimming pools
from 30 to 40 m³

Q-LINE 7

A HEAT PUMP DEDICATED TO
SWIMMING POOLS FROM 30 TO 40 m³



Upward ventilation



WiFi integrated



MAIN FEATURES

Upward ventilation

Full Inverter technology

Contemporary design

One capacity for volumes
from 30 to 40 m³

Indicative LED

WARRANTIES

Heat Pump **2years**

Compressor **5years**

Titanium coil
anti corrosion warranty **15years**

The Poolex Q-Line 7 serving a majority of swimming pool owners

The average volume in swimming pools has been reduced by half in 40 years. Today it is about 32m³. It is with that volume in mind that the Q-Line 7 was born. With the aim of offering a product that is easy to install and use, Poolex has designed a heat pump especially for pools from 30 to 40m³, including every best element in terms of technology, ergonomics, design and performance.

The Full Inverter technology that equips the majority of Poolex heat pumps allows for 30 to 35% energy savings over a year, mainly thanks to a compressor and a fan that function at variable speed.

Upward ventilation, which is an important space saver, makes the choice of an installation space easier.

From a user standpoint, everything has been thought to make this heat pump an easy equipment to use. Thanks to its integrated Wifi module, the digital control panel can be controlled from your smartphone.

LEDs at the front indicate with a colour code whether target temperature has been reached. Its design in a rounded square shape suits any style of swimming pool and its ABS casing has the necessary resistance for a long service life.

* Average Coefficient of performance according to European standards (Air 26 °C, Water 26 °C, Hygro 80 %) TÜV Certified
** HP average noise level at 10 m in Full Inverter mode



ADVANTAGES

- Reduced floor space use
- More silent thanks to its upward ventilation
- Easy to install
- Reversible
- Eco-friendly R32 refrigerant
- Automatic defrosting
- Twisted Tech® titanium heat exchanger
- Compatible with salt treatment


UPWARD VENTILATION

Upward ventilation represents significant space gain not only from a floor space standpoint, but also because the required discharge area is reduced by half.

It is also an important advantage in terms of noise reduction as most of the acoustic pressure is sent upward in the ventilation tunnel.

WIFI CONNECTION

- Control with your smartphone
- Real time indications



Poollex



Delivered on a wooden pallet



Protective cover



Maintenance kit & user manual



PVC connectors
Ø50 mm 1 1/2"



Condensate
discharge pipe



Anti-vibration
support kit

ACCESSORIES INCLUDED

E.U. STANDARD
T.U.V. CERTIFIED

Data based on French territory and provided for informational purposes only and may change without notice.

Q-Line 7		70
Swimming pool volume (m ³)		30-40 m ³
Reference:		PC-QBC070
Air 26 °C Water 26 °C Hygro 80%	Max. power output (kW)	7.01
	Min. power output (kW)	2.10
	Power consumption (kW)	1.09~0.16
	COP	12.86~6.44
Air 15 °C Water 26 °C Hygro 70%	Max. power output (kW)	5.01
	Min. power output (kW)	1.71
	Power consumption (kW)	1.11~0.24
	COP	7.03~4.51
Power supply		220-240 V~ /50 Hz
Heating temperature range		15~40 °C
Cooling temperature range		8~28 °C
Operating range		-10~43 °C
Max. power (kW)		1.6
Flow (m ³ /h)		2.2
Refrigerant		R32
Packaging dimensions (mm)		510x510x743
Dimensions (mm)		450x450x600
Net/Gross weight (kg)		35 / 43
Noise level at 1 m (dB(A))		36~45
Noise level at 10 m (dB(A))		19~27
Compressor type		Rotary
Compressor brand		TOSHIBA
Heat exchanger		Twisted Tech® Titanium
Function		Eco & Boost Inverter / Heating / Cooling
Load losses (mCE)		1.1



COP
26/26* ≥ 16.5
< 19 A 10 M**
dB



JETLINE SELECTION Fi

NEW GENERATION JETLINE



WiFi integrated



MAIN FEATURES

Full Inverter Technology

Ultra efficient Compressor

Poolex anti-freeze
technology

Wide range of capacities
from 30 to 110 m³

WARRANTIES

Heat Pump **2years**

Compressor **5years**

Titanium coil
anti corrosion warranty **15years**

Still as efficient, the new Poolex Jetline Selection Fi and its unmatched price/quality/efficiency ratio, remains a reference amongst swimming pools heat pumps.

With Full Inverter technology, this heat pump is able to vary the speed not only of its compressor, but also of its fan to adapt itself perfectly on demand, and thus effectively lower electricity consumption and acoustic pressure.

By virtue of its design and wide hydrophilic aluminium evaporation surface area, the Poolex Jetline Selection Fi operates at an outside temperature as low as -7°C.

With the new Twisted Tech© heat exchanger technology comprising of a titanium heating coil, the swimming pool's temperature rises even faster.

Available in 5 output ratings from 7.1 to 20.1 kW, the Jetline Selection Fi is suitable for swimming pools up to 110 m³.

* Average Coefficient of performance according to European standards (Air 26 °C, Water 26 °C, Hygro 80 %)
TUV Certified

** HP average noise level at 10 m in Full Inverter mode



ADVANTAGES

- Automatic thermostatic control
- Reversible
- Eco-friendly R32 refrigerant
- Automatic defrosting
- Twisted Tech® titanium heat exchanger
- Compatible with salt treatment
- Sleek and compact design




ULTRA SILENT

With Full Inverter technology, acoustic pressure drops when target temperature has been reached. The heat pump adapts its output in order to maintain your pool temperature. The compressor goes almost completely unnoticed and the ventilator reduces its speed.

WIFI CONNECTION

- Control with your smartphone
- Real time indications



ACCESSORIES INCLUDED



Delivered on a wooden pallet



Protective cover



Maintenance kit & user manual



PVC connectors
Ø50 mm 1 1/2"



Extension cord for
wired control (10m)



Condensate
discharge pipe



Anti-vibration
support kit

E.U. STANDARD
TUV CERTIFIED

Data based on French territory and provided for informational purposes only
and may change without notice.

Jetline Selection Fi		75	95	125	155	210
Swimming pool volume (m³)		30-45	40-50	45-65	65-80	80-110
Reference: PC-JLS		075N	095N	125N	155N	210N
Air 26 °C Water 26 °C Hygro 80%	Max. power output (kW)	7.1	9.5	11.9	15.3	20.1
	Min. power output (kW)	2.04	2.3	2.35	2.5	2.77
	Power consumption (kW)	1.15	1.51	1.92	2.51	3.24
	COP	6.2 ~ 13.6	6.3 ~ 14	6.2 ~ 16.4	6.1 ~ 16.3	6.2 ~ 16.5
Air 15 °C Water 26 °C Hygro 70%	Max. power output (kW)	5.4	6.7	8.7	10.9	14.6
	Min. power output (kW)	1.4	1.5	1.7	1.9	2.15
	Power consumption (kW)	1.15	1.49	1.89	2.37	3.17
	COP	4.7 ~ 6.5	4.5 ~ 6.6	4.6 ~ 7.8	4.6 ~ 7.7	4.6 ~ 7.9
Power supply		220-240 V~ /50 Hz				
Heating temperature range		15~40 °C				
Cooling temperature range		8~28 °C				
Operating range		-7~43 °C				
Max. power (kW)		1.38	1.83	2.62	2.9	4.2
Flow (m³/h)		2.4	3.2	4	5.0	6.7
Refrigerant		R32				
Packaging dimensions (mm)		886x404x778			969x404x778	1166x424x878
Dimensions (mm)		824x334x656			907x334x656	1104x354x756
Net/Gross weight (kg)		37.5 / 43.5	37.5 / 43.5	39.5 / 45.5	42.5 / 50	50.5 / 58
Noise level at 1 m (dB(A))		37~50	37~51	38~52	40~54	41~55
Noise level at 10 m (dB(A))		19~29	19~30	21~31	23~34	23~35
Compressor type		Twin rotary				
Compressor brand		MITSUBISHI				
Heat exchanger		Twisted Tech® Titanium				
Function		Eco & Boost Inverter / Heating / Cooling				
Load losses (mCE)		1.1	1.1	1.1	1.1	1.1



COP
26/26* **≥ 16.2**

< 19 A10M**
dB



SILVERLINE FI

THE UNBEATABLE FULL INVERTER



WiFi integrated



MAIN FEATURES

Full Inverter Technology

Silent and economical

Integrated Wifi connection

Reversible

LED control panel

Poolex Silverline Fi: Inverter Technology at an unbeatable price.

Building on its success, the Poolex Silverline is now available with the Full Inverter technology.

Featuring a multi-frequency compressor and a variable speed fan, it is one of the best performing and most silent heat pumps on the market.

Still as simple to use thanks to its LCD control panel with wired extension at 10 m.

Its titanium coil Twisted Tech© heat exchanger guarantees an even quicker rise in pool temperature.

Poolex Full Inverter at an unbeatable price.

WARRANTIES

Heat Pump **2years**

Compressor **5years**

Titanium coil
anti corrosion warranty **15years**

* Average Coefficient of performance according to European standards (Air 26 °C, Water 26 °C, Hygro 80 %)
TUV Certified

** HP average noise level at 10 m in Full Inverter mode



ADVANTAGES

- Efficient & economical
- Ultra-silent
- ABS casing
- Eco-friendly R32 refrigerant
- Automatic defrosting par inversion de cycle
- Twisted Tech® titanium heat exchanger
- Compatible with salt treatment

TECHNOLOGY

- Up to **30 %** energy savings over a year
- Soft start
- Variable speed compressor & fan
- Important reduction in acoustic pressure



WIFI CONNECTION

- Control with your smartphone
- Real time indications



MODERN DESIGN

The curves at the front of the Silverline Fi reflects its dynamic character while adding a sporty look to it.

PoolEx



Delivered on a wooden pallet



Protective cover



Maintenance kit & user manual



PVC connectors Ø50 mm 1 1/2"



Extension cord for wired control (10 m)



Condensate discharge pipe



Anti-vibration support kit

ACCESSORIES INCLUDED

E.U. STANDARD
T.U.V. CERTIFIED

Data based on French territory and provided for informational purposes only and may change without notice.

Swimming pool volume		from 30 to 45m³	from 40 to 50m³	from 45 to 65m³	from 65 to 80m³	from 80 to 110m³
Reference:		PC-SLP070N	PC-SLP090N	PC-SLP120N	PC-SLP150N	PC-SLP200N
Air 26°C Water 26°C Hygro 80%	Max. power output (kW)	6.8	9.2	11.3	14.5	19.2
	Min. power output (kW)	1.94	2.23	2.28	2.25	2.59
	Power consumption (kW)	1.05	1.46	1.86	2.43	3.14
	COP	6.47 ~ 12.9	6.3 ~ 13.9	6.07 ~ 16.1	5.96 ~ 16.1	6.1 ~ 16.2
Air 15°C Water 26°C Hygro 70%	Max. power output (kW)	5.2	6.4	8.4	10.5	14.1
	Min. power output (kW)	1.35	1.4	1.6	1.8	2.08
	Power consumption (kW)	1.11	1.44	1.83	2.29	3.07
	COP	4.6 ~ 6.4	4.4 ~ 6.3	4.5 ~ 7.6	4.5 ~ 7.5	4.5 ~ 8
Power supply		Mono 230V / 50Hz				
Max. power (kW)		1.38	1.83	2.62	2.9	4.2
Heating temp. range		15°C / 40°C				
Cooling temp. range		8°C / 28°C				
Operating range		-7°C / 43°C				
Flow (m³/h)		2 ~ 4	3 ~ 4	4 ~ 6	5 ~ 7	7 ~ 9
Refrigerant		R32				
Packaging dimensions (mm)		886 x 404 x 778			969 x 404 x 778	1166 x 424 x 778
Dimensions (mm)		824 x 334 x 656			907 x 334 x 656	1104 x 354 x 756
Net/Gross weight (kg)		38.5 / 44.5	38.5 / 44.5	39.5 / 45.5	44.5 / 52	51 / 58.5
Noise level at 1 m (dB(A))		<37 ~ <50	<37 ~ <51	<38 ~ <52	<40 ~ <54	<41 ~ <55
Noise level at 10 m (dB(A))		<19 ~ <29	<19 ~ <30	<21 ~ <31	<23 ~ <34	<23 ~ <35
Compressor type		DC inverter compressor				
Compressor brand		Toshiba			Mitsubishi	Toshiba
Heat exchanger		Twisted Tech® Titanium				
Function		Auto / Boost / Eco / Heating / Cooling				
Load losses (mCE)		1.1				



SILVERLINE

EFFICIENCY AT OUTSTANDING PRICE!



MAIN FEATURES

Metallic anti-corrosion
and UV casing

Efficient and economical

High efficiency compressor

Efficiency at outstanding price!

A high-performance Mitsubishi compressor and a new titanium double-spiral heat-exchanger give it a COP above 6, based on 26/26 conditions*, for an even quicker swimming pool temperature increase.

Simple to use, the Poolex Silverline has an LCD control panel that can be remotely positioned at up to 10m and includes Touch & Go technology.

Available in 7 output ratings from 5,5 à 22 kW, it is suited to swimming pools up to 110 m³.

Poolex efficiency at the best price.

WARRANTIES

Heat Pump **2years**

Compressor **5years**

Titanium coil
anti corrosion warranty **15years**


* Average Coefficient of performance according to European standards (Air 26 °C, Water 26 °C, Hygro 80 %)
TUV Certified
** Average noise 10 m from the heat pump

ADVANTAGES

- High performance compressor
- Ultra silent & economical
- Eco-friendly R32 refrigerant
- Automatic thermostatic control
- Twisted Tech® titanium heat exchanger
- Compatible with salt treatment

TWISTED TECH HEAT EXCHANGER

With the new Twisted Tech technology, the exchange surface between the pool water and the refrigerant is increased, thus facilitating the exchange of heat. Temperature increases are more direct, and electricity consumption drops.



Poollex

REMOTE CONTROL

Simplify your life by deporting the control panel into your pool technical shelter.



10m



ACCESSORIES INCLUDED



Delivered on a wooden pallet



Protective cover



Maintenance kit & user manual



PVC connectors Ø50 mm 1"½



Extension cord for wired control (10 m)



Condensate discharge pipe



Anti-vibration support kit

 E.U. STANDARD
TÜV. CERTIFIED

Data based on French territory and provided for informational purposes only and may change without notice.

Swimming pool volume		from 20 to 30m ³	from 30 to 40m ³	from 40 to 50m ³	from 45 to 65m ³	from 65 to 75m ³	from 70 to 90m ³	from 80 to 110m ³
Reference: PC-SLP		055	070	090	120	150	180	220
Air 26°C Water 26°C Hygro 80%	Max. power output (kW)	5.39	7.02	9.31	12.5	15.24	17.92	21.72
	Power consumption (kW)	0.88	1.13	1.51	2.01	2.46	2.89	3.51
	COP	6.13	6.21	6.17	6.22	6.2	6.2	6.19
Air 15°C Water 26°C Hygro 70%	Max. power output (kW)	3.9	5.07	7.05	9.05	10.59	12.6	15.3
	Power consumption (kW)	0.81	1.01	1.39	1.78	2.07	2.47	2.98
	COP	4.84	5.02	5.07	5.08	5.12	5.1	5.13
Power supply		Mono 230V / 50Hz						
Max. power (kW)		1.29	1.83	2.51	3.03	3.58	4.43	5.46
Plage de temp. de chauffage		15°C / 40°C						
Operating range		5°C / 43°C						
Flow (m ³ /h)		1.86	2.5	3.2	4.01	4.7	5.6	7
Refrigerant		R32						
Packaging dimensions (mm)		845x330x610	905x350x645	1005x350x750				1150x425x820
Dimensions (mm)		765x310x490	827x340x531	927x340x636				1067x405x692
Net/Gross weight (kg)		39 / 44	41 / 50	49 / 59	42 / 62	54 / 64	62 / 72	62 / 72
Noise level at 1 m (dB(A))		<46	<46	<47	<48	<49	<51	<51
Noise level at 10 m (dB(A))		<30	<36	<37	<38	<39	<40	<40
Compressor type		Rotary						
Compressor brand		Toshiba					Mitsubishi	Panasonic
Heat exchanger		Twisted Tech® Titanium						
Function		Heating						
Load losses (mCE)		0,9	0,9	1	1,10	1,13	1,15	nc

 COP_{26/26*} ≥ **5.61**

 **<32** A10 M** dB



NANO ACTION

THE HEAT PUMP DEDICATED TO SMALL POOLS



MAIN FEATURES

Plug & Play

For pools up to 35m³

Compatible with all above ground pools

Ultra compact

The heat pump special swimming pools up to 35 m³.

Specifically designed to make life easier, the Nano Action comes equipped with 32/38 mm connectors for a quick connection to any classical filtration system.

Simply plug in your heat pump and let your swimming pool get warm.

Designed with the same specifications as a premium heat pump, the Nano Action features high efficiency in an ultra compact shell, and its light weight enables anyone to store it away once the season is over.

WARRANTIES

Heat Pump **2years**

Compressor **5years**

Titanium coil anti corrosion warranty **15years**

* Average Coefficient of performance according to European standards (Air 26 °C, Water 26 °C, Hygro 80 %)
TUV Certified

** Average noise 10 m from the heat pump



ADVANTAGES

- Easy to install thanks to its Plug & Play system
- Compatible all above ground pools, wooden pools and in ground pools (<35m³)
- Light and easy to move
- Operates from 8°C
- Connects to a standard electric plug

PLUG & PLAY



COMPATIBLE WITH ALL SWIMMING POOLS



Pooler



Reinforced printed Packaging



Multi-language user manual

ACCESSORIES INCLUDED



PVC connectors
Ø 32-38mm



5m electric extension with
10 mA earth leakage protection

E.U. STANDARD
TÜV. CERTIFIED

Data based on French territory and provided for informational purposes only and may change without notice.

Swimming pool volume		from 10 to 21 m ³	from 15 to 28 m ³	from 20 to 35 m ³
Reference: PC-NANO-		A3	A4	A5
Air 26°C Water 26°C Hygro 80%	Max. power output (W)	3,010	4,200	5,010
	Power consumption (W)	540	760	910
	COP	5.61	5.50	5.50
Air 15°C Water 26°C Hygro 70%	Max. power output (W)	2,210	3,100	4,030
	Power consumption (W)	490	690	900
	COP	4.51	4.50	4.50
Power supply		Mono 230V / 50Hz		
Max. power (W)		930	1 200	1 500
Heating temp. range		15°C / 40°C		
Operating range		8°C / 43°C		
Flow (m ³ /h)		1.3	2	2.5
Refrigerant		R32		
Packaging dimensions (mm)		460 x 370 x 415		
Dimensions (mm)		400 x 280 x 385		
Net/Gross weight (kg)		18 / 20	24 / 28	26 / 30
Noise level at 1 m (dB(A))		<53	<55	<56
Noise level at 10 m (dB(A))		<32	<35	<36
Compressor type		Rotary		
Compressor brand		Toshiba		
Heat exchanger		Twisted Tech® Titanium		
Function		Heating		
Load losses (mCE)		0.8		



NANO ACTION REVERSIBLE

THE HEAT PUMP FOR SMALL POOLS AND SPAS



MAIN FEATURES

Plug & Play

For pools up to 35m³

Compatible with all above
ground pools

Ultra compact

Reversible hot/cold

The ideal reversible heat pump for swimming pools up to 35 m³.

Even more efficient, the Nano action Reversible outperforms all its rivals thanks to its reversible mode able to operate until -5°C.

With its 32/38mm and 1" connectors, it can be connected in just a few seconds to any standard filtration system, be it an above ground or in ground swimming pool, or a spa.

Simply plug the Nano Action Reversible to an outlet and heat up your swimming pool.

Designed with the same specifications as a premium heat pump, it features the same efficiency in an ultra compact casing. Its light weight enables anyone to carry it easily.

WARRANTIES

Heat Pump **2years**

Compressor **5years**

Titanium coil
anti corrosion warranty **15years**

* Average Coefficient of performance according to European standards (Air 26 °C, Water 26 °C, Hygro 80 %)
TÜV Certified

** Average noise 10 m from the heat pump



ADVANTAGES

- Easy to install thanks to its Plug & Play system
- Compatible with all above ground pools, wooden pools and in ground pools (<35m³)
- Light and easy to move
- Reversible
- Operates down to -5°C

PLUG & PLAY



There is nothing easier than connecting your Nano Action Reversible; it doesn't require any By-Pass!

3 CAPACITIES AVAILABLE



To better meet the demand, the Nano Action Reversible is now available in 3 capacities - 3, 4 and 5 kW - thanks to which it can heat swimming pools up to 35m³ !

Pooltex


Reinforced printed Packaging



Multi-language user manual

ACCESSORIES INCLUDED



PVC connectors
Ø 32-38mm



5m electric extension with
10 mA earth leakage protection

E.U. STANDARD
TÜV. CERTIFIED

Data based on French territory and provided for informational purposes only and may change without notice.

Swimming pool volume		from 10 to 21 m ³	from 15 to 28 m ³	from 20 to 35 m ³
Reference: PC-NANO-		A3R	A4R	A5R
Air 26°C	Capacity (W)	3,010	4,200	5,010
Water 26°C	Power consumption (W)	540	760	910
Hygro 80%	COP	5.61	5.5	5.5
Air 15°C	Max. power output (W)	2,200	3,100	4,030
Water 26°C	Power consumption (W)	490	690	900
Hygro 70%	COP	4.51	4.50	4.50
Power supply		Mono 230V / 50Hz		
Max. power (W)		900	1 200	1 500
Heating temp. range		15°C / 40°C		
Cooling temp. range		8°C / 28°C		
Operating range		-5°C / 43°C		
Flow (m ³ /h)		2	2	2.5
Refrigerant		R32		
Packaging dimensions (mm)		460 x 370 x 415		
Dimensions (mm)		400 x 280 x 385		
Net/Gross weight (kg)		18 / 20	25 / 29	26 / 30
Noise level at 1 m (dB(A))		<53	<55	<56
Noise level at 10 m (dB(A))		<33	<35	<36
Compressor type		Rotary		
Compressor brand		Toshiba		
Heat exchanger		Twisted Tech® Titanium		
Function		Heating / Cooling		
Load losses (mCE)		0.8		

COYOTE

ELECTRIC CLEANER FOR POOLS



MAIN FEATURES

Up to 100 m² autonomy

Large filtration capacity
10-11m³/h

Automatic

Changes direction automatically

Integrated batterie

Li-ion 6600 mAh

120 min cycle

Floating handle

for easier water retrieval

The ideal pool cleaner to clean the bottom of the swimming pool. Suited to all pools with a flat bottom, irrespective of shape and finishing.

Entirely self-standing once immerge, it starts its cleaning cycle and automatically approaches a wall of the swimming pool when done. With its automatic obstacle detection system, it changes direction as soon as it meets with a wall.


It is easily retrieved from the water thanks to its floating handle and its removable filter is as easily cleaned.

This pools cleaner has an integrated Lithium-ion battery with an exceptional 120 min running autonomy.



Easy cleaning with
removable filter

Filtration density
150µm



2 large suction
openings + finishing
brush



Ultra light with integrated
handle and retrieval floater to
easily introduce and remove
the cleaner in the water

ACCESSORIES INCLUDED

- Wall charge 230V 50Hz
- User manual
- Brush
- Cleanable filter
- Retrieval cord
- Floating handle

WARRANTY

Pool cleaner **2years**

POOL CLEANER COYOTE

Reference	R0-COYOTE2
Autonomy	Up to 120 min
Luthium-ion battery	6600 mAh
Motor power	50 W / 12 V
Filtration capacity	10-11 m ³ /h
Filter density	150µm
Speed	18m/min
Weight	5.5kg
Use temperature	17°C - 35°C
Charging time	6h (complete) 3-4h (quick)
Dimensions	40x36x27cm
Surface	Plate
IP indicator	IPX8



FILTRATION GROUP

*FILTRATION DEDICATED TO
ABOVE GROUND POOLS*

MAIN FEATURES

Pump + filtration function

Power 60 W

Compact design

Water flow 3.03 m³/h

For pools up to 20 m³

Reference	JL-P11358FR
Electrical supply	220-240V
Maximum water flow (m ³ /h)	3.03
Power	60W
Packaging dimensions (cm)	37x37x47
Dimensions (cm)	37x34x58
Net / gross weight (kg)	5.5 / 6.7
Maximum operating pressure (bar/psi)	< 0.2 / 3
Efficient filtration surface (m ² /ft ²)	0.058 / 0.62
Maximum water temperature (c °)	35
Recommended use	Quartz sand or glass No. 20
Recommended sand quantity (kg)	10
Grain homogeneous coefficient	> 1.75
Certification	CE

WARRANTY

Filter pump **2years**



Poollex

This filtration group is a formidable ally for any above ground swimming pool owner. It is composed of an integrated 60W pump and tank containing the filtering media of your choice (sand, glass or Pureflow). Compact and easy to install, this 2 in 1 group keeps the above ground pool water clean and safe. The pump is equipped with a pre-filter that retains excessively large particles.

Its 6-way valve comprises all the main functions: filtration, cleaning, drainage, rinse, backwash, ...

FILTERING MEDIA

polymer for sand filter

ADVANTAGES

- Filtration cycles
- Less frequent backwashes
- 95% less chemical products



10 kg = **130 g**
SAND PUREFLOW



UCONNECT

*THE FASTEST SOLUTION TO CONNECT
YOUR HEAT PUMP*

MAIN FEATURES

Automatic self-priming

Fast set-up

Removable in seconds

Compatible with **all heating systems**

The Poollex UConnect kit is compatible with all swimming pool heat pumps of any make. It is delivered with 6 metre long connections and 1½" universal male adaptors.

The Poollex UConnect kit is powered via a 230 V/12 V transformer that can be linked to your heat pump or directly to your electrical system.

The Poollex UConnect kit can be set up by your pool in just a few minutes. There is no need to affix it and it can be removed at any time.

Its self-priming system ensures simple fast startup. It is compatible with all swimming pool heat pumps of any make.

It can be installed without the need for a by-pass kit or additional pump. Designed for intensive use, Poollex UConnect has a warranty of 2 years.

ADVANTAGES

- Compact and universal
- 32/38 mm connectors included
- Designed for intensive use

WARRANTY

Heat Pump **2years**

TECHNICAL DATA

Reference	PC-UCONNECT-85	Min. flow	3.8 m³/h
Power supply	230 V	Max. flow	5.2 m³/h
Pump motor	12 V / 85 W	Connector	1"½
Protection	IPX8	Warranty	2 years



BY-PASS KIT 50

TO CONNECT THE HEAT PUMP TO THE FILTRATION SYSTEM

This By-Pass kit enables you to connect your heat pump to your swimming pool filtration system. Compatible with the whole Poollex range (apart from Megaline).

INCLUDED IN THIS KIT

- 3 valves Ø 50 mm
- 2 bends Ø 50 mm
- 2 «T» Ø 50 mm
- 1 tube of glue
- 1 bottle of stripper

Reference

PC-BYPASS-50



Only for the
NANO heat pump

BY-PASS KIT 32/38

This **By-Pass kit** enables you to connect **your NANO heat pump** to the filtration system of your aboveground swimming pool on any filtration system.

INCLUDED IN THIS KIT

- 1 three-way valve Ø 50 mm
- 3 adapters Ø 32/38 mm
- 1 «T» Ø 32/38 mm
- 6 Stainless steel hose clamps
- 1 roll of teflon

Reference

PC-BYPASS-32





WI-FI BOX

*CONTROL YOUR HEAT PUMP,
WHEREVER YOU ARE*



An app that will change your life

With the app downloadable from the Apple Store or Google Play, operating your heat pump from your smartphone is at your fingertips.

Simple installation and configuration

Connected to your heat pump, it connects to your Wi-Fi network in seconds. All you need to have is an Internet connection on your smartphone.

Realtime feedback

More than just a remote control box, the app also gives you the pool temperature, the heating mode selected and the flow rate of your installation. The app also alerts you in the event of a problem with your setup.

Compatible Poolex heat pumps that do not have integrated Wi-Fi, except for Nano & Megaline.



MAIN FEATURES

Manage your heat pump from your **smartphone**

Easily connected

Easily synchronized

Reference	PC-WM01
Dimensions	9 x 9 x 4.5 cm
Weight	0.15 kg
Network standard	IPV6
Power supply	12 V
Maximum range	100 m
Warranty	2 years

PUREFLOW

NEW GENERATION, HIGH-PERFORMANCE POLYMER FILTER



The perfect solution for replacing filtration sand

This polymer fibre-based filter media favourably replaces the sand filter sand, glass or zeolite.

Ultra-light, 500 g of PureFlow replaces 36 kg of sand! It enables filtration at 10µm, does not create any biofilm, reduces backflushing, and minimizes pressure inside the filter.



MAIN FEATURES

Long-term use

No pressure build-up
in the filter

No filter clogging

Reference	JL-P12058
Media weight	130 g
Sand equivalent	10 kg



CLEANPAC

THE IDEAL CLEANER FOR HEAT PUMP MAINTENANCE

CLEANPAC, the extra-powerful cleaner from Poolex, has been tested to make your life easier.

Over time, the evaporator of your heat pump can become clogged. Dust, plant and organic matter can obstruct it, reducing its performance, and even causing it to fail.


CLEANPAC from POOLEX comes with a bottle incorporating an adjustable spray nozzle as well as a flexible body to access the most inaccessible parts of the evaporator.

Its combination of degreasing agents provides perfect efficiency right from first use, even for the dirtiest of evaporators, without affecting your heat pump.

For optimum use in full safety, follow the instructions on the bottle.

Content	1 L
Reference	PC-CLEAN100
Amphoteric surface-active agents	Less than 5 %
Non-ionic surface-active agents	Less than 5 %
Preservatives	Methylisoazolinone Methylchloroisothiazoninone

RINSE-FREE!



MAIN FEATURES

Restores your heat pump's performance

Removes grease and dust in minutes

No rinsing required

Flexible bottle



BIG FOOT

SPECIAL HEAT PUMP

MAIN FEATURES

Use on any level ground

Compatible with the Poolex* range

Optimal absorption

Noise Reduction

Made from recycled rubber tyres, and integrating an aluminium slider for affixing it to the HP, Poolex's Big Foot are compatible with all heat pumps (apart from Mégaline).

They are used on level ground, on a bed of sand or gravel. Their elasticity means they optimally absorb HP vibrations to reduce noise.

* apart from Mégaline Fi



TECHNICAL DATA

Dimensions	600 x 180 x 100 mm
Reference	PC-FEET60
Compatibility	The whole Poolex range (apart from Mégaline)
Weight	10.8 kg
Material	Recycled tyre
Weight supported	450 kg

SOLAR SHOWER



FORMIDRA ACCESSORIES



Winter cover

Compatible with all Formidra shower (except for Bellagio), the Formidra winter cover protects your shower during winter with waterproof HD PVC material and zip.

DS-COVER1



Wood grating for solar shower

Made in solid varnished wood, this wood grating can be used with any Formidra shower that is not installed on a concrete slab, but mostly for comfort of use.

DS-CAILLEBOTIS

FORMIDRA, LIFESTYLE SHOWERS

In its capacity as outdoor showers manufacturer, Formidra aims to offer through its products an outdoor shower at the right temperature, by the poolside or in the garden.

Our offer of garden showers enable us today to meet up to 95% of market demand.

Be it a PVC, an aluminium or an advanced technology shower, all customer expectations are answered with Formidra's range of showers.

CUTTING EDGE HYBRID TECHNOLOGY

The range of Dada showers offers, in addition to solar heating, connectors to domestic hot water. This hybrid technology, unique on the market, affords the particularity to present the Dada range to both demanding users and communities, as it provides warm water

all year round irrespective of the number of users. Quality finishes, contemporary design and a selection of colors make this exceptional offer accessible to the widest market.

DEVELOPMENTS FOR 2021

This year, the Jolly Go is increasingly more practical. Its foot-rinse tap integrates a screw thread to connect to cold water from any garden hose. Your solar shower also becomes a gardening tool.

Formidra

PREMIUM SHOWER



ALUMINIUM SHOWER



HDPE SHOWER





100%
ALUMINIUM



DADA PIÙ

HYBRID AND SOLAR SHOWER

MAIN FEATURES

Aluminium shower

Hybrid technology

Capacity 40 L

Hand shower included

Formidra renews its flagship, the DADA PIÙ. Associating Formidra's hybrid technology to a capacity of 40 L, ensuring that hot showers are available whatever the number of users, all the while using solar power. Its high-end finishes, including stainless steel mixers, adjustable shower head and hand shower, make it an exceptional product.



Wood + Stainless Steel Design.

The combination of stainless steel effect and tropical wood at the centre of the shower gives it the elegance of a prestige shower.


WARRANTY
2
YEARS

SPECIFICATIONS

Material	Aluminium	Base dimensions	14 x 32.4 cm
Weight	10 kg	Fixing kit	Included
Height	228 cm	Warranty	2 years
Capacity	40 L		

Stainless steel paint
+ wood pattern covering
DS-D463AW





Integrated anti-limescale showerhead



Hot/Cold hand shower for a more precise use



Intuitive and precise use

FORMIDRA INNOVATION

HYBRID TECHNOLOGY

Formidra's hybrid technology, it's the promise of a hot shower all year long, irrespective of sunlight.


- Solar shower connection:

Simply connect your shower to a cold water outlet in the garden and let the direct sunlight warm up the water.

- Domestic shower connection:

Add a connection to a hot water outlet from a hot water tank to enjoy a warm shower in any season and irrespective of usage frequency.

Both systems can be used independently.



TIMELESS
CLASS

DADA STRAIGHT

MAIN FEATURES

Aluminium shower

Hybrid technology

Capacity 40 L

Hand shower included

Formidra is renewing its flagship model, the DADA. Available in both straight and curved versions, it combines Formidra's ecological solar 40L-capacity technology with a hot water intake to ensure that hot showers are available whatever the number of users.



Anthracite paint finish
DS-D463NO

Anthracite paint finish
+ brushed aluminium casing
DS-D463NX


FORMIDRA INNOVATION

HYBRID TECHNOLOGY


Connection to cold water
= solar heating with integrated
40 L water reserve




Connection to domestic
hot water
= instant hot water all year
round



Integrated anti-limescale showerhead



Laser-engraved stainless steel mixer tap



SPECIFICATIONS

Material	Aluminium	Base dimensions	14 x 32.4 cm
Weight	10 kg	Fixing kit	Included
Height	228 cm	Warranty	2 years
Capacity	40 L		





REFINED CURVES AND DISCRETE ELEGANCE

DADA CURVE

MAIN FEATURES

Aluminium shower
Curved design
Hybrid Technology
Capacity 40 L
Hand shower included

Also available as a curved version, the DADA CURVE stands out thanks to its taunt lines and its extremely flat, mirror-effect square showerhead.


Its slender curves mean it will naturally blend in to any garden while adding a designer touch.



Integrated anti-limescale showerhead



Laser-engraved stainless steel mixer tap



SPECIFICATIONS

Material	Aluminium	base dimensions	14 x 32.4 cm
Weight	10 kg	Fixing kit	Included
Height	222 cm	Warranty	2 years
Capacity	40 L		



Anthracite paint finish
+ brushed aluminium casing
DS-D363NX


Anthracite paint finish
DS-D363NO

Formidra Prestige

FORMIDRA INNOVATION HYBRID TECHNOLOGY

Connection to cold water
= solar heating with
integrated 40 L water
reserve

**Connection to domestic
hot water**
= instant hot water all year
round





Blue metallic paint finish
DS-B162BL

Grey metallic paint finish
DS-B162GR

Pink metallic paint finish
DS-B162RS

*CURVES
& EXCELLENCE*
BELLAGIO

MAIN FEATURES

- Aluminium Structure
- Mixer tap and Foot rinse
- Integrated rainfall-effect showerhead

The waves of the BELLAGIO are a delight for design enthusiasts. Its aluminium structure and its slightly glittering finish are a perfect mirror for the sun's reflections. Its twin water supplies (hot and cold) provides a hot shower no matter the season. Its stainless steel mixer tap provides the user with precise temperature selection, while its toggle switch allows easy and practical selection of the integrated rainfall-effect showerhead or the foot rinse.

SPECIFICATIONS

Material	Aluminium	Base dimensions	25 x 40 cm
Weight	10 kg	Fixing kit	Included
Height	228 cm	Warranty	2 years





Integrated rainfall-effect showerhead

Stainless steel mixer tap with toggle switch

Foot rinse included

Standard 1/2" brass connections

Formidra Prestige

SOLAR SHOWER

GARDENING OUTDOOR
SOLAR SHOWER

JOLLY GO



MAIN FEATURES

- Capacity 20 L
- Aluminium Structure
- Discrete and easy to integrate
- Uses solar energy
- Foot rinse with 25 mm connection
- Hand Shower

SPECIFICATIONS

Material	Aluminium	Base dimensions	16 x 18 cm
Weight	5,5 kg	Fixing kit	Included
Capacity	20 L	Warranty	2 years
Height	120 cm		

Gardening
Swimming
Boating



The new Jolly Go solar shower will delight anyone looking for a discreet yet high capacity and practical solar shower.

Featuring an aluminium thermo-lacquered tower, available in 2 colors, the Jolly Go is equipped with a foot rinse, a mixer, and a hand shower for a rinse without wetting one's hair.

Install your new shower in just minutes thanks to its drilling template. The Jolly Go can be connected to any garden hose.



Aluminium solar shower

MODERN & PRACTICAL
JOLLY

Formidra



25L

Anthracite
DS-A522NO

Stainless steel paint
DS-A522NX

Pink
DS-A522RS


Purple
DS-A522VO

Blue
DS-A522BL

33L

33 L anthracite
DS-A822NO

33 L Stainless Steel Paint
DS-A822NX



You'll love its contemporary and sophisticated curves.
The Jolly solar shower will blend beautifully into any surroundings. Made of aluminium, this designer product comes in 5 different colours.

The Jolly solar shower's 25 litre reservoir is heated solely by the warmth of the sun. It is therefore 100% eco-friendly. It can easily be connected to any water inlet.

MAIN FEATURES

Available in **25 L** and **33 L**

Uses **solar energy**

5 colors available

Foot rinse included

Easy to install

SPECIFICATIONS

Material	Aluminium	Base dimensions 25 L	15 x 16,5 cm
Weight 25L/33L	10,5kg/11kg	Base dimensions 33 L	16 x 18 cm
Capacity	25 L / 33 L	Fixing kit	Included
Height	233 cm	Warranty	2 years



Anthra/Inox
DS-A122BN



LIGHTNESS & DESIGN ***SPRING***

MAIN FEATURES

Recyclable **aluminium**
body

Capacity **30 L**

Uses solar **energy**

Available in 6 **colours**

Foot rinse included

The contemporary design of the Spring solar shower will blend perfectly into any garden or patio. Made entirely of aluminium and stainless steel (depending on the model), this shower comes in 6 colours.

Its large 30 litre reservoir is heated solely by the warmth of the sun, so it is 100% eco-friendly. Its curved design, elegance and light weight make this shower a 'must' for any exterior. It can easily be connected to any water inlet.



Anthracite
DS-A122NO



Stainless steel paint
DS-A122NX



Pink
DS-A122RS



Purple
DS-A122VO



Blue
DS-A122BL



6 colors available

formidra
Lifestyle showers



Integrated anti-lime shower head



Engraved hot cold mixer




Foot rinse included

Formidra

SPECIFICATIONS

Material	Aluminium	Base Dimensions	26 x 12 cm
Weight	11,5 kg	Fixing kit	Included
Capacity	30 L	Warranty	2 years
Height	228 cm		





Pink
DS-C720RS

SOLAR SHOWER NEW GENERATION

COBRA

MAIN FEATURES

Recyclable HDPE structure

32 L capacity

Uses solar energy

Available in 5 colors

Foot rinse included

Unique design !

A design combining slender curves and reptilian details.

This solar shower becomes a decorative element in its own right in your garden. Equipped with an orientable rain-effect showerhead, a mixer and a stainless steel finish foot rinse, it is also environmentally friendly thanks to its 23 L HDPE column which uses solar energy to provide a shower at the right temperature.



Anthracite
DS-C720NO



Purple
DS-C720VO



Blue
DS-C720BL



Green
DS-C720VE





*Original enlarged head
Integrated anti-lime
shower head*




*Scale pattern on the
shower belly*



Foot rinse included

Formidra



SPECIFICATIONS

Material	HD Polyethylene	Base Dimensions	30 x 34 cm
Weight	9,5 kg	Fixing kit	Included
Capacity	32 L	Warranty	2 years
Height	217 cm		



Green
DS-H221VE

SO HAPPY

HIGH CAPACITY &
ELEGANCE

MAIN FEATURES

Recyclable HDPE structure

Capacity **28 L**

Uses **solar energy**

Available in **5 colors**

Foot rinse included

A unique design!

Real best-seller since its release, the Happy reinvents itself and becomes the So Happy featuring a more modern design, an increased tank capacity and, above all, new finishes making the So Happy even more attractive.

Made out of recyclable HDPE, the So Happy is equipped with a hot/cold mixer, a foot rinse as well as a new, larger, more intense rain effect shower head.



Anthracite
DS-H221NO



Pink
DS-H221RS



Purple
DS-H221VO



Blue
DS-H221BL





*Original enlarged head
Integrated anti-lime
shower head*




Neat finishes and details



Stainless steel effect mixer

Formidra



SPECIFICATIONS

Material	HD Polyethylene	Base Dimensions	24 x 26 cm
Weight	6 kg	Fixing kit	Included
Capacity	28 L	Warranty	2 years
Height	216 cm		

Garden
Pool
Boat



Anthracite
DS-HG142N0

HAPPY GO

REDUCED HEIGHT
& HIGH CAPACITY

MAIN FEATURES

- Recyclable PEHD
- Compact design
- Capacity de 23 L
- Uses solar energy
- Available in 5 colors
- Hand Shower included

Compact and sophisticated !

The Happy Go solar shower combines compactness with high capacity. Supplied with its moveable shower head, it is easy and fun to use.

100% eco-friendly, the warmth from the sun's rays is enough to heat its 23 litre reservoir. It can easily be installed at any water inlet. Manufactured in HD polyethylene, the new Happy Go is now available in anthracite, pink, purple, green or blue.

Formidra fits all its outdoor showers with a pressure reducer to guarantee a better lifetime and a constant water pressure.



Pink
DS-HG142RS




Purple
DS-HG142V0



Blue
DS-HG142BL



Green
DS-HG142VE



SPECIFICATIONS



Material	HD Polyethylene	Base Dimensions	26 x 29 cm
Weight	6.5 kg	Fixing kit	Included
Capacity	23 L	Warranty	2 years
Height	120 cm		

HAPPY 4x4

HIGH CAPACITY & ELEGANCE

MAIN FEATURES

Recyclable PEHD

Large **44 L** capacity

Uses **solar energy**


Available in **5 colors**

Foot rinse included

The Happy 4x4 solar shower has the largest water reservoir in its range. Its 44 litre reservoir is heated solely by the sun, making it 100% eco-friendly.

Made of high-density polyethylene, its elegant design in 5 different colours and its curved shape blend into any surroundings.

A simple connection to a water inlet is enough to supply this solar shower. Its flanged base ensures the easy installation and stability of the Happy 4x4.



Purple
DS-H422V0



Anthracite
DS-H422N0



Pink
DS-H422RS



Blue
DS-H422BL




Green
DS-H422VE

SPECIFICATIONS



Material	HD Polyethylene	Base Dimensions	26 x 29 cm
Weight	7.5 kg	Fixing kit	Included
Capacity	44 L	Warranty	2 years
Height	229 cm		



AQUAFITNESS FOR ALL

At Waterflex, we place great emphasis on advice from athletes and sports' coaches regarding optimal fitness, cardiac improvement and muscle strengthening results.

A WORK-OUT FOR EVERYONE

Discover water bikes designed specifically for cardio, endurance or spinning training, offering gentle, moderate and high effort levels. To vary work-out offers, we have equipped our aquabikes with different types of resistance systems: fixed or variable, hydraulic or mechanical.

WATERFLEX EQUALS INNOVATION

Our aquabike offer is growing and improving. In our «AIR» selection, discover aquabikes which are optimally cost-efficient, made from

marine-quality T6 anodized aluminium. The incomparable lightness of this material does not alter the bike's rigidity in any way yet it can be moved around more easily.

The ADS pedals with folding flaps enable you to increase hydraulic resistance by up to 54% in a single move.

Through these developments, design, comfort and performance continue to be a central part of Waterflex DNA, leading European designer-manufacturer of aquafitness equipment.

AQUABIKES



P.74

WR MAX

The aluminum enduro aquabike



P.76

LANABIKE EVO

The aluminum cardio aquabike



P.78

FALCON

The most complete stainless steel aquabike



P.80

INOBIKE RANGE

Stainless steel



P.81

INO AIR RANGE

Anodized aluminum



P.82

WR RANGE

Stainless steel



P.83

WR AIR RANGE

Anodized aluminum

Waterflex

CIRCUIT TRAINING



P.84

FIT'S POOL

Freestanding pool for aquafitness



P.86

AQUAJOGG AIR

Treadmill Aluminum



P.88

AQUAFITNESS ACCESSORIES



P.90

AQUAFITMAT

Floating pool mat



P.92

ELLY

Nordic walk



P.93

WX TRAMP

Water jump



P.94

AQUABIKE LIFT

Lifting mast



P.95

AQUAGYM ACCESSORIES

CATEGORY: ENDURO

TYPE OF TRAINING: MUSCLE BUILDING

WR MAX

NEW FOR
★ 2021

THE ATHLETIC AQUABIKE!

40 %

LIGHTER THAN
STAINLESS STEEL



**ANODIZED
ALUMINIUM
STRUCTURE**



MAIN FEATURES

New generation

T6 aluminium structure

Lightweight 15.9 kg

Barefoot use

Aqua double speed pedals

WARRANTIES

2years Metal parts

6months Wear and tear parts

AGGRESSIVE DESIGN AND TONING GUARANTEED!

This MAX aquabike, and its distinguished design as well as premium ergonomics, offers performance and lightness.

It combines the power from its 5 blades (fixed hydraulic resistance) to the variable resistance from its set of pedals to form a duo of intensity, ideal for cardio training as well as muscle strengthening. Its marine-grade anodized aluminium 6063 T6 structure makes it a lightweight at 15.9 kilograms.

Handling a lighter aquabike and removing it from the pool becomes easier. The galvanic node reinforces the aquabike protection for usage in all types of waters. Barefoot usage, fluidity in spinning and powerful resistance are appreciated elements.

AQUA DOUBLE SPEED PEDALS


These pedals, product of innovative technology, offer variable resistance and increase the level of difficulty when unfolding their flap.





5-BLADE HYDRAULIC RESISTANCE

The hydraulic system with 5 fixed blades, housed by the pedals, creates an intense resistance that works out muscle reinforcement as well as your cardio. The effort simply increases with pedalling speed, allowing for an instant adjustment to every muscle exercise. Easy to use and very efficient, its design will also seduce you.

ERGONOMY


Waterflex

AQUA DOUBLE SPEED PEDALS



CHARACTERISTICS

Reference	WX-WRMAX1
Quality	Aluminium tech T6
Anodizing	25 µm
Dimensions	L 103 x W 55 x H 140/170 cm
Weight	15.9 kg
Water depth	1.10 m to 1.60 m
Warranties	2 years metal parts 6 months wearing parts

ACCESSORIES INCLUDED



CATEGORY : CARDIO

TYPE OF TRAINING : WELLNESS / FITNESS

Ultra light

LANABIKE EVO

THE MOST FUN-TO-USE
POOL BIKE FOR HOME
TRAINING

MAIN FEATURES

Aluminium T6 structure

Lightweight 10 kg

Hydraulic resistance

ADS Pedals
double speed



Ideal for defining
the silhouette



THE REVOLUTION !


Waterflex is revolutionizing the use of aquabikes in private pools with its Lanabike Evo. Its revolutionary Aqua Double Speed pedal system, its anodised aluminium frame and its comfort saddle come together to form a light, modular and comfortable aquabike.

AQUA DOUBLE SPEED PEDALS

These pedals, with their unprecedented technology, provide variable resistance. Equipped with a valve enabling the rider to increase the level of difficulty.

AQUA DOUBLE SPEED PEDALS


These ADS pedals, designed in aluminium and stainless steel, incorporate a hinge-mounted folding valve. It unfolds and locks in a single move, and enables you to increase hydraulic resistance by up to 54%, making your cardio session a tougher challenge.



WARRANTIES

Metal parts **2years**

Wear parts **6months**



WATERFLEX INNOVATION

Its structure in anodized T6 6063 Aluminium grants it ultra-light weight of just 11 kg, perfect for placing it in and removing it from the pool whilst at the same time granting it perfect rigidity. The Lanabike EVO, with its large base-stands and its silicone glides, is easy and reassuring to use. Thanks to its multi-adjusting base-stands, saddle and handlebar, along with its variable-resistance pedals, the Lanabike Evo is an incredible multipurpose bike.

ACCESSORIES



Insulated water bottle




Comfort saddle



Bottle holder

ERGONOMY FOR ALL



CHARACTERISTICS

Reference	WX-LANA2-OR
Quality	Aluminium tech T6
Anodizing	25 µm
Dimensions mini. closed	L 96 x W 55 x H 120 cm
Dimensions maxi. open	L 120 x W 55 x H 164 cm
Weight	9.9 kg
Water depth	1.10 m to 1.60 m
Warranties	2 years metal parts 6 months wearing parts

CATEGORY : ENDURO

TYPE OF TRAINING : MUSCLE BUILDING



FALCON

THE SPORT + WATER BIKE

MAIN FEATURES

Stainless steel structure

Over-equipped Comfort saddle, multi-training bar, water bottle

Barefoot use

Sacrificial anode for salt water

Express water drainage

WARRANTIES

Metal parts **3years**

Wear parts **6months**

PACK SPORT + INCLUDED



Exercise bar



Comfort saddle



Insulated water bottle



Bottle holder

THE MOST FULLY-EQUIPPED AQUABIKE

This sports version is intended for those who wish to combine cardio-training with muscle building.

You will appreciate the Falcon's pedalling fluidity and its comfort when being used with bare feet. With its included **Sport + accessories pack**, this aquabike is the most fully equipped in its class. Designed for intensive use in both chlorinated water and sea water, it is ideal for returning to fitness or for aquatic physiotherapy.

The Falcon works on your stamina and physical condition. It provides a complete workout.



AQUAPALM SYSTEM 4 FINS


AQUAPALM SYSTEM 4 intensity levels

The Falcon's Aquapalm 2 system consists of 4 blades to increase performance. Their cup-shape provides additional support in the water and extra resistance. This system of hydraulic resistance can be modified by the user, even when seated, by rotating each of the blades.


ERGONOMIC ADJUSTMENTS



USER-FRIENDLY FOR ALL



USER-FRIENDLY FOR ALL POOLS



CHARACTERISTICS

Reference	WX-FALC4
Quality	Inox AISI 316 L
Dimensions mini. closed	L 93 x W 55 x H 114 cm
Dimensions maxi. open	L 112 x W 55 x H 153 cm
Weight	19.5 kg
Water depth	1.10 m to 1.50 m
Warranties	2 years metal parts 6 months wearing parts

INOBIKE RANGE

STAINLESS STEEL AQUABIKE RANGE

MAIN FEATURES

316L Stainless Steel structure **ENDLESS AQUABIKING**

Ergonomic adjustments
in height and depth

Comfort saddle

Barefoot use

Express drainage

Sacrificial anode

The aquabikes in this range have an ultra-resistant stainless steel structure and offer different types of resistance.


Whether you are a fitness club or whether you wish to personally use your aquabike, there is surely an Inobike to meet your needs. The Inobike 6 will please fitness amateurs and the Inobike 7 and 8 will, in turn, seduce fitness clubs with their variable resistances - mechanical or hydraulic.



INOBIKE 6




**HYDRAULIC
RESISTANCE**



INOBIKE 7



**HYDRAULIC
RESISTANCE**



INOBIKE 8



**MECHANICAL
RESISTANCE**



INO AIR RANGE

ANODIZED ALUMINIUM AQUABIKE RANGE



**ANODIZED
ALUMINIUM
STRUCTURE**


MAIN FEATURES

25µm anodized T6 aluminium structure

Featherweight

Ergonomic adjustments in height and depth

ADS double resistance pedals



ADS PEDALS

+54 %
RESISTANCE


INO 6 AIR



**HYDRAULIC
RESISTANCE**



6 hydraulic blades




INO 7 AIR



**HYDRAULIC
RESISTANCE**



Adjustable with 3 speeds



INO 8 AIR



**MECHANICAL
RESISTANCE**

4 levels
Adjustable pad



Waterflex

WR RANGE

STAINLESS STEEL AQUABIKE RANGE

MAIN FEATURES

316L Stainless Steel structure

Ergonomic adjustments
in height and depth

Sport saddle

Barefoot use

Express drainage

Sacrificial anode

3 HIGHLY VERSATILE WATER BIKES WITH A DYNAMIC LOOK.

Designed for different uses: Cardio, Enduro and Spinning - these 3 versions provide different resistance levels suitable for each person's needs. You can combine cardiobtraining and muscle strengthening, with guaranteed comfort. Discover the wide range of WR adjustments that enable the water bike to be adapted to the depth of your pool as well as to your body type.



WR3



**HYDRAULIC
RESISTANCE**

Special cardio

*Gentle
resistance*



WR4



**HYDRAULIC
RESISTANCE**



WR5



**MECHANICAL
RESISTANCE**

*Intensity adjstment
with gear lever*



WR AIR RANGE

ANODIZED ALUMINIUM AQUABIKE RANGE



**ANODIZED
ALUMINIUM
STRUCTURE**



Lightweight

MAIN FEATURES


Anodized T6 aluminium structure

Sport saddle

Barefoot use

Express drainage

Sacrificial anode



ADS PEDALS

+54 %
RESISTANCE

WR3 AIR



**HYDRAULIC
RESISTANCE**


*Special cardio
Gentle
resistance*



WR4 AIR



**HYDRAULIC
RESISTANCE**




WR5 AIR



**MECHANICAL
RESISTANCE**

*Intensity adjustment
with gear lever*



Waterflex



ASK FOR YOUR OFFER
Fit's Pool
+
Aquabike



FIT'S POOL

DISCOVER AQUABIKE AT HOME

MAIN FEATURES

Compact dimensions

184 x 184 x 128 cm

Self-supporting pool

Can fit up to

2 aquabikes

Ideal water height

120 cm

All-in-one motor unit

Heating, filtration, relaxation
bubbles

ENDLESS AQUABIKE

This ultra-compact aquabiking pool affords the possibility to create an additional space dedicated to aquatic fitness and wellness.

This little pool can be installed on your patio, in your garage or any existing space and it provides you with the possibility to enjoy aquatic fitness session all year round at little expense!

This concept consisting of an indoor pool with assembly requiring no tools offers sufficient and comfortable space to practice aquabiking up to two persons. Its contained dimensions are generous enough for an aquabike or an aquatraining session while occupying a reduced space as each side only measures 1.84 m. No more than a double bed.

OPTIMIZED VOLUME

 1400 kg/m²

 < 3 000 L

EASY INSTALLATION



CONTROL PANEL



WARRANTIES


Metal parts **2years**

Wear and tear parts **6months**


ADVANTAGES

- Steel structure + insulating foam walls
- Reinforced PVC liner
- Easy assembly in 50min - no tools required
- Chromotherapy
- Isothermal inflatable cover with secured fastening
- Stainless steel ladder for easy access to the pool
- Floor plate
- Anti-spill upper ring

SPACE-SAVING



ULTRA-RIGID STRUCTURE



SPECIFICATIONS

Reference	WX-FITSPPOOL2
Material	Reinforced PVC liner + steel structure + polystyrene panels
External pool dimensions	L 184 x W 184 x H 128 cm
Internal pool dimensions	L 154 x W 154 x H 128 cm
Water volume	3630 L
Water height	120 cm
Weight (empty)	70 kg
Power supply	230 V - 50 Hz
Heating	2000 W
Filtration pump	40 W
Warranty	2 years except wearing parts

FILTRATION



The Fit's Pool 40 W filtration pump is fitted with the latest generation filtration cartridge, that can be cleaned and reused.

In terms of use (public or private), a treatment with active oxygen or chlorine is sufficient to ensure safe and clear water.

SAFETY

The Fit's Pool comes with an inflatable cover that completely covers the pool preventing heat loss and water weathering. The cover is fitted with 8 straps with locking clips to secure access to the pool.





ANODIZED
ALUMINIUM
STRUCTURE



AQUAJOGG AIR

THE LIGHTEST TREADMILL

MAIN FEATURES

25µm anodized T6 aluminium structure

Removable side bars

Ultra-light <26 kg

Large running surface

Barefoot use

Ultra compact Easy Push opening system

WARRANTIES

Metal parts **2years**

Wear and tear parts **6months**



AQUATIC WALKING

Innovation 2019, The AquaJogg Air treadmill is the first equipment of its kind using an anodized aluminium structure and removable side bars. Tone up, work out endurance and reathletisation at your own pace and safely thanks to great stability. The AquaJogg Air is designed for daily and intensive use. It can be used barefoot. Its innovative folding capacity makes it a particularly compact equipment. Easily wheel the Aquajogg Air without marking the floor thanks to its silicone wheels.

Reference	WX-AQUAJOGG2
Material	6063 anodized T6 Aluminium Tech
Finish	Long life anodization
Mat	Running surface L 38 x W 118 cm
Max. charge capacity	150 kg
Dimensions (open)	L 135 x W 67 x H 128 cm
Dimensions (closed)	L 62 x W 67 x H 128 cm
Weight	25.8 kg
Warranties	2 years metal parts 6 months wearing parts


EASIER MOVING

The Aquajogg is fitted with 6 anti-scratch silicone wheels.



Waterflex

AQUAJOGG

JOGGING & RUNNING

AQUATIC WALKING

Providing a new aquatic activity, the Aquajogg combines the benefits of the buoyancy of water with the possibility to walk or run thanks to its fluidity of movement - pure pleasure. At your own pace, work on muscle strengthening, endurance and re-education in total safety thanks to excellent stability.

The Aquajogg is designed for daily and intensive use in group or individual classes. It can be used barefoot. The innovative bending system gives it a compact design and the roller wheels make it easy for them to go into the water without marking the floor. Ultra-compact, it is also very light.

Reference	WX-AQUAJOGG
Material	AISI 316L stainless steel
Finish	Brushed steel with anti-corrosion treatment
Mat	Running surface L 38 x W 118 cm
Max. charge capacity	150 Kg
Dimensions (open)	L 135 x W 67 x H 128 cm
Dimensions (closed)	L 62 x W 67 x H 128 cm
Weight	32 kg
Warranties	3 years metal parts 6 months wearing parts

MAIN FEATURES

AISI 316L **stainless steel**

Large running surface

Barefoot use

Adjustable resistance

13° incline

Easy Push opening system

WARRANTIES


Metal parts **3years**

Wear and tear parts **6months**




ADS PEDAL[®]

THE FIRST VARIABLE RESISTANCE PEDAL



+6 to +54%
resistance



Variable resistance
gentle to high

AQUA DOUBLE SPEED PEDAL

These pedals, and their unprecedented technology, increase resistance for more intense sport sessions. The side flap folded underneath the pedal provides an ideal resistance during warm up. To boost up your training, unfold the flap to increase the surface in contact with water, and double up your effort.

The only variable resistance pedal on the market!

Colors	Blue	Orange
Reference	WX-ADSP-BL	WX-ADSP-OR



All pedal models are compatible with the entire range of Waterflex aquabikes.

AHP PEDAL

STAINLESS STEEL PEDAL



AQUATIC HAPPY PEDAL

The AISI 316L stainless steel AHP pedals accentuate the water's resistance while maintaining a fluid and pleasant motion. They provide medium resistance. Available in 3 colours, they can also be used barefoot.

Colors	Cobalt	Fushia	Orange
Reference	WX-AHP-BL01	WX-AHP-RS01	WX-AHP-OR01

ACP2 PEDAL

THERMO-MOLDED PEDAL



AQUA CONFORT PEDAL

When pedalling, the special shape of the ACP 2 thermoformed pedals pushes the water forward, thus increasing the water resistance effect. This gentle resistance makes it accessible for everyone. You will also enjoy the comfort when using it barefoot.

Colors	Orange / blue
Reference	WX-ACP2-OR / WX-ACP2-BL

COMFORT SADDLE

AN AQUATIC SADDLE FOR ADDED COMFORT

The comfort saddle is an accessory designed for Waterflex water bikes. This aquatic saddle is specially suitable for larger persons or those with sensitive buttocks, women and men alike.



MULTI-TRAINING POWER WORKER AQUATIC BAND



THE FINISHING TOUCH TO YOUR AQUAFITNESS EXERCISES

The Waterflex multi-training power worker has been specially designed to be attached to the rear of water bikes to provide additional water exercises.

This water multi-trainer will enable you to do exercises in addition to pedalling or to stretch after your water fitness session.



THE ESSENTIAL AQUAFITNESS ACCESSORY

Add to the variety and challenge of your water bike exercise with Waterflex water resistance bands light and portable. Perfect for all levels of water fitness, this versatile resistance accessory enables you to develop upper body muscle power, target the arms and invigorate the heart.

Waterflex

RENOV-INOX

RESTORE THE ORIGINAL SHINE

The result of collaboration with the ProTech laboratories, it restores the shine on your water bike and protects it against oxidation.

It contains a 125 ml bottle, a product applicator, sponge and a microfiber to bring back its original shine.



INSULATED FLASK

MAINTAINS THE SAME TEMPERATURE FOR 8 h

The double wall of the Waterflex flask keeps hot or cold liquids at an even temperature for several hours. This 0.6 litre capacity flask is suitable for all kinds of drinks, even carbonated ones. Sport top with press-button opening so you can drink with one hand. Hermetic seal to prevent leaks.

Food safety: 0 BPA, 0 phthalate, 0 toxinS.





AQUAFITMAT

FLOATING MAT FOR SWIMMING POOL


MAIN FEATURES

A design that identifies workout zones

Drop-Stitch technology + Double layer

Extreme rigidity

Non-slip surface



Ultra rigid Drop-stitch technology

This mat has the benefit of Drop Stitch + Double Skin technology, comprising a mesh of thousands polyester fibres reinforced by a PVC layer. Extreme rigidity and unrivalled sturdiness, ideal for all types of audience.

A FUN ACTIVITY

This floating mat is designed to allow all swimming pools to offer a new aquatic activity, without the constraints of depth of water or shape of pool.

The Aquafitmat is inflated like a paddle, designed to be easily fixed between two water lanes thanks to the attachment kit. This educational mat has been created to use the balance-imbalance technique. Patterns printed on the EVA covering allow users to clearly identify the workout zones indicated during the session. This mat enables the coach to structure the session and facilitate the course.

Reference	WX-AQUAFITMAT
Material	Nylon reinforced PVC
Finish	Double layer Drop-stitch technology
Dimensions	L 220 x W 81 x Thickness 12 cm
Accessories	Interlocking rings included
Volume	210 L
Max. charge capacity	120 kg
Weight	10 kg
Warranty	1 year

1 YEAR WARRANTY





AQUAFITMAT CART

STORAGE CART

Let up to 5 Aquafitmat stand to dry in this cart for better product durability. It also provides space gain for better storage to avoid clutter around the swimming pool. Easy to use, this cart does not rust!

MAIN FEATURES

Antibacterial material

Chlorine resistant

4 wheels to facilitate movement

Reference	WX-CARTMAT5
Material	Ultra-resistant PVC, high durability
Dimensions	L 104 x W 105 x H 160 cm
Max. charge capacity	120 kg
Weight	25 kg
Warranty	18 months

Waterflex



AQUAMAT

COACH MAT

Its visual identical to the Aquafitmat facilitates communication between the coach and the participants with simple visual codes. Its non-slip EVA surface secures stability during movement.

Reference	WX-AQUAFM-COACH
Material	Nylon reinforces PVC + EVA
Dimensions	L 220cm x W 81 cm





ELLY NORDIC WALKING

MAIN FEATURES

Wide pedals with straps
Treated for anticorrosion
Oscillating lever arms
White stability pads

WARRANTIES

Metal parts **3years**
Parts wear and tear **6months**

The ELLY elliptical aquabike is a complete training apparatus that is very easy to use, combining the benefits of rowing, cross-country skiing, stepping and cycling.

The ELLY uses about 80% of the muscles in the body synchronously! The secret lies in an elliptical movement designed to reproduce as closely as possible the natural movement of running whilst protecting the joints from impacts. The ELLY offers the user fluidity of movement maximizing leg workout through an angle of incline of the pedals. The effort is further increased through the use of oscillating lever arms with equipped with wide perforated blades.


Designed 100% in stainless steel, the ELLY is compatible with all types of water (sea water, chlorinated or bromine). Easily move the ELLY around thanks to its silicone wheels.

Reference	WX-ELLY
Quality	Inox AISI 316L
Resistance	Oscillating lever arms with perforated blades
Dimensions	L 112 cm x W 56 cm x H 175 cm
Adjustments	No
Water depth	1 m to 1.5 m
Weight	26 kg
Warranties	3 years metallic parts 6 months parts wear and tear


2 MODELS AVAILABLE



Round



Hexagonal



OPTIONAL ACCESSORIES

Optional handrail, ideal to help beginners and increase difficulty for experienced users.

WX TRAMP PREMIUM

AQUATIC JUMPING

The aquatic trampoline can be used in physical rehabilitation, aqua-training or as a family activity. It allows for greater movement coordination, balance and physical condition.

The honeycomb structure jumping mat has been selected to guarantee the best bounce possible thanks to fluid passage of water. The bungees have been selected to provide a supple bounce as well as progressiveness in movement thanks to their extension capability. Technical fibres offer durability and permeability for precision in your jumps and optimised exercise. Barefoot use recommended. The WX Tramp is available in two: round and hexagonal.

The 6 suction pads in non-slip silicone guarantee very high stability during use. These white stabilisers do not mark the floor of your swimming pool. Adapted to all floor coverings (liner, tiles, etc.)

Models	Rond	Hexagonal
Reference	WX-TR3-ROND	WX-TR3-HEXA
Material	Stainless steel AISI 304 structure	
Dimensions	Diam. 101 cm x H 34 cm	112 cm x H 34 cm
Max. charge capacity	100 Kg	
Weight	6.3 kg	
Water depth	1.20 m to 1.70 m	
Warranty	2 years except for wear and tear parts	

MAIN FEATURES

Honeycomb jumping mat

Stainless steel AISI 304 structure

Silicone stabilisers

Reinforced seams

Great stability

Independent bungees

WARRANTY

Except wear and tear parts **2years**





AQUABIKE LIFT

LIFTING MAST TO EFFORTLESSLY RETRIEVE WATERBIKES FROM THE WATER

MAIN FEATURES

Geared pulleys

Easy Fix dual fixation point

Locking System

Wheel locking

WARRANTY

Metal parts except wear and tear parts **2years**

Compatible with all aquafitness equipment (mat, elliptical, aquabike, trampoline,...), the Aquabike-lift combines mobility, stability, security and ease of use in order to effortlessly retrieve any equipment from the water.

Its square handle facilitates lifting and handling, its security system enables a coach to handle the Aquabike lift on his own. It adapts itself to the most complex swimming pools. The Aquabike-lift can be positioned anywhere without cluttering the area around the swimming pool.

The Aquabike Lift lifting mast is equipped with a cable and adjustable counter-weight that instantly adapts itself to the equipment needing introducing or retrieving from the water. With two feet and four wheels in silicone - two of which swivel - handling is done without any effort and securely.

Reference	WX-AQUALIFT
Quality	Steel + epoxy paint treated against corrosion
Use	2 persons recommended
Base dimensions	53 x 72cm
Weight	110 kg
Max. height	2.27 m
Max. width	2.30 m
Max. charge capacity	70 kg
warranty	2 years except wear and tear parts



TÜV QUALITY CERTIFICATE
EN13197/IN - 01/10/2009
European standards compliant



COMPLETE YOUR AQUAFITNESS SESSIONS WITH SOME **AQUAGYM**

Body sculpting with aquagym

These activities are ideal for aquatic sports fans, but also for all those who wish to "offload" while toning up. Benefits are multifold as you can tone up in music and in a fun atmosphere.

Muscles stimulation: abdominal belt, buttocks, thighs, shoulders and arms.

What are the effects? Aquagym improves cardio-vascular capacities and endurance, tones up the chest and stretches muscles for a draining effect boosted through water massage.



WEIGHTED AQUAGYM WRISTBANDS 500GR

Sold in pairs

Doing aquagym is good, but increasing the effort you make in the water to build your muscles is even better! These weighted wristbands can be worn on the wrists or ankles. They have a removable silicone weight in a bag that you can wash between sessions. The fabric is very strong and the adjustable Velcro strap ensures a perfect fit.



FOAM DUMBBELLS

Sold in pairs

Sturdy and light, these foam dumbbells are the must-have accessory for aquagym classes and the perfect addition to aqua-jogging classes. Used for re-education and muscle strengthening, these dumbbells will be your perfect partners for working out your upper body gently but effectively.

PREMIUM FOAM NOODLES

This "premium" model is specially created for professionals, for regular, daily use. Particularly suited to aquagym, hydrotherapy and relaxation, you are sure to appreciate its high-density foam material, very and non-irritating. Its major advantage: high chlorine resistance, will not crumble in the water!



PRESTIGE SAUNA CABIN



PRESTIGE SAUNA RANGE

Through our HOLL'S brand, we invite you to discover our comprehensive range of traditional and infrared saunas for 2 to 6 persons, made from best-quality wood such as red cedar and spruce, from sustainably managed forests.

All our saunas feature LED lighting systems favourable for chromotherapy.

A HOST OF BENEFITS

Our Venetian range invites you to enjoy a sauna in the purest tradition with its steam technology and two-tiered benches. Find all these benefits also in the Eccolo sauna for 6 persons, designed to be optimally energy-efficient.

In our selection of infrared saunas, quartz & magnesium stands out with its «Dual Healthy» infrared panels providing a quartz emitter and a magnesium emitter which work deep-down on the body using gentle heat.

At Holl's, we perfectly understand how difficult it is to choose between one or the other experience. This is why you will find hybrid saunas which propose both traditional sauna and infrared technology.

TRADITIONAL STEAM EXTERIOR SAUNA

NEW FOR
★ 2021



P.98

GAÏA NOVA
3/6 persons



P.100

GAÏA BELLA
1/3 persons



P.102

GAÏA OMEGA
3/6 persons



P.104

GAÏA LUNA
3/6 persons




P.106

GAÏA ROSSA
3/6 persons

PRESTIGE SAUNA

NEW FOR
★ 2021



EXCLUSIVELY
IN STORES

P.108

PUREWAVE
Infrared sauna
2, 3 et 3/4 persons



EXCLUSIVELY
IN STORES

P.110

VENETIAN
Traditional steam sauna
2, 3/4 et 4/5 persons



EXCLUSIVELY
IN STORES

P.112

VENETIAN HYBRID
Infrared + steam sauna
3 persons



P.114

MULTIWAVE
Infrared sauna
2, 3 et 3/4 persons



P.116

HYBRID COMBI
Infrared
+ steam sauna
4 persons



P.118

COMBI ACCESS
Infrared
+ steam sauna
4 persons



P.120

ECCOLO
Steam
6 persons

LOUNGER AND ACCESSORIES



P.122

ALTO CONFORT PLUS
Infrared lounger



P.124

ACCESSORIES & STOVES
For infrared & traditional saunas

EXTERIOR SAUNA



Canadian
Red Cedar

NEW FOR
★ 2021

GAÏA
NOVA

6 / 3

205 x 205 x 220 cm

EXTERIOR CABIN

GAÏA NOVA

A COMFORTABLE
HEAVEN OF PEACE



MAIN FEATURES

Canadian Red Cedar

Multi-positions upper bench
with comfort headrest

Triple bench
two-tiered

Traditional sauna accessories
included

WARRANTIES

Electronics **2years**

Wood **4years**

With its Gaïa collection, Holl's offers a line of exterior saunas thought for the pleasure of all senses.

The Gaïa Nova outside sauna regroups all the standards for a high quality cabin and offers a comfortable volume thanks to its square shape.

Let yourself be transported by its beautiful Canadian red cedar and its distinctive scent.


Designed for 6 persons, where you can enjoy a true Finnish experience on a two-tiered bench. The upper bench has been thought for complete relaxation with a foldable backrest and a comfortable headrest

To complete its aesthetics, soft lighting as well as 7-colours LED chromotherapy ensure harmonious luminance.




Sauna kit included

Wooden bucket / Ladle / Thermometer /
Hygrometer




7-colours LED chromotherapy




Comfort headrest

ADVANTAGES


- Sauna kit included
Wooden bucket / Ladle /
Thermometer / Hygrometer
- Comfort headrest
- Wood access step
- Soft lighting
- Roof covering included
- 7-colours LED chromotherapy
- Glazed surfaces and louvered
wooden shutters



Holl's



Shingled roof included



CHARACTERISTICS

HL-B200C
6 seated or 3 lounged
Dimensions 205 x 205 x 220 cm
Interior lighting + 7-colours LED chromotherapy (with remote control)
Canadian Red Cedar
Walls thickness: 38mm
Triple bench, Two-tiered bench
Foldable upper bench + removable headrest
Bucket, ladle, hourglass, thermometer, hygrometer included
Bench and headrest in Canadian Red Cedar from sustainable forests
Recommended stove 6 to 8 kW (not included)

EXTERIOR SAUNA



Canadian
Spruce

NEW FOR
★ 2021

GAÏA
BELLA

3 / 1

160 x 205 x 220 cm

EXTERIOR CABIN

GAÏA BELLA

A COMPACT AND
COMFORTABLE HEAVEN OF
PEACE

MAIN FEATURES

Canadian Spruce

Multi-positions upper bench
with comfort headrest

Two-tiered bench

Traditional sauna accessories
included

WARRANTIES

Electronics **2years**

Wood **4years**



With its Gaïa collection, Holl's offers a line of exterior saunas thought for the pleasure of all senses.

Relax in the comfort of the Gaïa Bella as a duo. The heat provided by the steam stove stimulates blood circulation and soothes muscles and joints. Immune defenses are also boosted and toxins eliminated through sweating. Your relaxation session is enhanced with a set of colours conducive to chromotherapy healing.

The Gaïa Bella cabin is equipped with two benches over two levels. Fully enjoy your relaxing moment lounged on the foldable upper bench, which ergonomics have been carefully studied right through to the integrated headrest.

This cabin and its Scandinavian charm in light-coloured spruce wood with contained dimensions will enhance your garden. Its glazed surfaces covered with louvered shutters add a certain appeal to the round shape of this outside sauna.



Sauna kit included

Wooden bucket / Ladle / Thermometer /
Hygrometer





Multi-positions bench




Comfort headrest

ADVANTAGES


- Sauna kit included
Wooden bucket / Ladle /
Thermometer / Hygrometer
- Comfort headrest
- Wood access step
- Soft lighting
- Exterior coating included
- LED chromotherapy
- Glazed surfaces and
louvered wooden
shutters



Holl's



Shingled roof included



CHARACTERISTICS

HL-T160E
3 seated or 1 lounged
Dimensions 160 x 205 x 220 cm
Interior lighting + 7-colours LED chromotherapy (with remote control)
Canadian Spruce
Walls thickness: 38mm
Two-tiered bench
Multi-positions upper bench
Bucket, ladle, hourglass, thermometer, hygrometer included
Bench and headrest in Canadian Red Cedar from sustainable forests
Recommended stove 4.5 to 8 kW (not included)

EXTERIOR SAUNA



Canadian
Spruce

NEW FOR
★ 2021

GAÏA
OMEGA

6 / 3

200 x 205 x 220 cm

EXTERIOR CABIN

GAÏA OMEGA

HEAT AND CHROMOTHERAPY
FOR TOTAL WELL-BEING

MAIN FEATURES

Canadian Spruce

Multi-positions upper bench
avec Comfort headrest

Two-tiered bench

Traditional sauna accessories
included

WARRANTIES

Electronics **2years**


Wood **4years**



With its Gaïa collection, Holl's offers a line of exterior saunas thought for the pleasure of all senses.

With its raw wood appearance, the Omega is sure to add character to your exterior. The door and windows with louvered wooden shutters ensure your privacy while enjoying the exterior view.

Soft lighting illuminates the interior of the cabin. Sitting or lounged on one of the levels of the two-tier bench, take full advantage of your relaxing moment. The upper bench designed to offer greater ergonomics modulates and supports the legs in a reclining posture. Head resting on the headrest, the tensions of the day are released by the effects of heat and chromotherapy which are evenly diffused throughout this rounded sauna.



Sauna kit included

Wooden bucket / Ladle / Thermometer /
Hygrometer



Comfort multi-positions bench




Comfort headrest

ADVANTAGES


- Sauna kit included
Wooden bucket / Ladle /
Thermometer / Hygrometer
- Comfort headrest
- Wood access step
- Soft lighting
- Exterior coating included
- LED chromotherapy
- Glazed surfaces and
louvered wooden shutters



Holl's



Shingled roof included



CHARACTERISTICS

HL-T200E

6 seated or 3 lounged

Dimensions 200 x 205 x 220 cm

Interior lighting + 7-colours LED chromotherapy (with remote control)

Canadian Spruce

Walls thickness: 38mm

Two-tiered bench

Multi-positions upper bench

Bucket, ladle, hourglass, thermometer, hygrometer included

Bench and headrest in Canadian spruce from sustainable forests

Recommended stove 4.5 to 8 kW (not included)

EXTERIOR SAUNA



Canadian
Spruce

NEW FOR
★ 2021

GAÏA
LUNA

6 / 3

250 x 205 x 220 cm

EXTERIOR CABIN

GAÏA LUNA

IN THE PUREST FINNISH
TRADITIONS

MAIN FEATURES

Canadian Spruce

Deck with seats

Multi-positions upper bench
avec Comfort headrest

Two-tiered bench

WARRANTIES

Electronics **2years**

Wood **4years**




The Gaia Luna awakens all your senses with an indoor and outdoor relaxation area.

Designed in solid spruce wood, the Gaia Luna includes an all comfort foldable bench. Its rounded design optimizes air and heat circulation which is diffused evenly throughout the cabin. Comfortably stretched out, head rested, let your tensions relax for a moment of well-being, alone or with loved ones. Using the remote control switch the lights to fully enjoy the benefits of chromotherapy.

The Gaia Luna can accommodate up to 6 people seated. Its rounded design optimizes air and heat circulation which is diffused evenly throughout the cabin for a moment of well-being, alone or with loved ones.

A deck at the entrance with two seats adds to the friendly character of this sauna where you can sip on a drink while enjoying the scenery.



Sauna kit included

Wooden bucket / Ladle / Thermometer /
Hygrometer




Comfort multi-positions bench




Comfort headrest

ADVANTAGES

- Sauna kit included
Wooden bucket / Ladle /
Thermometer / Hygrometer
- Comfort headrest
- Wood access step
- Soft lighting
- Exterior coating included
- LED chromotherapy
- Glazed surfaces and
louvered wooden
shutters



Shingled roof included



CHARACTERISTICS

HL-T250E

6 seated or 3 lounged

Dimensions 250 x 205 x 220 cm

Interior lighting + 7-colours LED chromotherapy (with remote control)

Canadian Spruce

Walls thickness: 38mm

Two-tiered bench

Multi-positions upper bench

Bucket, ladle, hourglass, thermometer, hygrometer included

Bench and headrest in Canadian Red Cedar from sustainable forests

Recommended stove 4.5 to 8kW (not included)

EXTERIOR SAUNA



Canadian
Red Cedar

NEW FOR
★ 2021

GAÏA
ROSSA

6 / 3

250x205x220cm

EXTERIOR CABIN

GAÏA ROSSA

SENSE AWAKENING AND
ABSOLUTE RELAXATION



MAIN FEATURES

Canadian Red Cedar

Deck with seats

Multi-positions upper bench
avec Comfort headrest

Two-tiered bench

WARRANTIES

Electronics **2years**


Wood **4years**

Designed in red cedar wood, the Rossa fully displays its traditional character with a capacity of up to 6 persons

In the purest of Finnish traditions, the essence of red cedar in this steam sauna, which is installed outside, gives you an unmatched olfactory immersion. Its glazed door and louvered windows give it an elegant and cozy touch.

To bring a touch of modernity, the interior of the cabin consists of a foldable upper bench that invites you to enjoy your moment of well-being comfortably lounged. Its rounded shape allows for a uniform distribution of heat and a set of lights conducive to chromotherapy completes the interior of the Rossa.

The open deck at the entrance of the sauna comprises benches where you can prolong your moment of well-being.



Sauna kit included

Wooden bucket / Ladle / Thermometer /
Hygrometer




Comfort multi-positions bench



Comfort headrest

ADVANTAGES


- Sauna kit included
Wooden bucket / Ladle /
Thermometer / Hygrometer
- Comfort headrest
- Wood access step
- Soft lighting
- Exterior coating included
- LED chromotherapy
- Glazed surfaces and
louvered wooden
shutters



Holl's



Shingled roof included



CHARACTERISTICS

HL-T250C

6 seated or 3 lounged

Dimensions 250 x 205 x 220 cm

Interior lighting + 7-colours LED chromotherapy (with remote control)

Canadian Red Cedar

Walls thickness: 38mm

Two-tier bench

Multi-positions upper bench

Bucket, ladle, hourglass, thermometer, hygrometer included

Bench and headrest in Canadian Red Cedar from sustainable forests

Recommended stove 4.5 to 8 kW (not included)



INFRARED CABIN

PUREWAVE

GENTLE OVERALL
WELLNESS

MAIN FEATURES

Dual Healthy infrared
technology
Quartz + Magnesium

Canadian spruce

Audio system
MP3 / FM / Bluetooth

LED chromotherapy

WARRANTIES

Electronics **2years**

Wood **10years**

Holl's proposes this cabin in light-coloured Spruce.

The Purewave infrared sauna, equipped with dual Full Spectrum quartz/magnesium technology covering the entire infrared spectrum for gentle treatment of the epidermis or deeper subcutaneous penetration, offers a host of attractive features.

Its abachi-wood benches and headrests, its Dual Healthy panels ideally-located for use by several persons and its exclusive fittings, make it an exceptionally-elegant sauna which will enhance your lifestyle every day.

Take a seat, relax and just enjoy your session. Delight in pure comfort with soft music, quartz or magnesium infrared mode and chromotherapy. A moment of wellness to relax and unwind.




Exterior in Canadian spruce



Abachi wood bench & headrests




Audio Bluetooth / MP3






Underfloor heating



LED chromotherapy



Digital-display control panel



Holl's

PUREWAVE 2	PUREWAVE 3	PUREWAVE 3C
HL-MW02E-K	HL-MW03E-K	HL-MW03CE-K
2 persons	3 persons	3/4 persons
Dimensions 130 x 100 x 190 cm	Dimensions 150 x 110 x 190 cm	Dimensions 140 x 140 x 190 cm
6 infrared emitters	7 infrared emitters	8 infrared emitters
Heating capacity 2150 W	Heating capacity 2500 W	Heating capacity 2550 W
	LED chromotherapy	
	Digital control panel	
	Audio MP3 / FM / Bluetooth	
	Exterior in Canadian spruce	
	Abachi bench and headrest	



STEAM SAUNA

VENETIAN

BACK TO THE
ESSENCE OF THE
FINNISH SAUNA



MAIN FEATURES

Steam technology
Harvia stove included

Elegant design
Large glazed surfaces with
louvered shutters

Canadian spruce

Inside lighting

LED chromotherapy

WARRANTIES

Electronics **2years**

Wood **10years**

A stylish, elegantly-designed traditional steam sauna

Delight in all the benefits of a luxury steam sauna behind large glazed surfaces, adorned with elegant louvered shutters.

Its Canadian spruce wood construction alone conjures up relaxation and wellness. Inside, the 2-tiered benches, similar to those in traditional Finnish saunas, invite you to enjoy a range of temperature levels (for the 3/4 and 4/5 person models).

In addition to its exclusive design with outstanding finishes, the Venetian cabin is also fully equipped for you to enjoy a luxury steam sauna session.



Exterior in Canadian spruce



Large glazed surfaces covered
with solid wood louvered
shutters



Sauna kit included
Bucket, wooden ladle,
hourglass, thermometer,
hygrometer






Two-tiered abachi bench



Bright lighting and LED
chromotherapy





VENETIAN 2	VENETIAN 3/4	VENETIAN 4/5
HL-VN03R-PK	HL-VN04C-PK	HL-VN05R-PK
2 persons	3/4 persons	4/5 persons
Dimensions 139 x 110 x 200 cm	Dimensions 160 X 160 X 200 cm	Dimensions 185 X 185 X 200 cm
Upper and beneath bench bright lighting and LED chromotherapy		
Interior lighting		
Exterior in Spruce		
Abachi bench and headrest	Two-tiered abachi bench and headrest	
Sauna kit included		
3.5 kW stove included	4.5 kW stove included	8 kW stove included

NEW FOR
★ 2021



INFRARED + STEAM SAUNA

VENETIAN HYBRID

MODERN DESIGN AND
HIGH-END EQUIPMENT

MAIN FEATURES

Steam technology
Harvia stove included

Dual Healthy infrared
technology
Quartz + magnesium

Elegant design
Large glazed surfaces with louvered shutters

Canadian spruce
LED chromotherapy

WARRANTIES

Electronics **2years**

Wood **10years**




A hybrid sauna in a compact format with a neat & elegant design.

Enjoy a relaxing moment at home in this sauna made from Canadian spruce wood. Its design all in lightness enhanced with glazed surfaces and louvered wooden shutters add a contemporary touch to your personal relaxation space.

The Venetian Hybrid combines three technologies – Quartz & Magnesium infrared as well as steam – to offer you a larger selection: while the steam over the stove soaks the cabin with heat favourable to general relaxation, Quartz and Magnesium rays are conducive to detoxification and joint and muscle relaxation. The comfort of the wooden bench combined with chromotherapy create a true moment of well-being.

With its versatility, enjoy all types of saunas in one sur-equipped cabin: LED chromotherapy, Audio, accessories included.



Audio Bluetooth



Exterior in Canadian spruce




Large glazed surfaces covered with solid wood louvered shutters



Sauna kit included
Bucket, wooden ladle, hourglass, thermometer, hygrometer



LED chromotherapy



Hybrid cabin,
the best of both worlds


Infrared technology:

Using quartz + magnesium emitters, the Venetian Hybrid sauna offers the choice between the benefits of quartz to soothe muscles and joints tension or the enveloping warmth of magnesium, that stimulates blood circulation.



Steam technology:

Enjoy a traditional Finnish session in a sauna equipped with a Harvia stove and its accessories. A unique moment ideal for body and mind, to stimulate blood circulation and boost the immune system.



VENETIAN HYBRID

HL-VNH3C

3 persons

6 Infrared Dual Healthy emitters

Infrared capacity 2150 W

Dimensions 140 x 140 x 200 cm

Upper lighting and LED chromotherapy

Interior lighting

Spruce exterior

Abachi bench and headrest

Sauna kit included

3.5 kW stove included



INFRARED CABIN

MULTIWAVE

COMBINING INTENSE
COMFORT
& WELLNESS



MAIN FEATURES

Infrared technology

Dual Healthy Quartz + Magnesium

Canadian red cedar wood

Audio system

MP3 / FM / Bluetooth

LED chromotherapy

WARRANTIES

Electronics **2years**


Woodwork **10years**

Holl's invites you to discover this cabin made of red cedar with its highly-aromatic scent.

The Multiwave infrared sauna, equipped with dual Full Spectrum quartz/magnesium technology covering the entire infrared spectrum for gentle treatment of the epidermis or deeper subcutaneous penetration, offers a host of attractive features.

Its abachi-wood benches and headrests, its Dual Healthy panels ideally-located for use by several persons and its exclusive fittings, make it an exceptionally-elegant sauna which will enhance your lifestyle every day.

Take a seat, relax and just enjoy your session. Delight in pure comfort with soft music, quartz or magnesium infrared mode and chromotherapy. A moment of wellness to relax and unwind.




Canadian red cedar
wood exterior



Abachi wood bench
& headrests



Audio Bluetooth /MP3






Underfloor heating



LED
chromotherapy



Digital-display
control panel



MULTIWAVE 2	MULTIWAVE 3	MULTIWAVE 3C
HL-MW02-K	HL-MW03-K	HL-MW03C-K
2 persons	3 persons	3/4 persons
Dimensions 130 x 100 x 190 cm	Dimensions 150 x 110 x 190 cm	Dimensions 140 x 140 x 190 cm
6 infrared emitters	7 infrared emitters	8 infrared emitters
Infrared power 2150 W	Infrared power 2500 W	Infrared power 2550 W
	LED chromotherapy	
	Digital-display control panel	
	MP3 / FM / Bluetooth Audio	
	Canadian red cedar wood exterior	
	Abachi wood bench & headrests	



INFRARED + STEAM SAUNA

HYBRID COMBI

TRADITIONAL AND INFRARED,
THE BEST OF BOTH WORLDS

MAIN FEATURES

Double technology

Dual Healthy infrared + steam

Red cedar wood and abachi

Audio system

MP3 / FM / Bluetooth

LED chromotherapy

Harvia 4.5 kW Stove included

Having trouble choosing between the pleasure of a traditional sauna and the benefits of infrared waves?

HOLL'S has thought of you by creating a cabin that combines these two Sauna concepts!

HYBRID COMBI revolutionizes sauna use as it invites you to enjoy steam sessions or infrared ones with quartz and magnesium radiation in the same cabin.

The Dual Healthy Quartz + Magnesium emitters are ideally-located to offer you optimal benefits.


WARRANTIES

Electronics **2years**


Woodwork **10years**



Harvia stove included




Red cedar wood and abachi exterior



6 mm glass door to ensure insulation, comfort and safety.




Sauna kit included
Bucket, wooden ladle, hourglass, thermometer, hygrometer



LED Chromotherapy



Stereo FM / MP3 / Bluetooth audio



HYBRID COMBI

HL-HC04PK

4 persons

Dimensions 180 x 140 x 190 cm

8 infrared emitters

LED chromotherapy

Digital-display control panel

MP3 / FM / Bluetooth Audio


Canadian red cedar wood and abachi exterior


Abachi bench and headrests

Infrared power 2800 W

Kit sauna included

4.5 kW stove included





INFRARED + STEAM SAUNA

COMBI ACCESS

THE BENEFITS OF A SAUNA FOR ALL

MAIN FEATURES

Optimized for
4 people with reduced mobility

+ 4 persons

Double technology
Dual Healthy infrared + steam

Red cedar wood & abachi

Audio system
MP3 / FM / Bluetooth

The only multi-technology solution accessible to people with reduced mobility, delivered with all accessories required.

By using both the Full Spectrum Quartz + Magnesium Infrared technologies and the steam stove, Combi Access is equipped with a double sliding door and has a large 1.50 m diameter open area for a wheelchair to easily move around. Access to the bench is facilitated by its two lateral grab handles and two other folding handles in the centre of the seating. And to ensure you make the most out of your session, remote front emitters are on hand.

A Harvia stove and accessories are included.


WARRANTIES

Electronics **2years**

Woodwork **10years**



Red cedar wood and abachi exterior




Double sliding door or easy access



Bench with deep seating and folding handles






Lateral grab handles



LED chromotherapy



Stereo FM / MP3 / Bluetooth audio



Flooring not included





Steam SAUNA



STEAM SAUNA

ECCOLO

MINIMUM CONSUMPTION, MAXIMUM COMFORT

MAIN FEATURES

Comfortable 2-tier benches

Optimal insulation
with vapor barrier

Harvia 4.5 kW stove included

LED chromotherapy

Parameters have been studied to ensure this sauna's energy-efficiency has been optimized.

Its walls are insulated and the space beneath the benches is enclosed for optimal insulation. Door closing and its structure have been designed to prevent heat loss.

For a substantial number of users (6 persons), such a sauna normally requires an 8 kW stove connected to a 380 v power socket. With our excellent insulation, a simple 4.5 kW stove, as found in a sauna for 3 persons, is sufficient.

WARRANTIES

Electronics **2years**

Woodwork **10years**



Sauna kit included
Bucket, wooden ladle,
hourglass, thermometer,
hygrometer



Wide comfortable
double benches





LED chromotherapy



Abachi benches and
headrests



Red cedar wood and
Abachi exterior



ECCOLO

HL-EC04PK

6 persons

Dimensions 200 x 175 x 190 cm

LED chromotherapy

Comfortable double abachi bench


Optimal insulation with vapor barrier

Red cedar wood and abachi exterior

Abachi bench and headrests

Kit sauna included

4.5 kW stove included





*A sauna session
without cabin*



COMFORTABLE INFRARED LOUNGER

ALTO CONFORT PLUS

SAUNA HEAT WHEREVER YOU WISH

MAIN FEATURES

Solid wood construction

Integrated infrared
Type C infrared

Digital control panel

Adjustable backrest,
seat and armrests

Reclining seat and backrest


WARRANTIES

Electronics **2years**

Woodwork **10years**

The one-of-a-kind Alto Confort Plus lounge, rewarded for its innovation and design, invites you to enjoy sauna benefits and pleasure anytime, anywhere. This elegant, comfortable lounge can be placed anywhere in any room you wish. Its advanced infrared technology promotes relaxation and unwinding, calms your mind and relaxes your body on a daily basis.

With its multi-position backrests, seats and armrests, the Alto Confort Plus lounge invites you to enjoy an optimally-comfortable infrared session. Lean back, let go, your relaxation session can begin anytime, anywhere.



Integrated carbon emitters

Carbon infrared emitters diffusing perfect heat are placed under the lounge along the length of the seat.



ADJUSTABLE SEAT, BACKREST AND ARMRESTS

Select the most suitable reclining angle for you and enjoy a perfect moment of relaxation.

CHARACTERISTICS

HL-8407H

Solid wood frame

Dimensions 158 x 110 x 60 cm

Reclining seat and backrest

Flip-up armrests

Infrared power Type C 550 W

230 v - 50 Hz power supply



BACK AND LEGS TARGETED

Type C infrared waves diffuse a gentle heat focused on the entire back and legs, from the neck to the ankles.

ACCESSORIES & STOVES

ACCESSORIES FOR
ENHANCED COMFORT



HARVIA STONE

Stones for electric or wood stoves.

Reference: SN-AC-ROCK
Stone size: Ø 5-10 cm
Total weight: 20 kg



Reference: AC3020
Stone size: Ø 10-15 cm
Total weight: 20 kg




ACCESSORY KIT FOR TRADITIONAL SAUNA


Stainless steel bucket
and ladle, thermometer
and hygrometer

Reference: SN-SA006

For your comfort France Sauna proposes ergonomic wooden accessories suitable for infrared and traditional steam saunas.



Headrest
ref : SN-AC-TETE



Comfortable backrest
ref : SN-AC-DOSS

HARVIA


VEGA

VEGA LUX


Holl's

VEGA					VEGA LUX		
Type	Electric stove				Electric stove		
Reference SN-HARVIA-	P035	P045	P060	P080	BX45	BX60	BX80
Power	3.5 kW	4.5 kW	6.0 kW	8.0 kW	4.5 kW	6.0 kW	8.0 kW
Recommended volume (min. - max.)	1 - 4.5 m3	3 - 6 m³	5 - 8 m³	7 - 12 m³	3 - 6 m³	5 - 8 m³	7 - 12 m³
Power supply	230 v 1N~ / 400 v 3N~				230 v 1N~ / 400 v 3N~		
Dimensions (L x D x H)	280 x 295 x 505 mm	480 x 310 x 540 mm			500 x 340 x 510 mm		
Weight (without stones)	7 kg	11 kg			11 kg		
Max. capacity	12 kg	20 kg			25 kg		
Location	Mural				Mural		
Control panel	Built-in				Built-in		
Warranty	2 years						

SAUNA



SAUNA CABINS

Your expectations are at the heart of our thinking, and our ready-to-use saunas, assembled in less than an hour, are a reflection of it.

Nestled in the heart of Provence since 2006, France Sauna supports you in your well-being projects at home. For this, our development team makes it a point of honor to offer you saunas, made from wood sourced from sustainable forests and equipped with advanced technologies.

Our infrared saunas and their Quartz or Dual Healthy Quartz + Magnesium technology give you the freedom to personalize your wellness area up to your choice of health benefits.

Our traditional steam saunas are equipped with heaters from the leading brand Harvia; supplied with their lava stones, their power is calculated precisely for the size of the cabin.

The ergonomics of our sauna cabins provide you with real ease of use while our wide choice of design fits into both traditional and modern interiors.

The sauna becomes accessible and can be easily installed at home.

TRADITIONAL STEAM SAUNA

NEW FOR
★ 2021



P.128

SENSE
2 models



P.130

ZEN
4 models

INFRARED SAUNA

NEW FOR
★ 2021



P.132

SPECTRA
3 models



P.134

APOLLON
4 models

NEW FOR
★ 2021



Canadian
spruce

SENSE

TRADITIONAL PANORAMIC
SAUNA



FAST, EASY ASSEMBLY

MAIN FEATURES

Two-tiered bench

Light fixture under bench
for a cozy atmosphere

Canadian spruce

Panoramic view
with glass facade

Harvia stove included

Kit sauna included

WARRANTIES

Electronics **2years**


Woodwork **4years**

A call to escape with this sauna and its glass surface.

Reflecting France Sauna expertise, the Sense combines all the ingredients that contribute to let go and free the mind and relax the body.

This traditional sauna in Canadian spruce wood is a real invitation to settle down comfortably, back rested or lounged, and enjoy a moment of complete serenity. Classic lights on the upper corners of the cabin and under the bench create a relaxing atmosphere, while the large glazed surface creates a feeling of openness to the outside.


The electric stove supplied with the Sense provides an enveloping heat favorable to relaxation and the release of tensions. Add water to the lava rocks on the stove using the wooden ladle supplied with the sauna kit and fully enjoy your well-being session to be renewed as desired.




Light fixture under bench



Large glazed panoramic surface






Harvia stove included



Sauna kit included

2 versions available from 3 to 4 persons



SENSE 3		SENSE 4	
SN-SENSE-3PK		SN-SENSE-4PK	
3 persons		4 persons	
Dimensions 153 x 110 x 190 cm		Dimensions 150 x 150 x 200 cm	
3.5 kW stove		4.5 kW stove	
167 kg		235 kg	
Kit sauna: ladle and wooden bucket, thermometer, hygrometer and traditional hourglass			
8mm thick secure glass			
Single 230 V 1N or 3-phase 415 V 3N (a choice)			
Canadian spruce exterior			



*Canadian
spruce*

ZEN

TRADITIONAL FINNISH SAUNA

MAIN FEATURES

Steam **technology**

Canadian spruce

Harvia stove included

Light fixture under bench

Sauna kit included

WARRANTIES

Electronics **2years**

Woodwork **4years**




Traditional Finnish sauna cabin


Let yourself be charmed by an authentic traditional sauna and its natural look. The Zen distinguishes itself with its raw Canadian spruce wood as well as its quality equipment.

Available with a one-tier or two-tier bench, depending on the model, the sauna is equipped with soft lighting situated at the corner top and beneath the bench for a relaxed enjoyable atmosphere.


Its accessories kit includes a bucket, a ladle, a thermometer and a hygrometer. To ensure an ideal temperature, a Harvia stove and 20 kg of lava stones are included.



Light fixture under bench









Subdued atmosphere



Harvia stove and et lava stones
included



Traditionnal sauna kit
included



ZEN 2	ZEN 3	ZEN 3C	ZEN 4
SN-ZEN-2PK	SN-ZEN-3PK	SN-ZEN-3CPK	SN-ZEN-4PK
2 persons	3 persons	3/4 persons	4 persons
Dimensions 120 x 110 x 190 cm	Dimensions 153 x 110 x 190 cm	Dimensions 150 x 150 x 200 cm	Dimensions 198 x 174 x 200 cm
Harvia Vega Compact 3.5 kW stove		4.5 kW Harvia Vega stove	6 kW Harvia Vega stove
Kit sauna: ladle and wooden bucket, thermometer, hygrometer and traditional hourglass			
120 kg	186 kg	150 kg	232 kg
8mm thick secure glass			
Single 230 V 1N or 3-phase 230 V 3N			
Canadian spruce exterior			



Canadian
spruce

SPECTRA

NEW GENERATION OF
DUAL HEALTHY INFRARED
EMMITTERS

MAIN FEATURES

Full Spectrum Technology
Quartz + Magnesium

Canadian spruce

Carbon panels on the floor

LED chromotherapy

Control panel

WARRANTIES

Electronics **2years**

Woodwork **4years**




Need to relax and let go? There is nothing like a sauna session to recharge your batteries.

With its Dual Healthy technology, the Spectra offers the 2 main infrared technologies for different benefits. Choose between Full Spectrum Quartz to relieve muscles and joints, or magnesium to promote sweating and stimulate blood circulation.

Made from Canadian spruce wood, the Spectra combines everything for a perfect session. Outside lights, audio, chromotherapy, remote wired control, everything to make life easy and turn this sauna into a best-seller with a selection of 3 sizes.




Quartz / Magnesium panels



Carbon panels on the floor






Control panel



LED chromotherapy

3 versions available from 3 to 4 persons



SPECTRA 2	SPECTRA 3	SPECTRA 4
SN-SPECTRA03R	SN-SPECTRA04R	SN-SPECTRA05R
2 persons	3 persons	4 persons
Dimensions 140 x 125 x 200 cm	Dimensions 160 x 160 x 200 cm	Dimensions 200 x 185 x 200 cm
7 infrared emitters - 1980 W	9 infrared emitters - 2580 W	11 infrared emitters - 2950 W
Vertical infrared Dual Healthy Quartz and Magnesium, Carbon floor panel		
LED chromotherapy / Digital Control panel / MP3 / FM Audio		
172 kg	214 kg	269 kg
8mm thick secure glass		
230V - 50Hz		
Canadian spruce exterior		

Full Spectrum
Quartz Technology



mp3 100% COMPATIBLE



*Canadian
spruce*

APOLLON

A WAVE OF WARMTH
TRANSPORTS YOU

MAIN FEATURES

Full Spectrum Quartz
Infrared Technology

Canadian spruce

Carbon panels on the floor

LED chromotherapy

Control panel

WARRANTIES

Electronics **2years**

Woodwork **4years**



Let yourself be carried away by the cozy warmth of the sauna. The Apollon sauna reinvents itself while keeping all the advantages that have made its success.

The Apollon's infrared transmitters are equipped with the latest Full Spectrum Quartz technology. The advantages are countless: a nearly instant start-up, a wide range of wavelengths that act deep under the skin as well as at the surface.

Each session becomes a moment of pure joy. The infrared panels have been positioned for optimum Quartz benefits combined with carbon panels to ensure even warmth throughout the cabin..

Its solid spruce design is enhanced by discreet yet practical equipment. Outside lights as well as inside LED chromotherapy complement the atmosphere while FM/USB audio plays your favourite music. The Apollon is a sure value for anyone wishing to enjoy a quality sauna at the best price.



Quartz emitters



Carbon panels on the floor



Control panel inside and
outside





MP3 / Radio / USB player



LED chromotherapy

4 versions available from 3 to 4 persons



APOLLON 2

APOLLON 2C

APOLLON 3

APOLLON 3C

SN-APOLLON-Q2	SN-APOLLON-Q2C	SN-APOLLON-Q3	SN-APOLLON-Q3C
2 persons	2/3 persons	3 persons	3/4 persons
Dimensions 120 x 123 x 190 cm	Dimensions 120 x 120 x 190 cm	Dimensions 153 x 128 x 190 cm	Dimensions 150 x 150 x 190 cm
5 Quartz emitters- 1500 W	6 Quartz emitters- 1800 W	6 Quartz emitters- 1800 W	8 Quartz emitters- 2400 W
1 Carbon emitter - 180 W	5 Carbon emitters - 480 W	1 Carbon emitter - 225 W	1 Carbon emitter - 180 W

Full Spectrum Quartz infrared and carbon panel on the ground

LED chromotherapy / Digital control panel / Audio MP3 / FM / USB / Ozonator

164 kg

178 kg

192 kg

222 kg

8mm thick secure glass

230V - 50Hz

Canadian spruce exterior

SEMI-RIGID & INFLATABLE SPA



135



FAST, EASY ASSEMBLY



PORTABLE SPA

VITA



4 persons

THE FIRST CHOICE IN A SEMI-RIGID STRUCTURE

MAIN FEATURES

Semi-rigide structure

Rigid and insulating foam

Premium finishes

Braided PVC and faux leather contour

Triple function motor

Massage / Heating / Filtration

Insulating cover

100% safe

Electrical protection

10 mA

The Vita, a real spa with luxurious finishes, stands out with its stylish and elegant design.

Its 8 cm foam structure grants the Vita several advantages: fast assembly, greater rigidity compared to inflatable spas and better insulation thanks to its foam panels.

Optimal comfort is guaranteed with a foam mat directly integrated into the interior liner ensuring comfortable sitting, whilst the spa is top-edged with laminated PVC offering an elegant effect.

The spa uses the Netspa motor unit, which filters, heats and diffuses relaxing bubbles, and incorporates easy touch-control.

WARRANTY

SPA **2years**



TECHNICAL CHARACTERISTICS

Reference	SP-VIP140
Capacity	4 persons
Dimensions	Ø 156 x H 70 cm
Inside dimensions	Ø 140 x H 70 cm
Water volume	800 liters
Net weight (empty)	31 kg
Air nozzles	110
Temperature gain	1,5 - 3 °C/hour
Power supply	240 V ~ 50 Hz
Heating	1500 W
Liner	0.6 mm beaded PVC interior 0.8 mm braided PVC exterior
Protection	10 mA differential power socket
Filter pump	40 W
Filtration	Filtration block +1 anti-bacterial cartridge included
Warranty	2 years

EQUIPMENT



Insulating foam structure




Isothermal cover



Safe closing system



Exterior with braided PVC finish





Vertical massaging bubbles for the back



1 Bacti-Stop filter cartridge included

OPTIONAL FURNITURE


PACK OF 5 ELEMENTS



Spa Vita
SP-VIP140



Spa Vita + furniture (5 elements)
SP-VIP140/MOB2



furniture (5 elements)
SP-MOB140R





PORTABLE SPA

OCTOPUS *A RELAXING BUBBLE SPA*



4 to 6 persons

MAIN FEATURES

Semi-rigid **structure**

Rigid and insulating foam

Premium finish

Braided PVC and faux leather contour

Triple function motor

Massage / Heating / Filtration

Insulating cover

100% safe

Electrical protection 10 mA

WARRANTY

SPA **2years**

A perfectly-affordable high-end spa!

A major innovation in the Netspa range.


The Octopus spa marvellously combines the advantages of a large 4-6 person spa, with the outside dimensions of a 4-person inflatable spa. Its structure, made of 13 cm foam panels, assembles in just a few minutes to simultaneously provide the rigidity required as well as indispensable insulation and comfort. The interior liner incorporates an insulating mat, as well as vertical bubble channels, perfect for relaxing the back. Its smart Netspa motor block heats, filters and diffuses relaxing bubbles, ensuring less maintenance and more pleasure than ever.

TECHNICAL CHARACTERISTICS EQUIPMENT

Reference	SP-OCT165
Capacity	4+2 persons
Dimensions	Ø 193 x H 73 cm
Inside dimensions	Ø 165 x H 73 cm
Water volume	1000 liters
Net weight (empty)	36 kg
Air nozzles	100
Temperature gain	1,5 - 3 °C/hour
Power supply	240 V ~ 50 Hz
Heating	1500 W
Liner	0.6 mm beaded PVC interior Braided PVC exterior
Protection	10 mA differential power socket
Filter pump	40 W
Filtration	Filtration block + 1 anti-bacterial cartridge included
Warranty	2 years



Insulating foam structure
(thickness 13 cm)



Isothermal cover



Vertical massaging bubbles for the
back



Safe closing system




Exterior with braided PVC finish



1 Bacti-Stop filter cartridge
included

OPTIONAL FURNITURE

PACK OF 8 ELEMENTS



Spa Octopus
SP-OCT165

Furniture (5 elements)
SP-MOB165C

Spa Octopus + 5 elements
SP-OCT165/MOB2

Spa Octopus + 8 elements
SP-OCT165/MOB8

SEMI-RIGID SPA



FAST, EASY ASSEMBLY



PORTABLE SPA

VITA PREMIUM

AN INNOVATIVE RELAXING BUBBLE SPA



4 to 6 persons

MAIN FEATURES

Optimal depth

neck and shoulders fully-immersed

Semi-rigid structure

Rigid and insulating foam

Triple function motor

Massage / Heating / Filtration

Insulating cover

100% safe

Electrical protection 10 mA

WARRANTY

SPA **2years**

The perfect alternative

NetSpa's Vita Premium is an innovation in the spa world. This semi-rigid spa offers a real solution for anyone looking for a portable spa at a highly-competitive price! This spa, made with eight panels of 8 cm insulating foam, is covered with a 0.8 mm thick leatherette outer liner. This very deep, semi-rigid spa complies with the highest standards to offer you complete bust immersion for a full massage. This spa hosts a motor block with integrated filter and its interior space is optimized for 4 to 6 persons.



EASY ASSEMBLY




TECHNICAL CHARACTERISTICS

Reference	SP-VIP160B
Capacity	4+2 persons
Dimensions	Ø 184 x H 73 cm
Inside dimensions	Ø 160 x H 73 cm
Water volume	1100 liters
Net weight (empty)	46 kg
Air nozzles	88
Temperature gain	1.5 - 2.5 °C/hour
Power supply	240 V ~ 50 Hz
Heating	1500 W
Liner	0.6 mm beaded PVC interior Exterior PVC laminate 0.8 mm
Protection	Double heater insulation
Filter pump	40 W
Warranty	2 years

EQUIPMENT



Insulating foam structure
(épaisseur 13 cm)



Isothermal inflatable blanket
(25 cm thick)




Electrical outlet with 10 mA
differential protection



Safe closing system



Interior and exterior liner



2 filter cartridges included

OPTIONAL FURNITURE

PACK OF 5 ELEMENTS



Spa Vita Premium
SP-VIP160B

Spa Vita Premium + furniture kit
SP-VIP160B/MOB2

Furniture (5 elements)
SP-MOB160R



INFLATABLE SPA

BOA

THE XL FAMILY INFLATABLE SPA

MAIN FEATURES

Prestige finish
Croc-effect

XL inflatable structure

Triple function motor
Massage / Heating / Filtration

Insulating cover
100% safe

Electrical protection 10 mA

WARRANTIES

Electronics **2years**

Liner **6months**

An elegant, round-shaped spa.

The Boa's round shape and croc-effect layer give it a luxury outlook and provide a better protection. Suitable for 5 to 6 persons, the Boa is equipped with the Netspa motor unit, which heats, filters and diffuses relaxing bubbles, making it perfectly suitable for most domestic use.

Thanks to its 100% safe differential power socket, the spa provides optimal protection against electric shocks and its lockable cover means it can be thermally insulated and inaccessible to children if ever adults were absent.



TECHNICAL CHARACTERISTICS EASY ASSEMBLY

Reference	SP-BOA155
Capacity	5/6 persons
Dimensions	Ø 195 x H 70 cm
Inside dimensions	Ø 152 x H 70 cm
Water volume	800 liters
Net weight (empty)	31 kg
Air nozzles	130
Temperature gain	1,5 - 3 °C/hour
Power supply	240 V ~ 50 Hz
Heating	1500 W
Liner	0.6 mm pearl PVC liner 0.8 mm laminated PVC exterior cladding
Protection	Electrical protection 10 mA
Filter pump	40 W
Filtration	Filtration block + 1 anti-bacterial cartridge included
Warranties	Electronics: 2 years Structure: 6 months



EQUIPMENT & ACCESSOIRES



Removable motor unit



Isothermal cover



Electrical protection 10 mA



Safe closing system



Croc-effect PVC cover and finish



1 anti-bacterial filter cartridge included

INFLATABLE SPA



PRESTIGE FINISH
CROC-EFFECT



4 persons



INFLATABLE SPA

CAÏMAN

An optimized, elegant inflatable spa

Enjoy a session in the Caïman spa for up to 4 persons. The liner has a matt black leatherette finish with a crocodile motif which gives this spa an understated yet extremely elegant touch. Its smart motor block combines the heating, filtering and massaging bubbles functions to provide simple intuitive operation.

TECHNICAL CHARACTERISTICS

Reference	SP-CAM130C
Capacity	4 persons
Dimensions	L 168 x l 168 x H 70 cm
Inside dimensions	L 125 x l 125 x H 70 cm
Water volume	700 liters
Net weight (empty)	27 kg
Air nozzles	110
Temperature gain	1.5 - 2.5 °C/hour
Power supply	240 V ~ 50 Hz
Heating	1500 W
Liner	0.6 mm pearl PVC liner 0.8 mm laminated PVC exterior cladding
Protection	Electrical protection 10 mA
Filtration	Filtration block + 1 anti-bacterial cartridge included
Filter pump	40 W
Warranties	Electronics: 2 years Structure: 6 months

MAIN FEATURES

Square design

Ideal for limited spaces

Prestige finish

Croc-effect

Triple function motor

Massage / Heating / Filtration

EQUIPMENT



Electrical protection 10 mA



Isothermal cover & secure



Square format: compact & elegant



Unique design with leatherette finish



1 anti-bacterial filter cartridge included





5 to 6
persons

**PRESTIGE FINISH
CROC-EFFECT**



INFLATABLE SPA

PYTHON

Comfortable, fashionable and simple

Delight in the Python spa's octagonal shape, with its trendy design, perfect for 5 persons. The spa's exterior has a matt black leatherette finish with a crocodile motif which will give your relaxation area an elegant touch. Its smart motor block which combines heating, filtering and massaging bubbles is an invitation to fully take in the moment.

TECHNICAL CHARACTERISTICS

Reference	SP-PYT155C
Capacity	5/6 persons
Dimensions	185 x 185 X H 70 cm
Inside dimensions	145 x 145 X H 70 cm
Water volume	850 liters
Net weight (empty)	30 kg
Air nozzles	130
Temperature gain	1.5 - 2.5 °C/hour
Power supply	240 V ~ 50 Hz
Heating	1500 W
Liner	0.6 mm pearl PVC liner 0.8 mm laminated PVC exterior cladding
Protection	Electrical protection 10 mA
Filtration	Filtration block + 1 anti-bacterial cartridge included
Filter pump	40 W
Warranties	Electronics: 2 years Structure: 6 months

MAIN FEATURES

Octogonal design

For better comfort

Prestige finish

Croc-effect

Triple function motor

Massage / Heating / Filtration

EQUIPMENT



Electrical protection 10 mA



Isothermal cover & secure



130 Air nozzles



New generation engine block



1 anti-bacterial filter cartridge
included





4 or 6 persons

INFLATABLE SPA

MONTANA

TIMELESS ROUND INFLATABLE SPA

MAIN FEATURES

Available in 2 sizes

Simple and elegant design

Inflatable structure

Triple function motor
Massage / Heating / Filtration

Insulating cover
100 % safe

Electrical protection 10 mA

WARRANTIES

Electrics **2years**

Liner **6months**

The benchmark in inflatable spas

Its original design truly enhances your indoor or outdoor space. This spa, designed with a heavy-duty laminated PVC outer covering and beaded PVC interior liner, combines technology and sturdiness.

Available in two sizes – for 4 and 6 persons – the Montana has an external motor block for efficient filtering, effective massage and a rapid, powerful heating system.



TECHNICAL CHARACTERISTICS EASY ASSEMBLY

Reference	SP-MTA135C	SP-MTA165C
Capacity	4 persons	6 persons
Dimensions	Ø 175 x H 70 cm	Ø 204 x H 70 cm
Inside dimensions	Ø 130 x H 70 cm	Ø 160 x H 70 cm
Water volume	700 liters	930 liters
Net weight (empty)	25 kg	30 kg
Air nozzles	110	140
Temperature gain	1.5 - 2.5 °C/hour	
Power supply	240 V ~ 50 Hz	
Heating	1500 W	
Liner	0.6 mm beaded PVC interior 0.8 mm laminated PVC exterior cladding	
Protection	Double heater insulation + Electrical protection 10 mA	
Filtration	Filtration block + 2 cartridge included	
Filter pump	40 W	
Warranties	Electronics: 2 years Structure: 6 months	



EQUIPMENT AND ACCESSORIES



Thermally-insulated base




Isothermal cover & secure




Electrical protection 10 mA



Unique design with textured finish



110/140 Air nozzles



2 cartridge included

INFLATABLE SPA



FAST, EASY ASSEMBLY



4
persons



INFLATABLE SPA

ASPEN

The perfect inflatable spa for small spaces

The square-shaped inflatable Aspen spa is compact and ideal for 4 persons. The elegant yet sturdy Aspen has a heavy-duty textured laminated PVC outer covering and beaded PVC interior liner.

The Aspen is delivered with a smart, energy-efficient motor block providing three functions: heating, massage and filtering. You'll love the design, adore its bubbles and appreciate its affordable price!

TECHNICAL CHARACTERISTICS

Reference	SP-ASP130D
Capacity	4 persons
Dimensions	L 168 x l 168 x H 70 cm
Inside dimensions	L 128 x l 128 x H 70 cm
Water volume	700 liters
Net weight (empty)	27 kg
Air nozzles	110
Temperature gain	1.5 - 2.5 °C/hour
Power supply	240 V ~ 50 Hz
Heating	1500 W
Liner	0.6 mm beaded PVC interior 0.8 mm laminated PVC exterior cladding
Protection	Double heater insulation
Filtration	Filtration block + 2 cartridges included
Filter pump	40 W
Warranties	Electronics: 2 years Structure: 6 months

MAIN FEATURES

Square design

Ideal for limited spaces

Triple function motor

Massage / Heating / Filtration

Textured inflatable structure

EQUIPMENT




Thermally-insulated base



Isothermal cover & secure




Electrical protection 10 mA



Unique design with textured finish



Square format: compact & elegant



2 filter cartridges included





5 to 6 persons

FAST, EASY ASSEMBLY



INFLATABLE SPA

SILVER

Innovative, Trendy and Comfortable

NetSpa's SILVER spa has been imagined with an innovative and fashionable octagonal design, yet places key focus on users' comfort.

Its dimensions are perfect for offering optimal space for 5 persons (exterior 195 cm/interior 155 cm).

MAIN FEATURES

Octogonal design
For better comfort

Triple function motor
Massage / Heating / Filtration

Textured inflatable structure

TECHNICAL CHARACTERISTICS

Reference	SP-SLV155C
Capacity	5/6 persons
Dimensions	195 x 195 X H 70 cm
Inside dimensions	155 x 155 X H 70 cm
Water volume	850 liters
Net weight (empty)	30 kg
Air nozzles	130
Temperature gain	1.5 - 2.5 °C/hour
Power supply	240 V ~ 50 Hz
Heating	1500 W
Liner	0.6 mm beaded PVC interior 0.8 mm laminated PVC exterior cladding
Protection	Double isolation du réchauffeur
Filtration	Filtration block + 2 cartouches incluses
Filter pump	40 W
Warranties	Electronics: 2 years Structure: 6 months

EQUIPMENT



Thermally-insulated base




Isothermal cover & secure




Electrical protection 10 mA



New generation engine block



130 Air nozzles



2 filter cartridges included



2-IN-1 HEADRESTS & CUP-HOLDER

SP-N1405180

Set of 2 headrests and cup-holders (2-in-1) for the Vita Premium spa.



INFLATABLE BAR

SP-N1405227

5 cup-holders and a large central compartment for storing ice cubes, bottles and snacks.
64 cm-diameter



COMFORTABLE SEAT CUSHIONS

SP-N1405197

Set of 2 cushions to fill with water to sit comfortably.
Dim. 45 x 38 x 10 cm
Set of 2 sitting cushions to fill with water



HEADRESTS & CUP-HOLDER

SP-N1405173

Set of 2 headrests + 1 cup-holder for NetSpa inflatable spas




INFLATABLE COVER

SP-N1405869 - 5 persons (square)

SP-N1405203 - 4 persons (round)

SP-N1407528 - 5/6 persons (octagonal)

SP-N1405210 - 6 persons (round)



COMFY NETSPA CUSHIONS

SP-NCUSH786

Set of 2 comfortable seat cushions for all types of spas and pools
Dim. 39 x 33 x 22 cm



CUSHIONS ERGO NETSPA

SP-NCUSH793

Set of 2 ergonomic seat cushions for all types of spas and pools
Dim. 39 x 33 x 22 cm



SPA SPOTLIGHT

SP-N1407542

Low-voltage waterproof lamp fitted with rechargeable battery. Add colour to your spa! Compatible with all spas and usable everywhere.

NETSPA SUPERVAC CLEANER

SP-CLEANER-25

Large capacity vacuum cleaner, electric cordless rechargeable vacuum for spas and small pools. Equipped with a telescopic pole, Li-Ion battery and large capacity filter. Electronic warranty: 2 years



NETSPA CLEANER

SP-CLEANER-15

Electric cordless rechargeable vacuum cleaner **for spas and small pools**. Electronic warranty: 2 years



NETSPA ACTIVE OXYGEN

SP-NOXYTAB-20

Universal active oxygen treatment
20 tablets of 20g.



FILTER CARTRIDGES



SP-N1407535

Set of 3 new-generation cartridges

SP-N1408425

Filter holder (with 1 cartridge)



FILTER CARTRIDGES



SP-N1408778

Set of 3 anti-bacterial cartridges for inflatable spas, Vita & Octopus

SP-N1408785

Set of 3 anti-bacterial cartridges for Vita Premium



The Essential Pack “ABOVE GROUND POOLS”

Advantages

- Compatible with all above ground pools
- Competitive pack prices
- Innovative exclusive products
- Dropshipping (direct delivery to your customer from our warehouse)



Heating

Discover all the advantages of a professional heating pump in a compact format.

Filtration

Keep your swimming pool squeaky clean with quality filtration. An all-in-one system, combined with a polymer filter media replaces conventional sand for a more efficient cleaning.

Cleaning

Make it easier to clean your swimming pool with a wireless & smart electric pool cleaner.

The comfort of a large swimming pool at a small price

Contact us for a personalized offer

POOLEX NANO ACTION

*A heat pump dedicated
to small pools*

- Plug and play
- Compatible with all above ground pools
- Light and compact
- Operates from 12 °C



Ready to use
Differential plug
and universal connectors included



**Reinforced
packaging**



FILTRATION GROUP

for above ground swimming pools



up to
3.03 m³/h

Your filtration
all-in-1

Filtration tank

Integrated circulation
pump

+

FILTERING MEDIA

Polymer fibres for sand filters



ADVANTAGES

- Shorter filtration cycles
- Less frequent backwash
- 95% less chemical products usage


10 kg
SAND
=
130 g
PUREFLOW



ELECTRIC POOL CLEANER



- Integrated Li-ion 6600mAh battery
- Moving speed of 18m/min on flat bottom
- Automatic directional change when encountering an obstacle




**WIRELESS
& AUTOMATIC**



**FOR POOLS
UP TO 100 m²**



Large suction openings
+ finishing brush



Start wheel and status
indicator light



Easy clean
removable filter

Poolstar also means

A large range of water leisure equipment



X-Rider range



Dual range



Fury range



Inflatable kayak



Windsurf range



Race range



Super 17



SUP range




Hard Board range



Wakeboard



Surf range



Tubing



A floating pad that guarantees endless moments of relaxation, be it at the sea, the lake or in your pool.

Available in 4 sizes from 1 to 8 persons, and does not risk deflating or heat up in the sun.



And all accessories needed for the practice of SUP



Paddles



Kayak seat



Leash



Store display



Electric inflation pump



Waterproof bag & pouch

EXTRANET FOR TRADE CUSTOMERS

Contact:

<https://pro.poolstar.fr>

and ask to open an account



ORDERING AND LOGISTICS

STOCK AVAILABILITY

With real-time monitoring of inventory and re-stocking, you can respond immediately to your customers' requests for delivery dates.

ORDERING ON-LINE

Considerable time-saving when ordering our products 24/7 from our platform.

INVOICE HISTORY

Besides receiving your invoices by e-mail, you can see your invoice history on your Poolstar account.

ACCOUNT MANAGEMENT

SHIPMENT TRACKING

Track in real time the status of your shipments with just a few clicks.

AFTER-SALES SERVICE ADMINISTRATION

Requests for information or after-sales service, warranty claims, after-sales follow-up: nothing could be simpler

SPARE PARTS

Ask for spare parts, order a broken or missing item.

SALES ASSISTANCE

DOWNLOAD CATALOGUES

In addition to their own particular websites, all our printed catalogues can be downloaded in multi-language pdf format from our platform or upon request.

MULTI-LANGUAGE PRODUCT INFORMATION SHEETS

For every one of our products, its information sheet can be downloaded in pdf format and printed. These product sheets are available in 5 different languages.

PHOTO PACKS

Each product has a pack of photos that can be downloaded for distribution on your websites.

AFTER-SALES SERVICE



*Our aim is
100% satisfaction*

EXPERTS ALWAYS READY TO HELP

A TEAM OF SPECIALISTS

Every year in our French offices we train and strengthen our after-sales service team.

It is trained on our entire product range including new additions so as to best respond to all your questions and find the most suitable answer.

TELEPHONE NUMBER JUST FOR TRADE CUSTOMERS

Since 2016, our trade customer phone line has been answering all your questions and requests. Just a phone call away, our team of experts knows our products inside out.

TROUBLESHOOTING

Just give us a call and our highly qualified after-sales service team can usually give you a quick assessment.

SPARE PARTS IN STOCK

We keep a permanent stock of more than 1,800 lines of spare parts for all our products to cover all requirements throughout the season and for you to give your customers a fast response time.

A DEDICATED PLATFORM

FAQ

Our after-sales service team has put together a list of frequently asked questions about all our product ranges, as well as our answers. Our goal is to optimize time management as well as your satisfaction!

SPARE PARTS WEBSITE

Are you looking for a spare part of a Poolstar product? Now, it is possible in a few clicks with our spare parts site. Find us here:

<https://store.poolstar.fr>

AFTER-SALES FORM

Whether your demand contains an information request, a warranty claim or a quotation, our after-sales service form allows you to have a clear and quick response to your requests.

ONLINE TRACKING 24/24

Follow at any time the status of your service request online: Find the returns of your demand, diagnosis, repair solutions, order and shipment of spare parts, our internet platform is accessible 24/24.

DOWNLOAD TECHNICAL DOCUMENTS

If you are looking for an installation or user manual, a technical diagram or a spare part reference; our database allows you to download a lost or missing document in pdf or print.

GENERAL TERMS OF SALES AND DELIVERY

GENERAL TERMS OF SALES

ARTICLE 1 - APPLICATION OF THE GENERAL TERMS AND CONDITIONS OF SALE

These General Terms and Conditions of Sale apply to professional customers (hereinafter referred to as «the Purchaser») who wish to commercialize POOLSTAR products (hereinafter referred to as «the Equipment»).

The act of placing an order implies that the professional Purchaser accepts the General Terms and Conditions of Sale hereof fully and without any reservation whatsoever, to the exclusion of any other document, such as prospectus, catalogues, issued by POOLSTAR, which are for informational purposes only. (Non-contractual visuals which may be modified at any time at our initiative)

No special terms and conditions can prevail over the General Terms and Conditions of Sale hereof unless they are formally accepted by POOLSTAR in writing. Terms or conditions of a contrary nature put forth by the Purchaser shall, unless explicitly accepted, be non-binding over POOLSTAR, irrespective of the time such terms or conditions were brought to its attention.

ARTICLE 2 - ORDERS

Orders are final only when they have been confirmed in writing by POOLSTAR.

Once the order has been confirmed in writing by POOLSTAR, it is deemed firm and final and cannot be amended in any way and binds the Purchaser to pay it.

The General Terms and Conditions of Sale hereof are applicable to any quote made.

ARTICLE 3 - DELIVERY

Unless explicitly stipulated otherwise, delivery shall take place within a maximum period of 60 days following the date of receipt of payment of the price by POOLSTAR.

The deadlines are indicative and any possible delay does not entitle the Purchaser to cancel the sale, nor to refuse the Equipment and shall not give rise to any deduction, compensation, penalty or damages.

The Equipment shall be delivered to the recipient's address and shall not be unloaded unless explicitly agreed between the two parties. The transfer of risks on the Equipment, even in the event of sale agreed carriage-free, takes place as soon as it leaves the POOLSTAR warehouses. The Equipment is shipped at the risk and peril of the Purchaser who is responsible for making any observations necessary in the event of damage or partial delivery. The Purchaser shall enter their reservations on the delivery note, and possibly refuse the Equipment in the event of damage observed. They must then confirm their reservations in writing (registered letter with acknowledgement of receipt) within 3 days pursuant to Article L133-3 of the French Commercial Code.

(For information, the sole mention «subject to unpacking» displayed on the delivery note, cannot be used to make a claim).

Delivery condition for mainland France, carriage free for minimum €1,650 net VAT orders.

Transfer of ownership and retention of title clause

POOLSTAR RESERVES OWNERSHIP OF THE EQUIPMENT UNTIL FULL PAYMENT IS RECEIVED, irrespective of the terms and conditions of delivery and payment, it being understood that the risks are borne by the Purchaser as soon as the Equipment leaves POOLSTAR's warehouses. Consequently, the Purchaser must take out an insurance policy covering delivery, risks of loss, theft and damage to the goods sold, as well as the damage they may cause to the goods themselves.

Individualization of Equipment

The Purchaser is responsible for ensuring Equipment identification and individualization and must monitor that they do not unpack or merge items into common stock. In the event of receivership or judicial liquidation, the Purchaser undertakes to have the administrator, the agent or the claims representative draw up a complete list of the Equipment. Likewise, POOLSTAR can unilaterally, after sending a formal notice, draw up or have a third party draw up an inventory of its Equipment in the possession of the Purchaser, who undertakes, henceforth, to allow free access to its warehouses, stores or other premises for this purpose.

Claim

In the event of non-payment by the Purchaser, and without waiving any of their rights, POOLSTAR may demand, by registered letter with acknowledgement of receipt, the return of the Equipment at the Purchaser's expense and risk.

Receivership or judicial liquidation

The Purchaser undertakes to inform POOLSTAR of any change that may occur in their situation, and in particular of their declaration of insolvency.

ARTICLE 4 - COMPLIANCE

Upon delivery of the Equipment, the Purchaser shall ensure that it is in good condition and that it complies with the order.

In the event that the ordered Equipment delivered is non-compliant, the Purchaser shall inform POOLSTAR in writing within one month and shall include any documents showing the non-compliance of the delivered Equipment. If POOLSTAR confirms the non-compliance of the Equipment, the Purchaser may, at POOLSTAR's choice, obtain either a replacement of the Equipment or a refund of the purchase price within thirty (30) days following the Purchaser's written request.

Moreover, the Purchaser has the right to return the Equipment to POOLSTAR provided it is in perfect condition in its original packaging.

Prior to returning any Equipment, the Purchaser must contact POOLSTAR's customer service to learn about the return procedure.

ARTICLE 5 - GUARANTEES

Legal guarantee for hidden defects (Articles 1641 and following of the French Civil Code) and Liability as a result of defective products (Articles 1245 et al of the French Civil Code).

POOLSTAR guarantees the absence of hidden defects which would make the sold Equipment unfit for the use for which it is intended, or which would diminish this use to the point that the Purchaser would not have purchased it or would have proposed a lower price if they had been known of its existence.

- The defect must have existed prior to the sale.

- This guarantee covers a 2-year period.

The Purchaser can only benefit from the guarantee if they notify POOLSTAR by registered letter with acknowledgement of receipt within one month following the detection of the defect.

Contractual guarantee

The Purchaser undertakes to familiarize themselves with the guarantee proposed by POOLSTAR and to transmit it to intermediaries and end users.

The Equipment is delivered with a notice, specifying the particularities of the guarantee by product range.

The contractual guarantee starts on the date specified on the sales invoice for the new product sold by the Purchaser to their end user.

For any product (apart from any product category specifically mentioned on the notice), the guarantee covers a 2-year period.

Any intervention carried out within the framework of the guarantee does not extend the duration of the guarantee.

The invoice is due and conditions any service provided under guarantee.

In any case, the guarantee hereof is limited, depending on the case, to product repair or exchange for a new or reconditioned product, or reimbursement via a credit note for the Equipment which POOLSTAR acknowledges as defective.

Any costs for installing, removal, emptying, filling, processing (products, etc.) and carriage are borne by the Purchaser. The shipping costs of the repaired or replaced product and delivered to the Purchaser are borne by POOLSTAR as are workshop labour costs.

Any Equipment which may benefit from the guarantee must be submitted beforehand to the POOLSTAR after-sales service by creating an after-sales service record on the platform: <https://support.poolstar.fr> where all specific terms and conditions concerning the after-sales service may be found.

General Limitations

The contractual guarantee does not cover issues arising in whole or in part from a negligence, misuse, abusive use or unconventional use, insufficient or improper maintenance, incorrect repair, failure to observe the instructions for installation, for storage, or defects attributable to external causes (natural or technological catastrophe, etc.).

The contractual guarantee does not cover consumables or repairs carried out by a third party not authorized by POOLSTAR. Snags, holes, tears, stains, natural wear and tear, and external accidents are excluded from the guarantee.

The guarantee shall be cancelled if the product is transferred to a third party.

POOLSTAR shall not guarantee the loss of profit generated by the interruption of an operation due to non-compliance of the Equipment sold.

Liabilities

POOLSTAR cannot be held liable under any circumstances for damages of any kind whatsoever, which could be the direct or indirect consequence of bad adaptation of the Equipment or its defective use.

Equipment Compliance

In the event that the Equipment is compliant, costs related to processing the return and any costs incurred by the claim shall be borne by the Purchaser and may be invoiced to the latter by POOLSTAR.

Quote and study advice

Any ex-guarantee repair shall be subject to a quote given beforehand. Only written quotes are accepted and they are valid for a period of one month.

Advice, recommendations and technical support provided for free are for information purposes only and can in no way expose POOLSTAR to liability.

If during repair following the first accepted quote, the defect of one or several additional components appears, we undertake to transmit a new quote for acceptance.

Equipment retention period

POOLSTAR shall stock the Equipment on its premises for 45 days from the date of reception in POOLSTAR's workshops. After this period and, in the absence of agreement from the Purchaser as to the quote for the repairs to be carried out, the Equipment shall be returned. In this case, the carriage and expertise cost shall be borne by the Purchaser.

ARTICLE 6 - PRICING

POOLSTAR shall grant discounts to the Purchaser, pursuant to the discount rate in effect which shall be transmitted to the Purchaser.

The Equipment is supplied at prices net of VAT in effect on the date the order is received.

Prices are reviewable without notice pursuant to decisions taken by POOLSTAR.

The prices indicated include discounts, reductions and rebates granted unless otherwise specified on the purchase order.

Any claim concerning the invoice must be notified to POOLSTAR by registered letter with acknowledgement of receipt, at the latest within 15 days of invoice reception, failing which it shall not be taken into account.

ARTICLE 7 - TERMS AND CONDITIONS OF PAYMENT

The Equipment is payable at the time of order unless specific conditions have been granted to the Purchaser and agreed in writing by POOLSTAR.

Only the receipt of payment by POOLSTAR will trigger POOLSTAR's obligation to deliver unless otherwise agreed in writing.

Moreover, if, during a previous order, the Purchaser failed to meet any of their obligations, refusal to sell may be made, unless this Purchaser provides satisfactory guarantees.

Failure to pay the order on its due date shall render the entire amount payable due immediately without prior formal notice, and shall lead to the suspension of deliveries as well as the application of flat-rate compensation of €20 net VAT.

Any significant change in the Purchaser's financial situation is likely to lead to a revision of the terms and conditions of payment, with the seller solely responsible for taking a decision without having to justify it.

In the event of late payment on the due dates, the sums shall automatically bear interest on the basis of the rate of the ECB advances increased by ten points without this clause adversely affecting the due date of the debt, and compensation for recovery costs, at least equal to the fixed minimum amount provided for under the applicable texts (Article L441-6 of the French Commercial Code and its implementing decree) shall be applied.

In the event of non-payment by the Purchaser of one of the orders, POOLSTAR has the right to postpone manufacturing and delivery of all other orders and / or to terminate them, without the Purchaser being able to claim any compensation from POOLSTAR for this.

Where applicable, if the term of payment comes after reception of the order, no claim on the Equipment (defect, etc.) is conditional on payment until proof of its defectiveness has been provided and admitted by POOLSTAR before the due date.

If it is applicable, a suspension of payment is acceptable only on the invoice value of the incriminated components of the Equipment in question.

As regards the storage of the aforementioned goods, the timeframe cannot exceed 12 months as of the date of reception of the goods.

Otherwise, POOLSTAR may charge a storage fee of €15 net VAT per month and per product.

If necessary, deposits received by POOLSTAR shall be retained by way of damages if the Purchaser does not respect their commitments, until the amount of the damages, which shall include in particular all costs incurred (e.g. manufacturing, transport, storage, etc.), is fixed.

Credit note management:

Credit notes issued by POOLSTAR are deductible from a future order and shall not be reimbursed, except by virtue of prevailing provisions of law.

ARTICLE 8 - PENALTY CLAUSE

In the event of legal proceedings, the Purchaser shall be liable to pay, by way of damages, compensation equal to 15 % of the amount of the sums due, with a minimum of €152 net VAT. This increase is established as a penalty clause and cannot deprive POOLSTAR of being granted additional damages if its loss is higher than this amount.

ARTICLE 9 - INTELLECTUAL PROPERTY RIGHTS

The Purchaser shall refrain from reproducing or using POOLSTAR's name, logo or trademarks in any media, informational or online communication to the general public or to the Purchaser's own customers.

Any technical documents transmitted to the Purchaser remain the exclusive property of POOLSTAR, the sole owner of the intellectual property rights on these documents, and must be returned to POOLSTAR if and when requested.

The Purchaser undertakes not to make any use of these documents which may infringe POOLSTAR's industrial or intellectual property rights and undertakes to refrain from disclosing them to any third party without POOLSTAR's prior consent.

ARTICLE 10 - PERSONAL DATA PROTECTION

POOLSTAR is committed to respecting the security of the personal data transmitted by Purchasers and to process it pursuant to regulations in effect.

POOLSTAR informs the Customer that this data shall be used by its internal services, its partners and its subsidiaries for:

- Processing the Purchaser's order, tracking the order, managing invoicing and payment and any claims. This processing is based on the execution of the agreement concluded with the Purchaser and the respect by POOLSTAR of its legal obligations regarding invoicing.
- Strengthening and tailoring communication, in particular by sending newsletters and letters, offers and specific emails on news of its products. This processing is based on POOLSTAR's legitimate interests to carry out communication and prospecting campaigns related to its business activity.

The supply of the data requested when the order is placed is of a contractual nature and is compulsory to conclude the order. Otherwise, the Purchaser shall not be able to place the order.

Processing

Personal data is stored in an active base for a period of four (4) years from the last order, on a secure server within the European Union. Personal data related to order execution can be stored in intermediate archiving for a period of five (5) years from the date of the order; period required for POOLSTAR to establish, exercise and/or defend its rights in court (limitation period).

Moreover, POOLSTAR stipulates that if the Purchaser changes their mind and no longer wishes to receive promotional emails or letters, they may request to unsubscribe at any time by writing to «contact@poolstar.fr». (right to oppose).

Furthermore, under the conditions provided for by regulations in effect, the Purchaser may at any time exercise their rights to access, rectify or delete information concerning them, their right to limit processing and their right to the portability of their data, their right to provide instructions as regards their personal data after their death, by sending their request (specifying email address, first name, surname, postal address):

By email to «contact@poolstar.fr».

Or by postal letter to the address of the head office mentioned at the bottom of the page.

Finally, the Purchaser has the right to make a claim before the competent authority (the CNIL (French Data Protection Authority) in France).

ARTICLE 11 – NULLITY OF A CLAUSE

The nullity and/or cancellation of one of the provisions and/or clauses of the General Terms and Conditions of Sale hereof shall in no way affect the validity of the other provisions and clauses which remain in effect between the parties, unless the spirit and/or purpose of the agreement concerned is altered by such nullity and/or cancellation.

The parties to the agreement undertake to renegotiate in good faith any provision and/or clause that is null or invalid, pursuant to the law and reflecting the economic purpose of the General Terms and Conditions of Sale.

ARTICLE 12 - CHOICE OF JURISDICTION

The General Terms and Conditions of Sale hereof are governed by French law to the exclusion of any other international convention applicable including the Vienna Convention on Contracts for the International Sale of Goods (CISG) of 11 April 1980.

For all disputes relating to sales made by POOLSTAR and the application or interpretation of the General Terms and Conditions of Sale hereof, ONLY THE COMMERCIAL COURT OF AIX EN PROVENCE SHALL BE COMPETENT, even in the case of summary proceedings or multiple defendants.

The issue and acceptance of bills of exchange, direct collection or any other method of payment does not constitute a novation or derogation to this clause conferring jurisdiction.

On / /

Signature preceded by the words «read and approved» and company stamp

POOLSTAR

960, Olivier Perroy Avenue - 13790 Rousset - France

Website: www.poolstar.fr - Email: contact@poolstar.fr - Tel: +33 (0)4 91 51 15 16 - Fax: +33 (0)4 91 51 97 07

Limited Liability Company with a capital of Euros 1,100,000 - RCS 491 849 626 - intra N° FR22 491 849 626 - APE CODE 514F - NAF CODE 4643Z

SALES DEPARTMENT

Monday to Friday

9:00 am to 12:30pm and 2:00 pm to 6:00 pm

Telephone: +33 (0)4 91 51 15 17

Email: export@poolstar.fr

AFTER SALES SERVICE

Monday to Friday

9:00 am to 12:30pm and 2:00 pm to 5:30 pm

Telephone: +33 (0)4 91 51 03 03

<https://support.poolstar.fr>



960, Olivier Perroy Avenue

13790 Rousset, France

Tel: +33 (0)4 91 51 15 16

Fax: +33 (0)4 91 51 97 07

www.poolstar.fr